

MISSOURI VITAL STATISTICS 1975

FEB 25 1977

Missouri Center for Health Statistics



**MISSOURI
VITAL STATISTICS**

1975

**Prepared by
Missouri Center for Health Statistics
August, 1976**

DEPARTMENT OF SOCIAL SERVICES

**DIVISION OF HEALTH
MISSOURI CENTER FOR HEALTH STATISTICS
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101**

PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1975. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, and dissolutions. Provisional vital statistics data are available through the publication, Monthly Vital Statistics. Unpublished detailed annual vital statistics data are available upon request.

MISSOURI CENTER FOR HEALTH STATISTICS
AUGUST 1976

BACKGROUND

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. In 1974 divorces were changed to dissolutions of marriage by a new "no-fault" divorce law. They will appear as dissolutions in this publication. Annulments now are invalidities. Total dissolutions in Graph F and Table 32 exclude legal separations.

In 1975 Missouri started collecting abortions on a voluntary basis. Thus, recorded Missouri abortions will appear in this report for the first time.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1975 calendar year of events. Records have been accepted through March 15 of 1976 before cut-off, allowing 1975 events to be as complete as possible.

POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1974; provided jointly by the Division of Budget and Planning; Office of Administration, Capitol Building, Jefferson City, Missouri and Division of Health.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U.S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (-) is shown, this means none or zero.

TABLE OF CONTENTS

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS, LIFE EXPECTANCY

Table/Graph		Page
A	Trends in Live Birth and Deaths Rates, 1911--1975	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911--1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945--1975	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1975	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1975	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1975	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1975	17
B	Trends in Fetal Death Rates by Color, 1932--1975	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1975	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1975	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1975	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1975	27
C	Trends in Maternal Death Rates by Color, 1932--1975	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1975	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1975	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1975	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1975	39
D	Trends in Infant Death Rates by Color, 1932--1975	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1975	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1975	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1975	136
18	Abridged Life Table for Total Population and by Sex; Missouri: 1975	138

MARRIAGES

E	Trends in Marriage Rates, 1949--1975	140
19	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1975	141
20	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1975	143
21	Reported Marriages by Marital Status, Missouri: 1975	144
22	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1975	144
23	Reported Marriages by County of Record with Rates, Missouri: 1975	145

DISSOLUTIONS

Table/Graph		Page
F	Trends in Dissolution Rates, 1949--1975	147
24	Reported Dissolutions, Invalidities and Legal Separations by Number of Previous Marriages, Husband by Wife, Missouri: 1975	148
25	Reported Dissolutions, Invalidities and Legal Separations by Duration of Marriages, Missouri: 1975	149
26	Reported Dissolutions, Invalidities and Legal Separations by Number of Children Affected, Missouri: 1975	150
27	Reported Dissolutions, Invalidities and Legal Separations by Petitioner, Missouri: 1975	150
28	Reported Dissolutions, Invalidities and Legal Separations by Petitioner by Disposition of Children, Missouri: 1975	150
29	Reported Dissolutions, Invalidities and Legal Separations by Maintenance and Settlement, Missouri: 1975	151
30	Reported Dissolutions, Invalidities and Legal Separations by Legal Grounds for Decree, Missouri: 1975	151
31	Reported Dissolutions, Invalidities and Legal Separations by Color, Husband by Wife, Missouri: 1975	152
32	Reported Dissolutions, Invalidities and Legal Separations by Number of Cases Contested, Missouri: 1975	152
33	Reported Dissolutions and Invalidities by County of Recording with Rates, Missouri: 1975	153

ABORTIONS

34	Recorded Abortions by Age and Marital Status of Patient, Missouri: 1975	155
35	Recorded Abortions by Education and Race of Patient, Missouri: 1975	155
36	Number of Living Children, Number of Previous Abortions for Women Receiving Abortions, Missouri: 1975	156
37	Recorded Abortions by County or State of Residence, Missouri: 1975	157

MISSOURI



**BIRTHS, FETAL DEATHS
DEATHS, INFANT DEATHS
MATERNAL DEATHS
ACCIDENTS
LIFE EXPECTANCY**

GRAPH A.
LIVE BIRTH AND DEATH RATES 1911-1975
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates taken from United States Bureau of the Census Release, Series P-25, No's 139, 304, 460, 488. July 1, 1975 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1928	17.6	12.6	1945	18.7	12.1	1962	21.5	11.2
1912	22.6	12.6	1929	16.8	12.2	1946	21.5	11.3	1963	20.6	11.5
1913	22.1	12.4	1930	17.0	11.8	1947	23.4	11.6	1964	19.9	11.2
1914	21.3	12.0	1931	16.2	11.9	1948	22.1	11.1	1965	18.2	11.2
1915	20.5	11.7	1932	16.0	11.7	1949	21.5	11.1	1966	17.2	11.4
1916	20.8	12.7	1933	15.3	11.5	1950	21.6	11.0	1967	16.5	11.1
1917	19.3	13.1	1934	15.9	12.3	1951	22.4	10.9	1968	16.3	11.4
1918	19.2	15.6	1935	15.1	11.4	1952	22.7	11.3	1969	16.9	11.3
1919	18.2	11.7	1936	14.7	12.8	1953	22.7	11.2	1970	17.2	11.1
1920	19.2	12.5	1937	15.1	11.9	1954	23.0	10.8	1971	16.6	10.8
1921	19.5	10.6	1938	15.7	11.3	1955	22.7	10.4	1972	15.3	11.0
1922	18.7	11.2	1939	15.8	11.3	1956	23.1	10.7	1973	14.4	10.9
1923	19.3	12.1	1940	16.5	11.6	1957	23.2	11.3	1974	14.5	10.6
1924	19.7	11.5	1941	17.4	11.4	1958	23.1	11.2	1975	14.4	10.3
1925	19.4	11.7	1942	19.0	11.0	1959	23.1	10.9			
1926	18.7	12.0	1943	20.2	12.0	1960	22.6	11.2			
1927	18.6	11.4	1944	19.7	11.9	1961	22.4	10.9			

TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1975

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,717	81,409	17.3	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,747	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,768	70,808	14.9	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,772	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,763*	70,786	14.9	49,986	10.5	68,442	14.4	48,984	10.3	19,458

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates taken from United States Bureau of the Census Release, Series P-25, No.'s 139, 304, 460, 488. *July 1, 1975 provisional estimate—see page iv.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1975

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	68,442	30,663	37,779	100.0	100.0	100.0
TOTAL MALE	35,176	15,610	19,566	51.4	50.9	51.8
TOTAL FEMALE	33,266	15,053	18,213	48.6	49.1	48.2
WHITE TOTAL	57,211	21,716	35,495	100.0	100.0	100.0
MALE	29,528	11,122	18,406	51.6	51.2	51.9
FEMALE	27,683	10,594	17,089	48.4	48.8	48.1
NONWHITE TOTAL	11,231	8,947	2,284	100.0	100.0	100.0
MALE	5,648	4,488	1,160	50.3	50.2	50.8
FEMALE	5,583	4,459	1,124	49.7	49.8	49.2
ATTENDANT-COLOR						
GRAND TOTAL	68,442	30,663	37,779	100.0	100.0	100.0
M. D.	61,047	28,499	32,548	89.2	92.9	86.2
D. O.	7,260	2,127	5,133	10.6	6.9	13.6
MIDWIFE	90	27	63	.1	.1	.2
OTHER	45	10	35	.1		.1
WHITE TOTAL	57,211	21,716	35,495	100.0	100.0	100.0
M. D.	50,662	20,107	30,555	88.6	92.6	86.1
D. O.	6,445	1,593	4,852	11.3	7.3	13.7
MIDWIFE	62	7	55	.1		.2
OTHER	42	9	33	.1		.1
NONWHITE TOTAL	11,231	8,947	2,284	100.0	100.0	100.0
M. D.	10,385	8,392	1,993	92.5	93.8	87.3
D. O.	815	534	281	7.3	6.0	12.3
MIDWIFE	28	20	8	.2	.2	.4
OTHER	3	1	2			.1

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1975

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,763,000	68,442	788	70,786	734	14.4	11.5	14.9	10.4
COUNTIES INCLUDING CITIES									
ADAIR	23,700	316	2	574	3	13.3	6.3	24.2	5.2
ANDREW	13,300	156	1	2		11.7	6.4	.2	
ATCHISON	9,000	104	1	185	1	11.6	9.6	20.6	5.4
AUDRAIN	25,100	410	5	578	4	16.3	12.2	23.0	6.9
BARRY	21,800	268	2	213	1	12.3	7.5	9.8	4.7
BARTON	10,900	131	3	30		12.0	22.9	2.8	
BATES	16,200	175	3	153	3	10.8	17.1	9.4	19.6
BENTON	11,600	111	1	1		9.6	9.0	.1	
BOLLINGER	9,800	132	2	1		13.5	15.2	.1	
BOONE	86,800	1,125	6	2,065	21	13.0	5.3	23.8	10.2
BUCHANAN	85,500	1,291	18	1,860	21	15.1	13.9	21.8	11.3
BUTLER	35,700	537	13	899	11	15.0	24.2	25.2	12.2
CALDWELL	8,800	106		1		12.0		.1	
CALLAWAY	26,900	370	3	96		13.8	8.1	3.6	
CAMDEN	16,900	202		5		12.0		.3	
CAPE GIRARDEAU	52,100	647	6	1,252	19	12.4	9.3	24.0	15.2
CARROLL	11,900	160	1	23		13.4	6.3	1.9	
CARTER	4,400	62	1	1		14.1	16.1	.2	
CASS	47,800	680	12	259	5	14.2	17.6	5.4	19.3
CEDAR	11,100	116		151	1	10.5		13.6	6.6
CHARITON	10,200	123				12.1			
CHRISTIAN	19,800	273	5	1		13.8	18.3	.1	
CLARK	8,100	107				13.2			
CLAY	133,700	1,863	24	1,292	16	13.9	12.9	9.7	12.4
CLINTON	14,000	176	2	120		12.6	11.4	8.6	
COLE	48,600	769	3	1,438	9	15.8	3.9	29.6	6.3
COOPER	14,600	162	6	123	3	11.1	37.0	8.4	24.4
CRAWFORD	16,600	239	1	184		14.4	4.2	11.1	
DADE	7,400	83				11.2			
DALLAS	11,500	137		1		11.9		.1	
DAVISS	8,500	121		14	1	14.2		1.6	71.4
DE KALB	8,300	118	1			14.2	8.5		
DENT	13,100	196	1	67	2	15.0	5.1	5.1	29.9

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1975 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1975

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
DOUGLAS	10,700	146		7		13.6		.7	
DUNKLIN	36,000	602	8	605	8	16.7	13.3	16.8	13.2
FRANKLIN	64,000	975	6	490	3	15.2	6.2	7.7	6.1
GASCONADE	13,200	165	2	117	2	12.5	12.1	8.9	17.1
GENTRY	7,800	94	1	151	1	12.1	10.6	19.4	6.6
GREENE	169,900	2,468	21	4,017	36	14.5	8.5	23.6	9.0
GRUNDY	11,700	129		181		11.0		15.5	
HARRISON	10,000	106	1	50		10.6	9.4	5.0	
HENRY	19,700	224	1	349	2	11.4	4.5	17.7	5.7
HICKORY	5,400	57	1	10		10.6	17.5	1.9	
HOLT	6,800	94	1			13.8	10.6		
HOWARD	10,300	131	3	117	1	12.7	22.9	11.4	8.5
HOWELL	27,200	363	6	575	7	13.3	16.5	21.1	12.2
IRON	10,500	168	2	74	3	16.0	11.9	7.0	40.5
JACKSON	641,600	9,531	138	12,649	132	14.9	14.5	19.7	10.4
JASPER	82,700	1,234	8	1,193	9	14.9	6.5	14.4	7.5
JEFFERSON	121,400	2,119	23	411	2	17.5	10.9	3.4	4.9
JOHNSON	36,000	600	6	640	8	16.7	10.0	17.8	12.5
KNOX	5,800	72				12.4			
LACLEDE	22,900	340	7	328	5	14.8	20.6	14.3	15.2
LAFAYETTE	28,700	397	9	350	2	13.8	22.7	12.2	5.7
LAWRENCE	28,200	324	1	240		11.5	3.1	8.5	
LEWIS	11,000	163	2	2		14.8	12.3	.2	
LINCOLN	19,800	269	8	193	2	13.6	29.7	9.7	10.4
LINN	14,900	201	6	259	6	13.5	29.9	17.4	23.2
LIVINGSTON	15,400	208	8	363	8	13.5	38.5	23.6	22.0
MC DONALD	14,900	166	5	1		11.1	30.1	.1	
MACON	16,400	215	3	160	2	13.1	14.0	9.8	12.5
MADISON	9,300	134		150		14.4		16.1	
MARIES	7,500	87	1			11.6	11.5		
MARION	27,900	450	5	745	5	16.1	11.1	26.7	6.7
MERCER	4,900	52		21		10.6		4.3	
MILLER	16,700	218	2	101	2	13.1	9.2	6.0	19.8

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1975 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1975

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,600	315	4	110	4	19.0	12.7	6.6	36.4
MONITEAU	11,100	172	3	16		15.5	17.4	1.4	
MONROE	9,400	147	1	4		15.6	6.8	.4	
MONTGOMERY	11,800	151		1		12.8		.1	
MORGAN	12,500	153	1	8		12.2	6.5	.6	
NEW MADRID	24,700	406	3	8		16.4	7.4	.3	
NEWTON	38,400	449	3	867	10	11.7	6.7	22.6	11.5
NODAWAY	22,900	323	6	257	3	14.1	18.6	11.2	11.7
OREGON	9,100	129	1	7		14.2	7.8	.8	
OSAGE	11,600	183	1			15.8	5.5		
OZARK	7,300	101	1			13.8	9.9		
PEMISCOT	25,300	523	7	510	5	20.7	13.4	20.2	9.8
PERRY	15,300	244	2	202	2	15.9	8.2	13.2	9.9
PETTIS	35,500	491	8	611	9	13.8	16.3	17.2	14.7
PHELPS	31,700	383	3	642	4	12.1	7.8	20.3	6.2
PIKE	16,500	266	1	173	2	16.1	3.8	10.5	11.6
PLATTE	38,000	554	8	1		14.6	14.4		
POLK	18,100	207	2	53		11.4	9.7	2.9	
PULASKI	39,600	866	10	814	11	21.9	11.5	20.6	13.5
PUTNAM	6,000	75		65		12.5		10.8	
RALLS	8,100	130				16.0			
RANDOLPH	22,600	335	6	249	3	14.8	17.9	11.0	12.0
RAY	19,400	270	4	152	3	13.9	14.8	7.8	19.7
REYNOLDS	6,500	88	1	2		13.5	11.4	.3	
RIPLEY	11,600	157		49		13.5		4.2	
ST. CHARLES	112,200	1,917	19	1,233	15	17.1	9.9	11.0	12.2
ST. CLAIR	8,400	97		53	1	11.5		6.3	18.9
ST. FRANCOIS	38,900	567	2	901	4	14.6	3.5	23.2	4.4
STE. GENEVIEVE	14,400	215	1	164	1	14.9	4.7	11.4	6.1
ST. LOUIS CITY	513,400	8,313	126	10,395	146	16.2	15.2	20.2	14.0
ST. LOUIS COUNTY	964,200	12,510	109	14,471	120	13.0	8.7	15.0	8.3
SALINE	24,500	346	2	220	2	14.1	5.8	9.0	9.1
SCHUYLER	4,800	53				11.0			

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1975 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1975

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
SCOTLAND	6,000	62	1	79		10.3	16.1	13.2	
SCOTT	35,200	654	10	888	9	18.6	15.3	25.2	10.1
SHANNON	7,900	99	3	3		12.5	30.3	.4	
SHELBY	7,700	104				13.5			
STODDARD	28,100	368	3	438	4	13.1	8.2	15.6	9.1
STONE	12,800	137		1		10.7		.1	
SULLIVAN	7,500	91	1	30		12.1	11.0	4.0	
TANEY	18,300	169	3	112	1	9.2	17.8	6.1	8.9
TEXAS	21,500	286	3	314	1	13.3	10.5	14.6	3.2
VERNON	19,300	238	5	265	2	12.3	21.0	13.7	7.5
WARREN	12,400	178	3			14.4	16.9		
WASHINGTON	16,100	315	3	138	2	19.6	9.5	8.6	14.5
WAYNE	9,700	108		2		11.1		.2	
WEBSTER	18,700	289	7	6		15.5	24.2	.3	
WORTH	3,100	32		1		10.3		.3	
WRIGHT	15,400	208	3	133	3	13.5	14.4	8.6	22.6

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1975 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	38,385	496	64,924	668
TOTAL CITIES 10,000 POP. & OVER	30,663	404	48,389	522
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	7,722	92	16,535	146
CITIES OVER 10,000 POP.				
BALLWIN	176		1	
BELLEFONTAINE NEIGHBORS	42			
BERKELEY	205	3	1	
BRENTWOOD	122	2	3	
BRIDGETON	176	1		
CAPE GIRARDEAU	382	2	1,252	19
CARTHAGE	172	1	321	1
CLAYTON	63		1,126	16
COLUMBIA	633	4	2,065	21
CRESTWOOD	50			
FERGUSON	248	1		
FLORISSANT	831	8	1,592	13
FULTON	95	1	95	
GLADSTONE	246	3	1	
GRANDVIEW	402	2	1	
HANNIBAL	301	4	745	5
MARION CO. PART	298	4	745	5
RALLS CO. PART	3			
HAZELWOOD	230	1	1	
INDEPENDENCE	1,645	16	1,422	7
JEFFERSON CITY	408		1,438	9
JENNINGS	229	1		
JOPLIN	506	6	1,429	14
JASPER CO. PART	486	5	821	7
NEWTON CO. PART	20	1	608	7
KANSAS CITY	7,154	124	11,227	127
JACKSON CO. PART	5,987	107	11,222	125
CLAY CO. PART	946	15	5	2
PLATTE CO. PART	221	2		
KIRKSVILLE	214	1	574	3

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	313	3	1,230	6
LADUE	36			
LEE'S SUMMIT	301	6	1	
LIBERTY	234	4	1	
MAPLEWOOD	94	1		
MARSHALL	166	1	186	2
MEXICO	167	1	563	4
MOBERLY	175	3	248	3
OVERLAND	282	2		
POPLAR BLUFF	245	8	897	11
RAYTOWN	314	4		
RICHMOND HEIGHTS	102	3	2,166	16
ROLLA	139	3	640	4
ST. ANN	216	5	1	
ST. CHARLES	616	6	1,229	15
ST. JOSEPH	1,171	18	1,859	21
ST. LOUIS CITY	8,313	126	10,395	146
SEDALIA	291	5	611	9
SIKESTON	315	2	683	6
SCOTT CO. PART	308	2	681	6
NEW MADRID CO. PART	7		2	
SPRINGFIELD	1,889	14	4,016	36
UNIVERSITY CITY	406	3	4	
WARRENSBURG	126	1	363	8
WEBSTER GROVES	222	4	2	
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	63		178	
BEL-RIDGE	38			
BELTON	213	4		
BETHANY	39	1	50	
BLUE SPRINGS	356	2	1	
BOLIVER	47	2	1	
BONNE TERRE	62		144	3
BOONVILLE	75	2		
BOWLING GREEN	49			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	22			
BROOKFIELD	74	3	176	5
BUTLER	53	1	153	3
CALIFORNIA	44		11	
CAMERON	68	1	120	
CLINTON CO. PART	51	1	120	
DE KALB CO. PART	17			
CANTON	34		1	
CARROLLTON	67	1	23	
CARUTHERSVILLE	173	3		
CENTRALIA	39			
CHAFFEE	42		174	2
CHARLESTON	97	1	110	4
CHILLICOTHE	114	3	363	8
CLINTON	100		306	2
CREVE COEUR	160	2	4,886	35
CRYSTAL CITY	44	1		
DELLWOOD	43			
DESOTO	44			
DES PERES	92	2		
DESLOGE	40	2	1	
DEXTER	87		438	4
EAST PRAIRIE	90	1		
ELDON	52	1		
ELDORADO SPRINGS	47		151	1
ELLISVILLE	46			
EXCELSIOR SPRINGS	173	1	137	2
CLAY CO. PART	168	1	137	2
RAY CO. PART	5			
FARMINGTON	106		754	1
FAYETTE	31		117	1
FESTUS	128	2		
FLAT RIVER	65			
FREDERICKTOWN	54		150	
FRONTENAC	12			
GLENDALE	54			
HARRISONVILLE	91	2	259	5

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
HAYTI	70	1	508	5
HERMANN	38		117	2
HIGGINSVILLE	68	2		
HILLSDALE VILLAGE	23	.		
JACKSON	83			
KENNETT	193		603	8
KINLOCH	86	1	1	
LAMAR	39		29	
LEBANON	133	1	327	5
LEXINGTON	70	1	169	1
LOUISIANA	54	1	163	2
MACON	69		160	2
MALDEN	93	1		
MANCHESTER	123			
MARCELINE	33	2	83	1
MARSHFIELD	56	1		
MARYVILLE	136	2	254	3
MOLINE ACRES	12			
MONETT	81	1	251	1
BARRY CO. PART	55	1	191	1
LAWRENCE CO. PART	26		60	
MOUNTAIN GROVE	24			
MT. VERNON	52	1	63	
NEOSHO	99		175	2
NEVADA	112		265	2
NEW MADRID	52			
NORMANDY	101	1	4	1
NORTH KANSAS CITY	64	1	736	6
NORTHWOODS	22		1	
ODESSA	46	1		
O'FALLON	106	4		
OLIVETTE	48	1		
PACIFIC	75			
FRANKLIN CO. PART	66			
ST. LOUIS CO. PART	9			
PAGEDALE	71	1	1	
PALMYRA	54			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	85		202	2
PINELAWN	75	6		
PLEASANT HILL	43	2		
PORTAGEVILLE	54		1	
POTOSI	53	1	1	
RICHMOND	85	2	152	3
RIVERVIEW	30			
ROCK HILL	65	1		
ST. CLAIR	50			
ST. JAMES	24			
ST. JOHN	100	1		
STE. GENEVIEVE	69		164	1
SALEM	62			
SAVANNAH	42		1	
SHREWSBURY	42	2		
SLATER	33			
SUGAR CREEK	72			
SULLIVAN	81		184	
CRAWFORD CO. PART	17		184	
FRANKLIN CO. PART	64			
SUNSET HILLS	15			
TOWN AND COUNTRY	6		1,654	11
TRENTON	63		181	
TROY	29	2	193	2
UNION	81			
VALLEY PARK	66	1	1	
VANDALIA	46			
VINITA PARK	21	1		1
WARSON WOODS	13			
WASHINGTON	110	2	490	3
WAYNESVILLE	100	1	146	1
WEBB CITY	87		51	1
WELLSTON	88	5		
WENTZVILLE	60		1	
WEST PLAINS	91	3	456	4
WINDSOR	36		43	
WOODSON TERRACE	31			


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI 1975

AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	30,663	11,122	10,594	4,488	4,459
10-14 YEARS	201	30	22	66	83
15-19 YEARS	6,805	1,969	1,848	1,502	1,486
20-24 YEARS	10,662	3,982	3,731	1,450	1,499
25-29 YEARS	8,493	3,433	3,334	883	843
30-34 YEARS	3,289	1,290	1,220	398	381
35-39 YEARS	962	336	366	135	125
40-44 YEARS	236	76	73	47	40
45-49 YEARS	11	3		6	2
50 YEARS AND OVER					
UNKNOWN	4	3		1	
RURAL					
ALL AGES	37,779	18,406	17,089	1,160	1,124
10-14 YEARS	100	32	36	16	16
15-19 YEARS	6,913	3,335	2,978	308	292
20-24 YEARS	13,145	6,472	5,990	358	325
25-29 YEARS	11,253	5,530	5,166	275	282
30-34 YEARS	4,517	2,176	2,059	145	137
35-39 YEARS	1,480	678	699	43	60
40-44 YEARS	347	170	151	15	11
45-49 YEARS	22	12	10		
50 YEARS AND OVER					
UNKNOWN	2	1			1
COMBINED TOTALS					
ALL AGES	68,442	29,528	27,683	5,648	5,583
10-14 YEARS	301	62	58	82	99
15-19 YEARS	13,718	5,304	4,826	1,810	1,778
20-24 YEARS	23,807	10,454	9,721	1,808	1,824
25-29 YEARS	19,746	8,963	8,500	1,158	1,125
30-34 YEARS	7,806	3,466	3,279	543	518
35-39 YEARS	2,442	1,014	1,065	178	185
40-44 YEARS	583	246	224	62	51
45-49 YEARS	33	15	10	6	2
50 YEARS AND OVER					
UNKNOWN	6	4		1	1

GRAPH B.
FETAL DEATH RATES 1932-1975
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1947	20.8	18.8	44.7	1962	15.1	13.2	26.5
1933	37.5	34.2	88.9	1948	20.7	18.7	42.7	1963	13.9	12.1	24.7
1934	33.9	31.3	73.9	1949	19.3	17.5	35.9	1964	15.5	13.3	28.7
1935	38.5	35.8	79.2	1950	19.2	17.2	37.2	1965	14.3	12.8	23.0
1936	36.0	33.4	74.7	1951	18.2	16.4	34.3	1966	13.3	11.7	21.7
1937	33.9	31.3	70.1	1952	17.5	16.1	29.7	1967	13.8	12.6	20.5
1938	35.0	32.0	76.4	1953	17.8	15.9	33.1	1968	15.1	13.4	24.9
1939	30.7	27.8	71.3	1954	17.2	15.9	27.7	1969	13.2	12.1	19.6
1940	32.5	29.8	69.5	1955	16.7	14.9	29.8	1970	13.8	12.7	19.8
1941	32.5	29.7	71.4	1956	16.6	15.4	25.4	1971	12.5	11.8	16.2
1942	28.9	26.2	65.0	1957	16.5	15.7	22.1	1972	12.1	10.9	18.2
1943	26.1	23.6	59.0	1958	16.1	14.7	24.8	1973	11.8	10.6	17.8
1944	26.1	23.3	59.8	1959	15.4	14.0	24.2	1974	12.2	11.2	17.3
1945	24.1	21.7	53.2	1960	15.2	13.8	24.3	1975	11.5	10.0	19.3
1946	23.6	21.4	51.2	1961	14.7	12.8	27.0				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1975

WEIGHT	TOTAL	RESIDENT WHITE	NON- WHITE	TOTAL	RECORDED WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	308	196	112	234	148	86
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	66	44	22	70	46	24
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	72	50	22	77	53	24
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	68	47	21	72	50	22
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	65	53	12	66	53	13
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	56	44	12	57	45	12
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	47	37	10	50	41	9
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	12	11	1	12	11	1
9 POUNDS 15 OUNCES OR MORE	12	12		12	12	
UNKNOWN OR NOT STATED	82	77	5	84	78	6
TOTALS	788	571	217	734	537	197

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
COUNTIES											
STATE TOTAL	68,442	57,211	53,073	92.8	4,100	7.2	11,231	4,978	44.3	6,245	55.6
CITIES OVER 10,000	30,663	21,716	19,746	90.9	1,958	9.0	8,947	3,645	40.7	5,298	59.2
RURAL	37,779	35,495	33,327	93.9	2,142	6.0	2,284	1,333	58.4	947	41.5
COUNTIES INCL. CITIES OVER 10,000											
ADAIR	316	310	296	95.5	14	4.5	6	5	83.3	1	15.7
ANDREW	156	155	150	96.8	5	3.2	1	-	-	1	100.0
ATCHISON	104	103	99	96.1	4	3.9	1	1	100.0	-	-
AUDRAIN	410	370	351	94.9	19	5.1	40	15	37.5	25	62.5
BARRY	268	265	241	90.9	23	8.7	3	3	100.0	-	-
BARTON	131	129	122	94.6	7	5.4	2	1	50.0	1	50.0
BATES	175	171	159	93.0	11	6.4	4	2	50.0	2	50.0
BENTON	111	110	105	95.5	5	4.5	1	1	100.0	-	-
BOLLINGER	132	130	120	92.3	10	7.7	2	2	100.0	-	-
BOONE	1,125	1,000	929	92.9	70	7.0	125	73	58.4	52	41.6
BUCHANAN	1,291	1,229	1,100	89.5	128	10.4	62	21	33.9	40	64.5
BUTLER	537	500	447	89.4	52	10.4	37	22	59.5	15	40.5
CALDWELL	106	106	99	93.4	7	6.6	-	-	-	-	-
CALLAWAY	370	352	327	92.9	25	7.1	18	11	61.1	7	38.9
CAMDEN	202	202	188	93.1	14	6.9	-	-	-	-	-
CAPE GIRARDEAU	647	603	568	94.2	35	5.8	44	20	45.5	24	54.5
CARROLL	160	157	147	93.6	10	6.4	3	2	66.7	1	33.3
CARTER	62	62	55	88.7	7	11.3	-	-	-	-	-
CASS	680	664	634	95.5	30	4.5	16	15	93.8	1	6.3
CEDAR	116	116	111	95.7	5	4.3	-	-	-	-	-
CHARITON	123	116	115	99.1	1	.9	7	2	28.6	5	71.4
CHRISTIAN	273	271	248	91.5	22	8.1	2	2	100.0	-	-
CLARK	107	107	102	95.3	5	4.7	-	-	-	-	-
CLAY	1,863	1,827	1,709	93.5	118	6.5	36	32	88.9	4	11.1
CLINTON	176	168	156	92.9	12	7.1	8	4	50.0	4	50.0
COLE	769	719	679	94.4	40	5.6	50	40	80.0	10	20.0
COOPER	162	149	143	96.0	6	4.0	13	5	38.5	8	61.5
CRAWFORD	239	238	219	92.0	19	8.0	1	1	100.0	-	-
DADE	83	83	79	95.2	4	4.8	-	-	-	-	-
DALLAS	137	136	128	94.1	8	5.9	1	1	100.0	-	-
DAVIESS	121	120	112	93.3	8	6.7	1	1	100.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	118	118	113	95.8	5	4.2	-	-	-	-	-
DENT	196	196	180	91.8	15	7.7	-	-	-	-	-
DOUGLAS	146	144	129	89.6	15	10.4	2	2	100.0	-	-
DUNKLIN	602	540	485	89.8	53	9.8	62	23	37.1	39	62.9
FRANKLIN	975	960	903	94.1	57	5.9	15	10	66.7	5	33.3
GASCONADE	165	165	153	92.7	12	7.3	-	-	-	-	-
GENTRY	94	94	82	87.2	12	12.8	-	-	-	-	-
GREENE	2,468	2,419	2,239	92.6	178	7.4	49	30	61.2	19	38.8
GRUNDY	129	128	114	89.1	14	10.9	1	1	100.0	-	-
HARRISON	106	106	99	93.4	7	6.6	-	-	-	-	-
HENRY	224	224	210	93.8	14	6.3	-	-	-	-	-
HICKORY	57	57	53	93.0	4	7.0	-	-	-	-	-
HOLT	94	93	87	93.5	6	6.5	1	1	100.0	-	-
HOWARD	131	120	114	95.0	6	5.0	11	2	18.2	9	81.8
HOWELL	363	360	336	93.3	24	6.7	3	2	66.7	1	33.3
IRON	168	166	151	91.0	15	9.0	2	2	100.0	-	-
JACKSON	9,531	6,870	6,270	91.3	599	8.7	2,661	1,237	46.5	1,423	53.5
JASPER	1,234	1,211	1,124	92.8	87	7.2	23	15	65.2	8	34.8
JEFFERSON	2,119	2,091	1,967	94.1	124	5.9	28	17	60.7	11	39.3
JOHNSON	600	558	538	96.4	20	3.6	42	39	92.9	3	7.1
KNOX	72	71	68	95.8	3	4.2	1	1	100.0	-	-
LACLEDE	340	334	315	94.3	19	5.7	6	5	83.3	1	16.7
LAFAYETTE	397	381	354	92.9	27	7.1	16	7	43.8	9	56.3
LAWRENCE	324	321	298	92.8	21	6.5	3	3	100.0	-	-
LEWIS	163	157	153	97.5	4	2.5	6	2	33.3	4	66.7
LINCOLN	269	263	239	90.9	24	9.1	6	4	66.7	2	33.3
LINN	201	195	188	96.4	6	3.1	6	3	50.0	3	50.0
LIVINGSTON	208	201	191	95.0	9	4.5	7	4	57.1	3	42.9
MC DONALD	166	162	154	95.1	8	4.9	4	4	100.0	-	-
MACON	215	206	191	92.7	15	7.3	9	7	77.8	2	22.2
MADISON	134	132	110	83.3	22	16.7	2	2	100.0	-	-
MARIES	87	87	78	89.7	9	10.3	-	-	-	-	-
MARION	450	428	403	94.2	25	5.8	22	9	40.9	13	59.1
MERCER	52	52	50	96.2	2	3.8	-	-	-	-	-
MILLER	218	214	200	93.5	14	6.5	4	2	50.0	2	50.0
MISSISSIPPI	315	228	199	87.3	29	12.7	87	28	32.2	59	67.8

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
MONITEAU	172	169	156	92.3	13	7.7	3	2	66.7	1	33.3
MONROE	147	140	138	98.6	2	1.4	7	1	14.3	6	85.7
MONTGOMERY	151	142	136	95.8	6	4.2	9	-	-	9	100.0
MORGAN	153	152	139	91.4	13	8.6	1	1	100.0	-	-
NEW MADRID	406	310	274	88.4	36	11.6	96	30	31.3	65	67.7
NEWTON	449	444	419	94.4	25	5.6	5	4	80.0	1	20.0
NODAWAY	323	322	305	94.7	17	5.3	1	1	100.0	-	-
OREGON	129	129	122	94.6	7	5.4	-	-	-	-	-
OSAGE	183	182	170	93.4	12	6.6	1	1	100.0	-	-
OZARK	101	101	96	95.0	5	5.0	-	-	-	-	-
PEMISCOT	523	319	290	90.9	29	9.1	204	53	26.0	151	74.0
PERRY	244	240	229	95.4	11	4.6	4	4	100.0	-	-
PETTIS	491	469	432	92.1	37	7.9	22	8	36.4	14	63.6
PHELPS	383	369	342	92.7	24	6.5	14	14	100.0	-	-
PIKE	266	252	234	92.9	18	7.1	14	7	50.0	7	50.0
PLATTE	554	542	515	95.0	27	5.0	12	12	100.0	-	-
POLK	207	206	195	94.7	11	5.3	1	1	100.0	-	-
PULASKI	866	753	711	94.4	42	5.6	113	97	85.8	16	14.2
PUTNAM	75	74	69	93.2	5	6.8	1	1	100.0	-	-
RALLS	130	128	124	96.9	4	3.1	2	2	100.0	-	-
RANDOLPH	335	315	297	94.3	18	5.7	20	11	55.0	9	45.0
RAY	270	259	237	91.5	22	8.5	11	8	72.7	3	27.3
REYNOLDS	88	88	85	96.6	3	3.4	-	-	-	-	-
RIPLEY	157	157	145	92.4	12	7.6	-	-	-	-	-
ST. CHARLES	1,917	1,870	1,781	95.2	88	4.7	47	32	68.1	15	31.9
ST. CLAIR	97	97	93	95.9	4	4.1	-	-	-	-	-
ST. FRANCOIS	567	562	509	90.6	52	9.3	5	4	80.0	1	20.0
ST. GENEVIEVE	215	213	201	94.4	12	5.6	2	2	100.0	-	-
ST. LOUIS COUNTY	12,510	10,595	10,033	94.7	551	5.2	1,915	1,241	64.8	670	35.0
ST. LOUIS CITY	8,313	3,310	2,820	85.2	486	14.7	5,003	1,616	32.3	3,386	67.7
SALINE	346	327	302	92.4	25	7.6	19	10	52.6	9	47.4
SCHUYLER	53	53	50	94.3	2	3.8	-	-	-	-	-
SCOTLAND	62	62	58	93.5	4	6.5	-	-	-	-	-
SCOTT	654	565	517	91.5	48	8.5	89	41	46.1	48	53.9
SHANNON	99	99	88	88.9	11	11.1	-	-	-	-	-
SHELBY	104	103	93	90.3	10	9.7	1	1	100.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STODDARD	368	345	318	92.2	27	7.8	23	11	47.8	12	52.2
STONE	137	137	119	86.9	17	12.4	-	-	-	-	-
SULLIVAN	91	91	89	97.8	2	2.2	-	-	-	-	-
TANEY	169	169	157	92.9	12	7.1	-	-	-	-	-
TEXAS	286	283	265	93.6	18	6.4	3	3	100.0	-	-
VERNON	238	237	218	92.0	19	8.0	1	1	100.0	-	-
WARREN	178	163	150	92.0	13	8.0	15	10	66.7	5	33.3
WASHINGTON	315	314	287	91.4	27	8.6	1	1	100.0	-	-
WAYNE	108	108	95	88.0	13	12.0	-	-	-	-	-
WEBSTER	289	287	269	93.7	18	6.3	2	2	100.0	-	-
WORTH	32	32	32	100.0	-	-	-	-	-	-	-
WRIGHT	208	207	193	93.2	14	6.8	1	1	100.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	PER- CENT
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT		
BALLWIN	176	174	170	97.7	4	2.3	2	2	100.0		
BELLEFONTAINE NEIGHBORS	42	38	37	97.4	1	2.6	4	3	75.0	1	25.0
BERKELEY	205	122	106	86.9	15	12.3	83	42	50.6	41	49.4
BRENTWOOD	122	73	69	94.5	4	5.5	49	39	79.6	10	20.4
BRIDGETON	176	173	161	93.1	12	6.9	3	3	100.0		
CAPE GIRARDEAU	382	340	317	93.2	23	6.8	42	19	45.2	23	54.8
CARTHAGE	172	168	152	90.5	16	9.5	4	2	50.0	2	50.0
CLAYTON	63	58	55	94.8	3	5.2	5	4	80.0	1	20.0
COLUMBIA	633	531	493	92.8	37	7.0	102	55	53.9	47	46.1
CRESTWOOD	50	48	46	95.8	2	4.2	2	2	100.0		
FERGUSON	248	215	200	93.0	15	7.0	33	28	84.8	5	15.2
FLORISSANT	831	790	753	95.3	37	4.7	41	35	85.4	6	14.6
FULTON	95	82	73	89.0	9	11.0	13	7	53.8	6	46.2
GLADSTONE	246	239	226	94.6	13	5.4	7	7	100.0		
GRANDVIEW	402	373	352	94.4	21	5.6	29	28	96.6	1	3.4
HANNIBAL	301	281	259	92.2	22	7.8	20	8	40.0	12	60.0
HAZELWOOD	230	207	188	90.8	18	8.7	23	15	65.2	8	34.8
INDEPENDENCE	1,645	1,612	1,491	92.5	121	7.5	33	25	75.8	8	24.2
JEFFERSON CITY	408	363	334	92.0	29	8.0	45	35	77.8	10	22.2
JENNINGS	229	122	106	86.9	15	12.3	107	68	63.6	38	35.5
JOPLIN	506	493	447	90.7	46	9.3	13	7	53.8	6	46.2
KANSAS CITY	7,154	4,558	4,105	90.1	452	9.9	2,596	1,183	45.6	1,412	54.4
KIRKSVILLE	214	208	196	94.2	12	5.8	6	5	83.3	1	16.7
KIRKWOOD	313	279	272	97.5	7	2.5	34	17	50.0	17	50.0
LADUE	36	35	35	100.0			1			1	100.0
LEE'S SUMMIT	301	299	290	97.0	9	3.0	2	1	50.0	1	50.0
LIBERTY	234	229	216	94.3	13	5.7	5	1	20.0	4	80.0
MAPLEWOOD	94	73	57	78.1	15	20.5	21	16	76.2	5	23.8
MARSHALL	166	156	140	89.7	16	10.3	10	7	70.0	3	30.0
MEXICO	167	138	128	92.8	10	7.2	29	10	34.5	19	65.5
MOBERLY	175	162	151	93.2	11	6.8	13	6	46.2	7	53.8
OVERLAND	282	257	229	89.1	28	10.9	25	16	64.0	9	36.0
POPLAR BLUFF	245	223	199	89.2	24	10.8	22	12	54.5	10	45.5
RAYTOWN	314	308	295	95.8	13	4.2	6	6	100.0		
RICHMOND HEIGHTS	102	74	69	93.2	5	6.8	28	15	53.6	13	46.4
ROLLA	139	129	121	93.8	7	5.4	10	10	100.0		
ST. ANN	216	203	182	89.7	21	10.3	13	10	76.9	3	23.1
ST. CHARLES	616	591	557	94.2	34	5.8	25	17	68.0	8	32.0
ST. JOSEPH	1,171	1,111	988	88.9	122	11.0	60	21	35.0	38	63.3
ST. LOUIS CITY	8,313	3,310	2,820	85.2	486	14.7	5,003	1,616	32.3	3,386	67.7
SEDALIA	291	271	243	89.7	28	10.3	20	6	30.0	14	70.0
SIKESTON	315	255	235	92.2	20	7.8	60	33	55.0	27	45.0
SPRINGFIELD	1,889	1,841	1,693	92.0	148	8.0	48	29	60.4	19	39.6
UNIVERSITY CITY	406	181	180	99.4	1	.6	225	154	68.4	71	31.6
WARRENSBURG	126	119	115	96.6	4	3.4	7	7	100.0		
WEBSTER GROVES	222	204	195	95.6	9	4.4	18	13	72.2	5	27.8

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
 BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1975

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	3	3	2	66.7	1	33.3					
JOPLIN-NEWTON	20	20	19	95.0	1	5.0					
KANSAS CITY-CLAY	946	931	872	93.7	59	6.3	15	15	100.0		
SIKESTON-NEW MADRID	7	7	7	100.0							
KANSAS CITY-PLATTE	221	215	203	94.4	12	5.6	6	6	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1975

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	18,648	391.5	17,146	1,502
2.	MALIGNANT NEOPLASMS (140-209)	9,170	192.5	8,249	921
3.	CEREBROVASCULAR DISEASE (430-438)	5,370	112.7	4,874	496
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,335	49.0	2,125	210
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,491	31.3	1,348	143
6.	DIABETES MELLITUS (250)	938	19.7	803	135
7.	ARTERIOSCLEROSIS (440)	789	16.6	747	42
8.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	635	13.3	606	29
9.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	599	12.6	425	174
10.	SUICIDE (E950-E959)	555	11.7	531	24
	ALL OTHER CAUSES	8,454		7,103	1,351
	TOTALS	48,984		43,957	5,027

TOTAL RESIDENT DEATHS - 48,984
 PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1975 (SEE PP IV) - 4,763,000.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1975

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772, 774-778)	598
2 CONGENITAL ANOMALIES (740-759)	198
3 INFLUENZA/PNEUMONIA (470-474, 480-486)	42
4 ACCIDENTS (E800-E949)	31
5 HEART DIS. (390-398, 402, 404, 410-429)	14
1-4 YEARS	
1 ACCIDENTS (E800-E949)	67
2 CONGENITAL ANOMALIES (740-759)	23
3 MALIGNANT NEOPLASMS (140-209)	18
4 HOMICIDE (E960-E978)	8
5 INFLUENZA/PNEUMONIA (470-474, 480-486)	7
5-14 YEARS	
1 ACCIDENTS (E800-E949)	140
2 MALIGNANT NEOPLASMS (140-209)	28
3 CONGENITAL ANOMALIES (740-759)	23
4 HOMICIDE (E960-E978)	10
5 INFLUENZA/PNEUMONIA (470-474, 480-486)	7
5 SUICIDE (E950-E959)	7
15-24 YEARS	
1 ACCIDENTS (E800-E949)	533
2 HOMICIDE (E960-E978)	168
3 SUICIDE (E950-E959)	81
4 MALIGNANT NEOPLASMS (140-209)	66
5 CONGENITAL ANOMALIES (740-759)	25
25-34-YEARS	
1 ACCIDENTS (E800-E949)	288
2 HOMICIDE (E960-E978)	134
3 MALIGNANT NEOPLASMS (140-209)	112
4 SUICIDE (E950-E959)	87
5 HEART DIS. (390-398, 402, 404, 410-429)	66


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1975

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	302
2 HEART DIS. (390-398,402,404,410-429)	224
3 ACCIDENTS (E800-E949)	184
4 SUICIDE (E950-E959)	77
5 HOMICIDE (E960-E978)	71
6 CEREBROVASCULAR DISEASE (430-438)	71
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,041
2 MALIGNANT NEOPLASMS (140-209)	960
3 ACCIDENTS (E800-E949)	204
4 CEREBROVASCULAR DISEASE (430-438)	180
5 CIRRHOSIS OF LIVER (571)	135
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,513
2 MALIGNANT NEOPLASMS (140-209)	1,961
3 CEREBROVASCULAR DISEASE (430-438)	438
4 ACCIDENTS (E800-E949)	207
5 CIRRHOSIS OF LIVER (571)	164
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	4,628
2 MALIGNANT NEOPLASMS (140-209)	2,746
3 CEREBROVASCULAR DISEASE (430-438)	1,176
4 DIABETES MELLITUS (250)	286
5 INFLUENZA/PNEUMONIA (470-474,480-486)	273
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	5,992
2 MALIGNANT NEOPLASMS (140-209)	2,208
3 CEREBROVASCULAR DISEASE (430-438)	2,003
4 INFLUENZA/PNEUMONIA (470-474,480-486)	464
5 DIABETES MELLITUS (250)	306
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	4,134
2 CEREBROVASCULAR DISEASE (430-438)	1,453
3 MALIGNANT NEOPLASMS (140-209)	766
4 INFLUENZA/PNEUMONIA (470-474,480-486)	457
5 ARTERIOSCLEROSIS (440)	405

GRAPH C.
MATERNAL DEATH RATES 1932-1975
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1947	12.9	11.8	26.2	1962	4.6	4.2	6.9
1933	51.6	50.0	77.9	1948	10.1	8.9	23.4	1963	3.7	2.8	8.8
1934	58.5	55.3	109.6	1949	8.5	7.2	20.2	1964	4.1	2.6	12.6
1935	57.0	55.0	87.0	1950	8.2	6.8	20.5	1965	2.7	2.5	4.0
1936	61.0	60.0	85.0	1951	7.6	6.7	15.7	1966	2.1	1.8	3.3
1937	51.3	49.9	71.2	1952	7.1	6.1	16.3	1967	2.4	1.9	5.2
1938	38.2	36.6	61.3	1953	6.6	5.4	16.2	1968	2.0	1.4	5.3
1939	37.0	35.4	59.9	1954	4.9	4.1	11.0	1969	1.9	1.7	2.5
1940	36.5	35.0	56.7	1955	4.7	4.0	9.7	1970	3.3	2.7	6.4
1941	31.7	28.6	75.1	1956	5.5	3.8	17.3	1971	1.5	1.4	2.3
1942	24.3	23.2	38.0	1957	3.3	2.5	8.7	1972	2.3	1.8	4.9
1943	22.7	21.9	33.7	1958	3.6	2.9	8.5	1973	2.3	1.8	5.2
1944	20.9	18.4	50.6	1959	3.8	3.3	6.7	1974	1.9	0.9	7.0
1945	16.9	15.3	36.1	1960	5.1	3.9	12.9	1975	1.8	1.4	3.6
1946	13.8	11.9	36.7	1961	2.4	1.7	6.8				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1975

CAUSE OF DEATH	TOTAL	NUMBER		TOTAL	RATES	
		WHITE	NON-WHITE		WHITE	NON-WHITE
ALL CAUSES (630-678)	12	8	4	1.8	1.4	3.6
ECTOPIC PREGNANCY (631)	1		1	.1		.9
TOXEMIAS, EXCEPT ABORTION (636-639)	1	1		.1	.2	
HEMORRHAGE (632,651-653)	3	2	1	.4	.3	.9
ABORTIONS (640-645)	2	1	1	.3	.2	.9
SEPSIS (670,671,673)	2	1	1	.3	.2	.9
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	3	3		.4	.5	
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1975

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	48,984	1,122	177	125	159	536	547	486	439	505	800
MALE	26,739	622	102	68	104	411	413	360	286	337	491
FEMALE	22,245	500	75	57	55	125	134	126	153	168	309
TOTAL WHITE	43,957	831	144	107	135	441	412	367	341	381	645
MALE	23,896	461	80	55	89	343	309	264	220	253	386
FEMALE	20,061	370	64	52	46	98	103	103	121	128	259
TOTAL NONWHITE	5,027	291	33	18	24	95	135	119	98	124	155
MALE	2,843	161	22	13	15	68	104	96	66	84	105
FEMALE	2,184	130	11	5	9	27	31	23	32	40	50
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	64							2	2	1	4
SYPHILIS AND ITS SEQUELAE (090-097)	8										
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	254	42	7	3	2	3	3	2	3	4	7
MALIGNANT NEOPLASMS (140-209)	9,170	3	18	15	13	30	36	49	63	90	212
DIGEST. ORGANS (150-159)	2,402		1		1	2	3	5	15	22	38
RESPIRATORY SYSTEM (160-163)	2,228						2	1	4	16	61
BREAST (174)	769						1	6	2	11	36
GENITAL ORGANS (180-187)	1,118						6	8	13	9	16
URINARY ORGANS (188-189)	400	1	1	3	1			1	2	3	6
LEUKEMIA (204-207)	367	1	11	5	4	9	5	3	10	5	11
OTHER REMAINDER OF (140-209)	1,886	1	5	7	7	19	19	25	17	24	44
DIABETES MELLITUS (250)	938	1			1	1	1	8	7	17	10
MAJOR CARDIOVASCULAR DISEASE (390-448)	25,631	18	9	3	3	15	23	34	70	97	213
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	18,648	14	6	1	3	11	12	19	48	66	158
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	302				1	1	3	1	7	5	13
HYPERTENSIVE HEART (402, 404)	371						1		1	1	2
ISCHEMIC HEART (410-414)	16,527	1					1	8	27	53	128
OTHER HEART DISEASE (420-429)	1,448	13	6	1	2	10	7	9	13	7	15

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1975

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	198								1	2	3
CEREBROVASCULAR DISEASE (430-438)	5,370	3	3	2		4	8	13	14	24	47
ARTERIOSCLEROSIS (440)	789									1	
OTHER CIRCULATORY (441-448)	626	1					3	3	7	4	5
INFLUENZA/PNEUMONIA (470-474,480-486)	1,491	42	7	2	5	7	9	12	14	12	17
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	635	3	3		2	2	1	2		1	10
PEPTIC ULCER (531-533)	184						1		2		4
CIRRHOSIS OF LIVER (571)	522				1			4	13	13	38
NEPHRITIS AND NEPHROSIS (580-584)	198				1		1	2	1	4	2
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)	12					4	2		2	2	2
CONGENITAL ANOMALIES (740-759)	302	198	23	11	12	18	7	5	1	1	1
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	599	598									
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,736	105	4	6	2	14	14	9	12	15	37
ALL OTHER DISEASES (RESIDUAL)	3,618	71	28	19	23	36	37	29	37	62	60
ACCIDENTAL DEATHS (E800-E949)	2,335	31	67	61	79	282	251	182	106	94	90
MOTOR VEHICLE (E810-E823)	1,085	3	30	30	36	188	174	123	51	61	56
OTHER TRANS. (E800-E807,E825-E845)	72			4	1	7	8	10	9	7	7
POISONING (E850-E877)	79		2		1	9	11	8	6	6	4
FALLS (E880-E887)	426	1	1			6	6	4	6	1	7
FIRES (E890-E899)	124	2	6	6	5	3	3	8	3	2	4
DROWNING & SUBMERSIONS (E910)	137	1	14	9	16	40	20	6	6	3	1
FIREARM MISSILES (E922)	50			4	7	11	8	6	2		2
INDUSTRIAL (E916-E921,E923-E928)	191	1	8	6	5	11	15	13	16	10	8
OTHER REMAINDER OF (E900-E949)	171	23	6	2	8	7	6	4	7	4	1
SUICIDE (E950-E959)	555				7	35	46	46	41	38	39
HOMICIDE (E960-E978)	535	4	8	5	5	73	95	83	51	36	35
ALL OTHER EXTERNAL CAUSES (E980-E999)	197	6	3		3	16	20	17	14	18	19

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1975

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,281	2,107	2,838	3,977	5,470	6,187	6,816	6,732	5,214	2,615	841
MALE	797	1,384	1,795	2,579	3,515	3,596	3,522	3,081	2,111	910	250
FEMALE	484	723	1,043	1,398	1,955	2,591	3,294	3,651	3,103	1,705	591
TOTAL WHITE	1,071	1,808	2,453	3,466	4,910	5,600	6,248	6,337	4,970	2,499	785
MALE	671	1,207	1,583	2,282	3,206	3,287	3,250	2,884	1,984	858	222
FEMALE	400	601	870	1,184	1,704	2,313	2,998	3,453	2,986	1,641	563
TOTAL NONWHITE	210	299	385	511	560	587	568	395	244	116	56
MALE	126	177	212	297	309	309	272	197	127	52	28
FEMALE	84	122	173	214	251	278	296	198	117	64	28
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	2	2	6	8	11	7	7	10	2		
SYPHILIS AND ITS SEQUELAE (090-097)	1		1	1	1	3	1				
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	4	7	18	18	17	27	30	18	23	13	3
MALIGNANT NEOPLASMS (140-209)	347	613	858	1,103	1,385	1,361	1,265	943	565	163	38
DIGEST. ORGANS (150-159)	75	137	195	256	337	388	379	286	190	57	15
RESPIRATORY SYSTEM (160-163)	92	184	272	377	407	327	260	153	56	14	2
BREAST (174)	48	72	87	102	113	75	86	65	47	12	6
GENITAL ORGANS (180-187)	39	64	63	107	141	178	176	159	101	33	5
URINARY ORGANS (188-189)	8	18	25	41	63	59	73	59	26	10	
LEUKEMIA (204-207)	7	22	27	26	34	59	48	45	25	9	1
OTHER REMAINDER OF (140-209)	78	116	189	194	290	275	243	176	120	28	9
DIABETES MELLITUS (250)	10	37	54	89	116	170	165	141	83	20	7
MAJOR CARDIOVASCULAR DISEASE (390-448)	440	820	1,183	1,884	2,756	3,347	4,071	4,468	3,609	1,937	626
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	363	678	953	1,560	2,153	2,475	2,886	3,106	2,444	1,275	415
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	14	24	23	43	44	48	37	15	18	5	
HYPERTENSIVE HEART (402, 404)	6	12	7	22	31	40	59	62	67	42	18
ISCHEMIC HEART (410-414)	311	578	849	1,382	1,912	2,232	2,596	2,791	2,180	1,115	360
OTHER HEART DISEASE (420-429)	32	64	74	113	166	155	194	238	179	113	37

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1975

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	2	7	11	12	20	25	26	29	34	22	4
CEREBROVASCULAR DISEASE (430-438)	62	118	181	257	474	702	934	1,069	859	467	127
ARTERIOSCLEROSIS (440)		1	5	16	34	48	117	162	197	140	68
OTHER CIRCULATORY (441-448)	13	16	33	39	75	97	108	102	75	33	12
INFLUENZA/PNEUMONIA (470-474,480-486)	19	31	54	66	120	153	223	241	244	156	57
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	14	25	44	59	110	119	131	57	36	13	3
PEPTIC ULCER (531-533)	4	7	17	13	28	21	25	30	19	10	3
CIRRHOSIS OF LIVER (571)	55	80	75	89	75	41	15	12	11		
NEPHRITIS AND NEPHROSIS (580-584)	7	7	12	21	25	26	37	19	19	12	2
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	3	1	4	7	4	5					1
DISEASES OF EARLY INFANCY (760-769,772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	55	91	134	167	220	213	199	172	143	90	33
ALL OTHER DISEASES (RESIDUAL)	114	188	192	289	431	535	480	467	331	143	45
ACCIDENTAL DEATHS (E800-E949)	105	99	115	92	122	111	126	129	117	53	22
MOTOR VEHICLE (E810-E823)	47	41	49	37	43	41	34	25	9	4	3
OTHER TRANS. (E800-E807,E825-E845)	2	7	4	1	2	2	1				
POISONING (E850-E877)	7	6	3	2	4	3	5	2			
FALLS (E880-E887)	13	15	12	16	28	32	48	73	96	43	17
FIRES (E890-E899)	10	7	6	8	11	14	13	5	6	2	
DROWNING & SUBMERSIONS (E910)	3	3	4	3	1	4	1	2			
FIREARM MISSILES (E922)	3	1	2	1	2	1					
INDUSTRIAL (E916-E921,E923-E928)	7	15	24	14	8	8	10	7	3	1	1
OTHER REMAINDER OF (E900-E949)	13	4	11	10	23	6	14	15	3	3	1
SUICIDE (E950-E959)	57	55	51	35	30	26	22	17	8	2	
HOMICIDE (E960-E978)	29	33	13	26	11	11	9	2	3	3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	15	11	7	10	8	11	10	6	1		1

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1975

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,763,000	48,984	1,122	12	49,986	1,268	12	10.3	16.4	1.8	10.5	17.9	1.7
COUNTIES INCL. CITIES													
ADAIR	23,700	223	8	-	396	12	1	9.4	25.3	-	16.7	20.9	17.4
ANDREW	13,300	162	3	-	81	-	-	12.2	19.2	-	6.1	-	-
ATCHISON	9,000	96	3	-	113	-	-	10.7	28.8	-	12.6	-	-
AUDRAIN	25,100	315	5	-	411	2	-	12.5	12.2	-	16.4	3.5	-
BARRY	21,800	285	7	-	205	1	-	13.1	26.1	-	9.4	4.7	-
BARTON	10,900	163	2	-	128	1	-	15.0	15.3	-	11.7	33.3	-
BATES	16,200	205	1	-	141	1	-	12.7	5.7	-	8.7	6.5	-
BENTON	11,600	163	-	-	81	-	-	14.1	-	-	7.0	-	-
BOLLINGER	9,800	136	4	-	57	1	-	13.9	30.3	-	5.8	-	-
BOONE	86,800	515	23	-	1,314	108	1	5.9	20.4	-	15.1	52.3	4.8
BUCHANAN	85,500	1,047	20	-	1,282	12	-	12.2	15.5	-	15.0	6.5	-
BUTLER	35,700	454	9	-	859	10	-	12.7	16.8	-	24.1	11.1	-
CALDWELL	8,800	136	2	-	53	-	-	15.5	18.9	-	6.0	-	-
CALLAWAY	26,900	281	6	-	303	1	-	10.4	16.2	-	11.3	10.4	-
CAMDEN	16,900	184	3	-	103	1	-	10.9	14.9	-	6.1	200.0	-
CAPE GIRARDEAU	52,100	486	12	-	674	16	1	9.3	18.5	-	12.9	12.8	8.0
CARROLL	11,900	178	2	-	113	2	-	15.0	12.5	-	9.5	87.0	-
CARTER	4,400	60	2	1	28	1	-	13.6	32.3	161.3	6.4	-	-
CASS	47,800	354	7	-	216	3	-	7.4	10.3	-	4.5	11.6	-
CEDAR	11,100	162	4	-	137	2	-	14.6	34.5	-	12.3	13.2	-
CHARITON	10,200	171	1	-	64	-	-	16.8	8.1	-	6.3	-	-
CHRISTIAN	19,800	177	2	-	57	-	-	8.9	7.3	-	2.9	-	-
CLARK	8,100	124	-	-	52	-	-	15.3	-	-	6.4	-	-
CLAY	133,700	781	15	-	844	8	-	5.8	8.1	-	6.3	6.2	-
CLINTON	14,000	174	1	-	157	1	-	12.4	5.7	-	11.2	8.3	-
COLE	48,600	423	14	-	684	8	-	8.7	18.2	-	14.1	5.6	-
COOPER	14,600	189	5	-	143	2	-	12.9	30.9	-	9.8	16.3	-
CRAWFORD	16,600	200	7	-	178	5	-	12.0	29.3	-	10.7	27.2	-
DADE	7,400	98	1	-	56	-	-	13.2	12.0	-	7.6	-	-
DALLAS	11,500	153	4	-	82	1	-	13.3	29.2	-	7.1	-	-
DAVIESS	8,500	137	1	-	96	-	-	16.1	8.3	-	11.3	-	-
DE KALB	8,300	102	4	-	32	-	-	12.3	33.9	-	3.9	-	-
DENT	13,100	186	7	-	132	3	-	14.2	35.7	-	10.1	44.8	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1975 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1975

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	10,700	121	1	-	72	1	-	11.3	6.8	-	6.7	142.9	-
DUNKLIN	36,000	474	13	-	360	9	-	13.2	21.6	-	10.0	14.9	-
FRANKLIN	64,000	598	16	1	453	8	1	9.3	16.4	10.3	7.1	16.3	20.4
GASCONADE	13,200	172	-	-	139	1	-	13.0	-	-	10.5	8.5	-
GENTRY	7,800	144	3	1	136	2	1	18.5	31.9	106.4	17.4	13.2	66.2
GREENE	169,900	1,570	37	-	2,420	61	-	9.2	15.0	-	14.2	15.2	-
GRUNDY	11,700	191	1	-	204	2	-	16.3	7.8	-	17.4	11.0	-
HARRISON	10,000	115	1	-	74	1	-	11.5	9.4	-	7.4	20.0	-
HENRY	19,700	287	5	-	328	4	-	14.6	22.3	-	16.6	11.5	-
HICKORY	5,400	69	1	-	24	-	-	12.8	17.5	-	4.4	-	-
HOLT	6,800	113	-	-	47	-	-	16.6	-	-	6.9	-	-
HOWARD	10,300	128	3	-	123	1	-	12.4	22.9	-	11.9	8.5	-
HOWELL	27,200	320	7	-	346	5	-	11.8	19.3	-	12.7	8.7	-
IRON	10,500	110	1	-	122	2	-	10.5	6.0	-	11.6	27.0	-
JACKSON	641,600	6,276	177	1	7,282	287	1	9.8	18.6	1.0	11.3	22.7	.8
JASPER	82,700	1,058	25	-	1,023	15	-	12.8	20.3	-	12.4	12.6	-
JEFFERSON	121,400	766	20	-	460	4	-	6.3	9.4	-	3.8	9.7	-
JOHNSON	36,000	302	12	-	268	5	-	8.4	20.0	-	7.4	7.8	-
KNOX	5,800	85	-	-	38	-	-	14.7	-	-	6.6	-	-
LACLEDE	22,900	280	3	-	281	1	-	12.2	8.8	-	12.3	3.0	-
LAFAYETTE	28,700	328	11	-	294	4	-	11.4	27.7	-	10.2	11.4	-
LAWRENCE	28,200	333	4	-	342	1	-	11.8	12.3	-	12.1	4.2	-
LEWIS	11,000	143	2	-	53	-	-	13.0	12.3	-	4.8	-	-
LINCOLN	19,800	215	3	-	186	1	-	10.9	11.2	-	9.4	5.2	-
LINN	14,900	259	6	-	257	2	-	17.4	29.9	-	17.2	7.7	-
LIVINGSTON	15,400	189	6	-	240	6	-	12.3	28.8	-	15.6	16.5	-
MC DONALD	14,900	165	3	-	48	-	-	11.1	18.1	-	3.2	-	-
MACON	16,400	184	1	-	145	-	-	11.2	4.7	-	8.8	-	-
MADISON	9,300	137	2	-	116	-	-	14.7	14.9	-	12.5	-	-
MARIES	7,500	77	2	-	22	-	-	10.3	23.0	-	2.9	-	-
MARION	27,900	341	11	-	389	4	-	12.2	24.4	-	13.9	5.4	-
MERCER	4,900	96	4	-	51	-	-	19.6	76.9	-	10.4	-	-
MILLER	16,700	184	1	-	71	-	-	11.0	4.6	-	4.3	-	-
MISSISSIPPI	16,600	238	6	1	133	-	-	14.3	19.0	31.7	8.0	-	-
MONITEAU	11,100	149	-	1	48	-	-	13.4	-	58.1	4.3	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1975 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1975

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,400	151	4	-	88	2	-	16.1	27.2	-	9.4	500.0	-
MONTGOMERY	11,800	173	2	-	56	1	-	14.7	13.2	-	4.7	-	-
MORGAN	12,500	183	2	-	124	2	-	14.6	13.1	-	9.9	250.0	-
NEW MADRID	24,700	279	9	-	121	1	-	11.3	22.2	-	4.9	125.0	-
NEWTON	38,400	335	10	-	436	11	-	8.7	22.3	-	11.4	12.7	-
NODAWAY	22,900	226	7	-	201	2	-	9.9	21.7	-	8.8	7.8	-
OREGON	9,100	137	3	-	67	-	-	15.1	23.3	-	7.4	-	-
OSAGE	11,600	126	3	-	51	1	-	10.9	16.4	-	4.4	-	-
OZARK	7,300	92	5	-	29	2	-	12.6	49.5	-	4.0	-	-
PEMISCOT	25,300	313	13	-	270	16	-	12.4	24.9	-	10.7	31.4	-
PERRY	15,300	203	2	-	181	-	-	13.3	8.2	-	11.8	-	-
PETTIS	35,500	432	8	-	451	3	-	12.2	16.3	-	12.7	4.9	-
PHELPS	31,700	290	7	-	355	7	-	9.1	18.3	-	11.2	10.9	-
PIKE	16,500	223	4	-	193	-	-	13.5	15.0	-	11.7	-	-
PLATTE	38,000	199	5	-	81	1	-	5.2	9.0	-	2.1	-	-
POLK	18,100	197	3	-	96	1	-	10.9	14.5	-	5.3	18.9	-
PULASKI	39,600	206	16	-	157	10	-	5.2	18.5	-	4.0	12.3	-
PUTNAM	6,000	116	-	-	94	-	-	19.3	-	-	15.7	-	-
RALLS	8,100	107	-	-	45	-	-	13.2	-	-	5.6	-	-
RANDOLPH	22,600	288	5	-	274	-	-	12.7	14.9	-	12.1	-	-
RAY	19,400	206	2	-	139	1	-	10.6	7.4	-	7.2	6.6	-
REYNOLDS	6,500	76	1	-	23	-	-	11.7	11.4	-	3.5	-	-
RIPLEY	11,600	172	3	-	127	3	-	14.8	19.1	-	10.9	61.2	-
ST. CHARLES	112,200	614	32	-	651	11	-	5.5	16.7	-	5.8	8.9	-
ST. CLAIR	8,400	135	1	-	149	2	-	16.1	10.3	-	17.7	37.7	-
ST. FRANCOIS	38,900	480	9	-	623	6	-	12.3	15.9	-	16.0	6.7	-
STE. GENEVIEVE	14,400	128	3	-	89	1	-	8.9	14.0	-	6.2	6.1	-
ST. LOUIS COUNTY	964,200	7,259	136	1	6,518	79	2	7.5	10.9	.8	6.8	5.5	1.4
ST. LOUIS CITY	513,400	7,604	192	2	9,924	434	2	14.8	23.1	2.4	19.3	41.8	1.9
SALINE	24,500	347	5	-	311	3	-	14.2	14.5	-	12.7	13.6	-
SCHUYLER	4,800	87	-	-	32	-	-	18.1	-	-	6.7	-	-
SCOTLAND	6,000	90	-	1	79	-	-	15.0	-	161.3	13.2	-	-
SCOTT	35,200	381	17	-	481	19	2	10.8	26.0	-	13.7	21.4	22.5
SHANNON	7,900	87	-	-	34	-	-	11.0	-	-	4.3	-	-
SHELBY	7,700	130	2	-	60	-	-	16.9	19.2	-	7.8	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1975 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1975

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	28,100	303	9	2	187	6	-	10.8	24.5	54.3	6.7	13.7	-
STONE	12,800	157	5	-	52	1	-	12.3	36.5	-	4.1	-	-
SULLIVAN	7,500	133	1	-	103	-	-	17.7	11.0	-	13.7	-	-
TANEY	18,300	230	5	-	222	4	-	12.6	29.6	-	12.1	35.7	-
TEXAS	21,500	213	4	-	206	3	-	9.9	14.0	-	9.6	9.6	-
VERNON	19,300	269	1	-	248	1	-	13.9	4.2	-	15.4	3.8	-
WARREN	12,400	129	4	-	68	1	-	10.4	22.5	-	5.5	-	-
WASHINGTON	16,100	149	4	-	91	1	-	9.3	12.7	-	5.7	7.2	-
WAYNE	9,700	143	2	-	61	1	-	14.7	18.5	-	6.3	500.0	-
WEBSTER	18,700	188	1	-	90	-	-	10.1	3.5	-	4.8	-	-
WORTH	3,100	62	-	-	26	-	-	20.0	-	-	8.4	-	-
WRIGHT	15,400	199	2	-	105	2	-	12.9	9.6	-	6.8	15.0	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1975 (SEE PP IV)

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	30,491	693	4	40,921	1,190	11
TOTAL CITIES 10,000 POP. AND OVER	23,654	572	3	31,855	1,057	8
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	6,837	121	1	9,066	133	3
CITIES 10,000 POP. AND OVER						
BALLWIN	75	1	-	11	-	-
BELLEFONTAINE NEIGHBORS	152	1	-	19	-	-
BERKELEY	84	4	-	13	-	-
BRENTWOOD	78	3	-	5	-	-
BRIDGETON	101	3	-	10	-	-
CAPE GIRARDEAU	277	9	-	588	16	1
CARTHAGE	171	3	-	199	2	-
CLAYTON	162	-	-	948	13	1
COLUMBIA	301	12	-	1,222	107	1
CRESTWOOD	66	1	-	3	-	-
FERGUSON	222	1	-	28	-	-
FLORISSANT	420	7	-	685	12	-
FULTON	120	1	-	238	-	-
GLADSTONE	76	1	-	20	-	-
GRANDVIEW	114	4	-	27	-	-
HANNIBAL	248	7	-	349	4	-
MARION CO. PART	247	7	-	348	4	-
RALLS CO. PART	1	-	-	1	-	-
HAZELWOOD	114	4	-	2	-	-
INDEPENDENCE	862	25	-	725	5	-
JEFFERSON CITY	310	10	-	643	8	-
JENNINGS	226	2	-	7	-	-
JOPLIN	517	13	-	803	19	-
JASPER CO. PART	490	13	-	637	11	-
NEWTON CO. PART	27	-	-	166	8	-
KANSAS CITY	4,972	138	1	6,438	282	1
CLAY CO. PART	312	5	-	39	-	-
JACKSON CO. PART	4,613	131	1	6,387	282	1

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PLATTE CO. PART	47	2	-	12	-	-
KIRKSVILLE	152	5	-	382	12	1
KIRKWOOD	317	4	-	480	5	-
LADUE	71	-	-	11	-	-
LEE'S SUMMIT	189	5	-	92	-	-
LIBERTY	107	5	-	194	1	-
MAPLEWOOD	155	4	-	12	-	-
MARSHALL	153	2	-	200	3	-
MEXICO	166	3	-	354	2	-
MOBERLY	187	4	-	238	-	-
OVERLAND	238	3	-	33	-	-
POPLAR BLUFF	251	4	-	801	10	-
RAYTOWN	218	3	-	14	-	-
RICHMOND HEIGHTS	144	2	-	594	9	-
ROLLA	96	3	-	268	7	-
ST. ANN	139	1	-	4	-	-
ST. CHARLES	262	8	-	556	10	-
ST. JOSEPH	950	17	-	1,260	12	-
ST. LOUIS CITY	7,604	192	2	9,924	434	2
SEDALIA	327	5	-	423	3	-
SIKESTON	168	12	-	352	15	1
NEW MADRID CO. PART	3	-	-	1	-	-
SCOTT CO. PART	165	12	-	351	15	1
SPRINGFIELD	1,277	28	-	2,283	61	-
UNIVERSITY CITY	462	6	-	96	-	-
WARRENSBURG	115	4	-	230	5	-
WEBSTER GROVES.	238	2	-	71	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	76	1	-	98	-	-
BEL-RIDGE	27	-	-	1	-	-
BELTON	63	4	-	8	-	-
BETHANY	41	1	-	51	1	-
BLUE SPRINGS	63	1	-	8	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
BOLIVAR	67	1	-	45	-	-
BONNE TERRE	52	1	-	126	-	-
BOONVILLE	90	2	-	44	-	-
BOWLING GREEN	56	1	-	28	-	-
BRECKENRIDGE HILLS	19	-	-	1	-	-
BROOKFIELD	107	1	-	161	1	-
BUTLER	69	1	-	119	1	-
CALIFORNIA	55	-	-	25	-	-
CAMERON	68	-	-	102	1	-
CLINTON CO. PART	63	-	-	101	1	-
DE KALB CO. PART	5	-	-	1	-	-
CANTON	36	-	-	12	-	-
CARROLLTON	83	1	-	84	2	-
CARUTHERSVILLE	104	2	-	12	1	-
CENTRALIA	53	1	-	28	-	-
CHAFFEE	39	1	-	95	4	1
CHARLESTON	84	1	-	85	-	-
CHILLICOTHE	113	4	-	204	5	-
CLINTON	115	2	-	252	3	-
CREVE COEUR	210	3	-	980	23	1
CRYSTAL CITY	39	2	-	6	-	-
DELLWOOD	60	-	-	3	-	-
DESOTO	72	1	-	22	1	-
DES PERES	31	-	-	36	-	-
DESLOGE	36	-	-	7	-	-
DEXTER	94	4	-	121	5	-
EAST PRAIRIE	67	3	1	17	-	-
ELDON	63	-	-	19	-	-
ELDORADO SPRINGS	79	1	-	111	1	-
ELLISVILLE	27	-	-	40	-	-
EXCELSIOR SPRINGS	100	1	-	97	2	-
CLAY CO. PART	96	1	-	97	2	-
RAY CO. PART	4	-	-	-	-	-
FARMINGTON	97	-	-	340	6	-
FAYETTE	49	-	-	100	1	-
FESTUS	76	4	-	8	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FLAT RIVER	54	1	-	10	-	-
FREDERICKTOWN	72	-	-	103	-	-
FRONTENAC	34	-	-	4	1	-
GLENDALE	63	1	-	1	-	-
HARRISONVILLE	61	1	-	123	2	-
HAYTI	59	5	-	228	15	-
HERMANN	29	-	-	75	1	-
HIGGINSVILLE	44	4	-	26	-	-
HILLSDALE VILLAGE	23	-	-	-	-	-
JACKSON	84	-	-	59	-	-
KENNETT	130	2	-	247	7	-
KINLOCH	17	1	-	-	-	-
LAMAR	70	1	-	113	1	-
LEBANON	146	2	-	234	1	-
LEXINGTON	74	-	-	146	-	-
LOUISIANA	65	-	-	130	-	-
MACON	79	-	-	112	-	-
MALDEN	77	3	-	40	2	-
MANCHESTER	48	2	-	68	-	-
MARCELINE	51	1	-	76	1	-
MARSHFIELD	49	-	-	17	-	-
MARYVILLE	86	2	-	162	2	-
MOLINE ACRES	53	-	-	2	-	-
MONETT	84	1	-	123	1	-
BARRY CO. PART	72	-	-	121	1	-
LAWRENCE CO. PART	12	1	-	2	-	-
MOUNTAIN GROVE	75	-	-	36	1	-
MT. VERNON	38	-	-	27	-	-
NEOSHO	90	2	-	154	1	-
NEVADA	145	1	-	212	1	-
NEW MADRID	30	2	-	8	-	-
NORMANDY	92	1	-	394	3	-
NORTH KANSAS CITY	53	1	-	309	5	-
NORTHWOODS	39	-	-	-	-	-
ODESSA	46	1	-	17	-	-
O'FALLON	43	2	-	8	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
OLIVETTE	89	-	-	4	-	-
PACIFIC	34	1	-	4	-	-
FRANKLIN CO. PART	30	1	-	4	-	-
ST. LOUIS CO. PART	4	-	-	-	-	-
PAGEDALE	37	-	-	1	-	-
PALMYRA	46	1	-	33	-	-
PERRYVILLE	82	-	-	148	-	-
PINELAWN	38	1	-	10	-	-
PLEASANT HILL	43	-	-	15	-	-
PORTAGEVILLE	40	1	-	17	-	-
POTOSI	21	-	-	4	-	-
RICHMOND	81	1	-	108	1	-
RIVERVIEW	29	-	-	-	-	-
ROCK HILL	37	2	-	9	-	-
ST. CLAIR	31	1	-	3	-	-
ST. JAMES	58	-	-	55	-	-
ST. JOHN	66	-	-	4	-	-
STE. GENEVIEVE	47	1	-	79	1	-
SALEM	85	2	-	22	-	-
SAVANNAH	70	3	-	41	-	-
SHREWSBURY	47	-	-	4	-	-
SLATER	59	-	-	26	-	-
SUGAR CREEK	34	2	-	6	-	-
SULLIVAN	67	1	-	127	4	-
CRAWFORD CO. PART	12	-	-	123	4	-
FRANKLIN CO. PART	55	1	-	4	-	-
SUNSET HILLS	23	1	-	51	-	-
TOWN AND COUNTRY	16	-	-	327	4	-
TRENTON	124	1	-	188	2	-
TROY	43	1	-	126	1	-
UNION	63	3	-	36	1	-
VALLEY PARK	35	-	-	39	-	-
VANDALIA	58	-	-	9	-	-
VINITA PARK	16	-	-	-	-	-
WARSON WOODS	18	1	-	1	-	-
WASHINGTON	117	3	-	344	7	1

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1975

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
WAYNESVILLE	30	3	-	68	4	-
WEBB CITY	105	2	-	100	1	-
WELLSTON	47	3	-	2	-	-
WENTZVILLE	34	2	-	14	1	-
WEST PLAINS	101	1	-	230	3	-
WINDSOR	53	-	-	51	-	-
WOODSON TERRACE	30	1	-	-	-	-

GRAPH D.
INFANT DEATH RATES BY COLOR 1932-1975
(per 1,000 live births)



Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

INFANT DEATH TRENDS

Year	Total	White	Non-White	Year	Total	White	Non-White
1932	57.4	53.9	112.9	1962	25.5	23.2	40.0
1933	56.8	54.5	94.3	1963	24.3	21.5	41.5
1934	62.3	59.4	107.6	1964	24.4	21.2	43.2
1935	56.9	55.2	83.1	1965	25.4	22.2	42.7
1936	57.9	55.7	90.0	1966	23.4	19.8	43.0
1937	64.0	61.7	96.5	1967	22.6	19.1	41.9
1938	51.1	48.1	93.0	1968	21.3	19.1	33.9
1939	45.0	42.2	83.8	1969	21.3	18.6	36.4
1940	47.0	44.7	78.4	1970	19.5	17.0	33.6
1941	46.8	44.2	83.0	1971	20.2	18.6	28.0
1942	39.0	37.1	64.8	1972	18.3	16.2	28.5
1943	39.8	37.5	69.5	1973	17.7	15.9	27.1
1944	37.3	35.1	63.7	1974	16.9	15.0	27.0
1945	37.5	35.1	65.8	1975	16.4	14.5	25.9
1946	33.0	31.1	55.8				
1947	32.4	30.1	59.9				
1948	30.4	28.6	49.3				
1949	30.0	28.7	43.4				
1950	29.2	27.1	49.0				
1951	27.7	25.8	45.0				
1952	28.3	25.9	49.4				
1953	27.7	25.4	46.9				
1954	26.8	24.2	46.6				
1955	25.3	23.1	41.7				
1956	24.5	22.4	38.9				
1957	24.8	22.4	40.5				
1958	26.4	23.2	46.9				
1959	24.5	21.5	43.6				
1960	24.7	21.4	45.9				
1961	24.5	21.9	41.6				

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1975

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS	OVER 1 YEAR
					UNDER 1 DAY	UNDER 7 DAS	UNDER 28 DAS	UNDER 3 MOS	UNDER 6 MOS	UNDER 1 YEAR	
ALL CAUSES	WHITE	831	14.5	68	217	220	95	86	84	55	
	NONWHITE	291	25.9	23	99	61	25	35	25	21	
	TOTAL	1,122	16.4	91	316	281	120	121	109	76	
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	12	.2			1	7	3	1		
	NONWHITE	4	.4					4			
	TOTAL	16	.2			1	7	7	1		
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	25	.4		1	5	4	7	4	4	
	NONWHITE	17	1.5				1	7	5	4	
	TOTAL	42	.6		1	5	5	14	9	8	
CONGENITAL ANOMALIES (740-759)	WHITE	170	3.0	10	31	48	24	24	21	12	
	NONWHITE	28	2.5		6	9	2	2	4	5	
	TOTAL	198	2.9	10	37	57	26	26	25	17	
BIRTH INJURIES (764-768 (.0-.3), 772)	WHITE	31	.5		2	23	5				
	NONWHITE	12	1.1		4	6	2				
	TOTAL	43	.6		6	29	7				
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	61	1.1	8	35	13	5				
	NONWHITE	50	4.5	4	34	7	4				
	TOTAL	111	1.6	12	69	20	9				
IMMATURITY, UNQUALIFIED (777)	WHITE	48	.8	12	35	1					
	NONWHITE	18	1.6	3	15						
	TOTAL	66	1.0	15	50	1					
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	284	5.0	31	107	116	23	3	1		
	NONWHITE	95	8.5	15	37	36	6				
	TOTAL	379	5.5	46	144	152	29	3	1		
ALL OTHER CAUSES (RESIDUAL)	WHITE	200	3.5	7	6	13	27	49	57	39	
	NONWHITE	67	6.0	1	3	3	10	22	16	12	
	TOTAL	267	3.9	8	9	16	37	71	73	51	

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

PROVISIONAL EST. POP. JULY 1, 1975
 (SEE PP IV) MISSOURI - 4,763,000

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	68,442	14.4	57,211	11,231	28,632	1,425
ATTENDED BY M.D.	61,047		50,662	10,385	24,775	1,259
ATTENDED BY D.O.	7,260		6,445	815	3,771	157
ATTENDED BY MIDWIFE	90		62	28	54	7
OTHERS OR UNSPECIFIED	45		42	3	32	2
LIVE BIRTHS UNDER 5.5 LBS.	4,949		3,429	1,520	1,685	152
TOTAL FETAL DEATHS	788	11.5	571	217	266	26
ATTENDED BY M.D.	706		509	197	233	24
ATTENDED BY D.O.	78		60	18	32	2
ATTENDED BY MIDWIFE	2		1	1	1	
OTHERS OR UNSPECIFIED	2		1	1		
TOTAL DEATHS	48,984	10.3	43,957	5,027	18,033	460
UNDER ONE YEAR OF AGE	1,122	16.4	831	291	398	31
NEONATAL DEATHS	808	11.8	600	208	299	23
MATERNAL DEATHS	12	1.8	8	4	7	1
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)	64	1.3	53	11	28	
SYPHILIS AND ITS SEQUELAE (090-097)	8	.2	4	4	1	
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	254	5.3	205	49	92	4
MALIGNANT NEOPLASMS (140-209)	9,170	192.5	8,249	921	3,257	64
DIGEST. ORGANS (150-159)	2,402	50.4	2,140	262	823	21
RESPIRATORY SYSTEM (160-163)	2,228	46.8	2,011	217	817	13
BREAST (174)	769	16.1	691	78	237	2
GENITAL ORGANS (180-187)	1,118	23.5	969	149	393	14
URINARY ORGANS (188-189)	400	8.4	367	33	146	2
LEUKEMIA (204-207)	367	7.7	347	20	158	1
OTHER REMAINDER OF (140-209)	1,886	39.6	1,724	162	683	11
DIABETES MELLITUS (250)	938	19.7	803	135	314	18
MAJOR CARDIOVASCULAR DISEASE (390-448)	25,631	538.1	23,505	2,126	9,488	202
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	18,648	391.5	17,146	1,502	6,902	140

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000		NON- WHITE	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	302	6.3	281	21	99	2	14	1
HYPERTENSIVE HEART (402,404)	371	7.8	321	50	167	2	32	2
ISCHEMIC HEART (410-414)	16,527	347.0	15,288	1,239	6,047	115	1,027	38
OTHER HEART DISEASE (420-429)	1,448	30.4	1,256	192	589	21	95	7
HYPERTENSION (400,401,403)	198	4.2	162	36	70	3	9	
CEREBROVASCULAR DISEASE (430-438)	5,370	112.7	4,874	496	1,964	53	328	11
ARTERIOSCLEROSIS (440)	789	16.6	747	42	321	1	43	1
OTHER CIRCULATORY (441-448)	626	13.1	576	50	231	5	31	5
INFLUENZA/PNEUMONIA (470-474,480-486)	1,491	31.3	1,348	143	600	19	107	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	635	13.3	606	29	249	3	43	2
PEPTIC ULCER (531-533)	184	3.9	169	15	70		7	
CIRRHOSIS OF LIVER (571)	522	11.0	445	77	150	1	26	
NEPHRITIS AND NEPHROSIS (580-584)	198	4.2	157	41	66	6	12	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	12	.3	8	4	7	1	1	
CONGENITAL ANOMALIES (740-759)	302	6.3	260	42	115	7	17	2
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	599	12.6	425	174	210	16	30	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,736	36.4	1,502	234	675	28	105	13
ALL OTHER DISEASES (RESIDUAL)	3,618	76.0	3,158	460	1,240	31	211	8
ACCIDENTAL DEATHS (E800-E949)	2,335	49.0	2,125	210	1,109	35	110	7
MOTOR VEHICLE (E810-E823)	1,085	22.8	1,007	78	547	20	49	2
OTHER TRANS. (E800-E807,E825-E845)	72	1.5	65	7	34	1	2	
POISONING (E850-E877)	79	1.7	66	13	31	3	3	
FALLS (E880-E887)	426	8.9	393	33	163		30	1
FIRES (E890-E899)	124	2.6	102	22	53	3	4	2
DROWNING & SUBMERSIONS (E910)	137	2.9	117	20	57	4	8	
FIREARM MISSILES (E922)	50	1.0	43	7	29	1	1	1
INDUS. TYPE (E916-E921,E923-E928)	191	4.0	178	13	124		7	1
OTHER REMAINDER OF (E900-E949)	171	3.6	154	17	71	3	6	
SUICIDE (E950-E959)	555	11.7	531	24	238	2	20	
HOMICIDE (E960-E978)	535	11.2	246	289	71	14	10	4
ALL OTHER EXTERNAL CAUSES (E980-E999)	197	4.1	158	39	53	9	1	1

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,019	646	1,938	277	3,051	346	2,974	441
ATTENDED BY M.D.	3,474	542	1,727	230	2,707	322	2,709	404
ATTENDED BY D.O.	544	104	205	27	344	23	262	37
ATTENDED BY MIDWIFE			6	20			1	
OTHERS OR UNSPECIFIED	1					1	2	
LIVE BIRTHS UNDER 5.5 LBS.	213	81	127	39	198	44	177	56
TOTAL FETAL DEATHS	41	21	18	6	37	4	26	3
ATTENDED BY M.D.	36	16	15	5	33	4	25	3
ATTENDED BY D.O.	5	5	3		4		1	
ATTENDED BY MIDWIFE				1				
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,659	173	1,875	122	2,340	108	2,694	129
UNDER ONE YEAR OF AGE	56	12	40	11	40	6	45	11
NEONATAL DEATHS	38	7	31	8	28	5	33	9
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	5		1				2	
SYPHILIS AND ITS SEQUELAE (090-097)				1			1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	16	1	8		8	1	10	3
MALIGNANT NEOPLASMS (140-209)	687	29	376	21	475	23	556	16
DIGEST. ORGANS (150-159)	183	5	105	3	127	3	158	5
RESPIRATORY SYSTEM (160-163)	164	5	92	10	100	5	112	5
BREAST (174)	72	6	31		47	3	55	1
GENITAL ORGANS (180-187)	73	6	54	5	57	4	73	2
URINARY ORGANS (188-189)	27		15		22		30	
LEUKEMIA (204-207)	24		11	1	21	1	19	
OTHER REMAINDER OF (140-209)	144	7	68	2	101	7	109	3
DIABETES MELLITUS (250)	62	4	38	4	43	2	39	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,016	82	1,052	59	1,283	58	1,470	57
DISEASES OF HEART								
(390-398,402,404,410-429)	1,447	56	757	43	940	44	1,062	43

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	5,000 - LESS THAN 10,000 NON- WHITE		10,000 - LESS THAN 15,000 NON- WHITE		15,000 - LESS THAN 25,000 NON- WHITE		25,000 - LESS THAN 50,000 NON- WHITE	
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	27	1	11	1	18		20	
HYPERTENSIVE HEART (402,404)	40	2	12		9		10	1
ISCHEMIC HEART (410-414)	1,270	41	684	39	845	38	981	41
OTHER HEART DISEASE (420-429)	110	12	50	3	68	6	51	1
HYPERTENSION (400,401,403)	12	1	3	2	7		7	1
CEREBROVASCULAR DISEASE (430-438)	466	22	242	13	277	13	309	12
ARTERIOSCLEROSIS (440)	44	2	28		32		43	1
OTHER CIRCULATORY (441-448)	47	1	22	1	27	1	49	
INFLUENZA/PNEUMONIA (470-474,480-486)	130	8	53	4	61	1	75	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	53	2	23		31	1	33	
PEPTIC ULCER (531-533)	9		10		10		5	2
CIRRHOSIS OF LIVER (571)	25	2	19	2	27		29	1
NEPHRITIS AND NEPHROSIS (580-584)	12	1	5		11		14	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	19	2	12	3	15	1	18	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	28	7	20	7	15	4	22	9
SYMPTOMS & ILL-DEFINED COND. (780-796)	96	8	38	6	62	5	69	4
ALL OTHER DISEASES (RESIDUAL)	282	15	130	9	150	4	178	16
ACCIDENTAL DEATHS (E800-E949)	150	7	53	5	94	3	113	7
MOTOR VEHICLE (E810-E823)	74	3	30	3	40	2	56	3
OTHER TRANS. (E800-E807,E825-E845)	5		1		7		5	
POISONING (E850-E877)	5	1	6	1			1	1
FALLS (E880-E887)	31	1	4		12		29	
FIRES (E890-E899)	5		3		5		3	
DROWNING & SUBMERSIONS (E910)	6		3		10	1	3	1
FIREARM MISSILES (E922)	6				1		1	1
INDUSTRIAL (E916-E921,E923-E928)	8		1	1	6		3	1
OTHER REMAINDER OF (E900-E949)	10	2	5		13		12	
SUICIDE (E950-E959)	33		17		24		37	2
HOMICIDE (E960-E978)	18	4	13	1	16	4	15	2
ALL OTHER EXTERNAL CAUSES (E980-E999)	18	1	7		15	1	8	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,432	203	1,841	48	6,170	2,629	3,310	5,003
ATTENDED BY M.D.	2,399	201	1,830	48	5,548	2,337	3,187	4,850
ATTENDED BY D.O.	30	2	10		620	292	122	153
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	3		1		2		1	
LIVE BIRTHS UNDER 5.5 LBS.	163	24	117	5	367	361	211	730
TOTAL FETAL DEATHS	27	3	13	1	83	57	32	94
ATTENDED BY M.D.	27	3	13	1	74	51	30	89
ATTENDED BY D.O.					9	6	1	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	1
TOTAL DEATHS	1,599	72	1,250	27	4,711	1,123	4,924	2,680
UNDER ONE YEAR OF AGE	33	3	26	2	90	73	56	136
NEONATAL DEATHS	22	3	19	2	58	55	32	95
MATERNAL DEATHS								
CAUSE OF DEATH						1		2
TUBERCULOSIS, ALL FORMS (010-019)	2		1		7	4	2	7
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES			1			1	1	2
REMAINDER OF (000-136)	2	2	6		28	10	24	27
MALIGNANT NEOPLASMS (140-209)	330	14	221	6	905	204	915	518
DIGEST. ORGANS (150-159)	82	9	48	2	228	60	248	149
RESPIRATORY SYSTEM (160-163)	75	1	61		229	53	248	119
BREAST (174)	33		18		72	16	78	46
GENITAL ORGANS (180-187)	41	1	33	3	93	27	96	83
URINARY ORGANS (188-189)	19	1	9		38	5	39	25
LEUKEMIA (204-207)	11		8		35	6	32	11
OTHER REMAINDER OF (140-209)	69	2	44	1	210	37	174	85
DIABETES MELLITUS (250)	28	2	14		72	21	143	80
MAJOR CARDIOVASCULAR DISEASE (390-448)								
DISEASES OF HEART	838	34	648	8	2,340	406	2,791	1,155

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	50,000 - LESS THAN 75,000 NON- WHITE		75,000 - LESS THAN 100,000 NON- WHITE		100,000 - LESS THAN 500,000 NON- WHITE		500,000 AND OVER NON- WHITE	
(390-398,402,404,410-429)								
RHEUMATIC FEVER & CHRONIC	14	1	15		30	4	33	11
RHEUMATIC HEART DISEASE (390-398)	9		4		14	7	24	36
HYPERTENSIVE HEART (402,404)	543	20	400	5	1,474	205	2,017	697
ISCHEMIC HEART (410-414)	37		16		146	51	94	91
OTHER HEART DISEASE (420-429)	4	1	6		16	10	28	18
HYPERTENSION (400,401,403)	179	11	153	3	515	112	441	246
CEREBROVASCULAR DISEASE (430-438)	30	1	33		80	7	93	29
ARTERIOSCLEROSIS (440)	22		21		65	10	61	27
OTHER CIRCULATORY (441-448)	40	3	26		117	22	139	82
INFLUENZA/PNEUMONIA (470-474,480-486)	18		18		73	5	65	16
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	9	1	8		18	2	23	10
PEPTIC ULCER (531-533)	15		16	1	69	22	69	48
CIRRHOSIS OF LIVER (571)	5	1	2		11	11	19	19
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	9	1	4		32	10	19	16
CONGENITAL ANOMALIES (740-759)						1		2
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	17	2	14	2	48	46	21	80
SYMPTOMS & ILL-DEFINED COND. (780-796)	53	1	85	3	264	115	55	51
ALL OTHER DISEASES (RESIDUAL)	127	5	95	2	366	109	379	261
ACCIDENTAL DEATHS (E800-E949)	72	6	46	3	217	54	161	83
MOTOR VEHICLE (E810-E823)	33	3	24		101	17	53	25
OTHER TRANS. (E800-E807,E825-E845)	4				5	3	2	3
POISONING (E850-E877)	3		3		8	3	6	4
FALLS (E880-E887)	11		10	1	45	9	58	21
FIRES (E890-E899)	4	1	1	1	14	9	10	6
DROWNING & SUBMERSIONS (E910)	7	1	4		11	5	8	8
FIREARM MISSILES (E922)	2				1	1	2	3
INDUSTRIAL (E916-E921,E923-E928)	5		1		17	5	6	5
OTHER REMAINDER OF (E900-E949)	3	1	3	1	15	2	16	8
SUICIDE (E950-E959)	22		29	1	69	10	42	9
HOMICIDE (E960-E978)	8		5		48	66	42	194
	4		11	1	27	4	14	20

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	310	6	155	1	103	1	370	40
ATTENDED BY M.D.	17		154	1	103	1	327	39
ATTENDED BY D.O.	293	5					28	1
ATTENDED BY MIDWIFE							15	
OTHERS OR UNSPECIFIED		1	1					
LIVE BIRTHS UNDER 5.5 LBS.	21	1	12		4		21	3
TOTAL FETAL DEATHS	2		1		1		5	
ATTENDED BY M.D.	1		1		1		5	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	222	1	160	2	96		291	24
UNDER ONE YEAR OF AGE	8		3		3		4	1
NEONATAL DEATHS	8		3		3		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	47		37		20		52	6
DIGEST. ORGANS (150-159)	14		14		4		11	1
RESPIRATORY SYSTEM (160-163)	4		7		6		20	2
BREAST (174)	7		2		2		1	
GENITAL ORGANS (180-187)	9		2		3		8	2
URINARY ORGANS (188-189)	2		1				2	
LEUKEMIA (204-207)	2		2				1	
OTHER REMAINDER OF (140-209)	9		9		5		9	1
DIABETES MELLITUS (250)	5				3		5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	110	1	88	1	52		155	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	84	1	62	1	35		98	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1		1	1
HYPERTENSIVE HEART (402,404)			1				5	
ISCHEMIC HEART (410-414)	79	1	58	1	34		83	6
OTHER HEART DISEASE (420-429)	3		2				9	
HYPERTENSION (400,401,403)			1				3	2
CEREBROVASCULAR DISEASE (430-438)	22		22		14		45	3
ARTERIOSCLEROSIS (440)	1		1				9	
OTHER CIRCULATORY (441-448)	3		2		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	12		3		4		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		1		9	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	2		1					1
NEPHRITIS AND NEPHROSIS (580-584)	3							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1		1		2	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		3		3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14						11	1
ALL OTHER DISEASES (RESIDUAL)	7		11	1	7		23	1
ACCIDENTAL DEATHS								
(E800-E949)	9		7		5		16	
MOTOR VEHICLE (E810-E823)	2		1		2		11	
OTHER TRANS. (E800-E807,E825-E845)	2				1			
POISONING (E850-E877)							1	
FALLS (E880-E887)			3		1		1	
FIRES (E890-E899)	2							
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	3		2				2	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	2		5				3	
HOMICIDE (E960-E978)	1		1				4	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	265	3	129	2	171	4	110	1
ATTENDED BY M.D.	226	2	121	2	155	4	66	1
ATTENDED BY D.O.	37		7		16		44	
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED	1	1	1					
LIVE BIRTHS UNDER 5.5 LBS.	18		7		7		7	
TOTAL FETAL DEATHS	2		3		3		1	
ATTENDED BY M.D.	2		3		3		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	284	1	163		204	1	163	
UNDER ONE YEAR OF AGE	7		2		1			
NEONATAL DEATHS	6		2		1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2			
MALIGNANT NEOPLASMS (140-209)	59		27		40		30	
DIGEST. ORGANS (150-159)	18		12		7		5	
RESPIRATORY SYSTEM (160-163)	11		3		11		10	
BREAST (174)	2		1		2			
GENITAL ORGANS (180-187)	9		3		3		5	
URINARY ORGANS (188-189)	2		1		1			
LEUKEMIA (204-207)	2		2		5			
OTHER REMAINDER OF (140-209)	15		5		11		10	
DIABETES MELLITUS (250)	2		5		3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	149		93		103		94	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	111		71		81		48	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1			
HYPERTENSIVE HEART (402,404)	3		3		3		1	
ISCHEMIC HEART (410-414)	99		62		66		35	
OTHER HEART DISEASE (420-429)	7		6		11		12	
HYPERTENSION (400,401,403)			1				3	
CEREBROVASCULAR DISEASE (430-438)	29		18		20		33	
ARTERIOSCLEROSIS (440)	5		2		1		7	
OTHER CIRCULATORY (441-448)	4		1		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		7		8		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		8			
PEPTIC ULCER (531-533)	1		1		1		2	
CIRRHOSIS OF LIVER (571)	3		3				1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6		1					
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		3		11		5	
ALL OTHER DISEASES (RESIDUAL)	21		6		15		13	
ACCIDENTAL DEATHS (E800-E949)	14	1	9		9	1	10	
MOTOR VEHICLE (E810-E823)	8		3		4		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3		2		3		2	
FIRES (E890-E899)	1	1						
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)	1				1	1		
INDUSTRIAL (E916-E921,E923-E928)	1		2		1		1	
OTHER REMAINDER OF (E900-E949)			2				1	
SUICIDE (E950-E959)	2		2		1		2	
HOMICIDE (E960-E978)			1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	130	2	1,000	125	1,229	62	500	37
ATTENDED BY M.D.	90	2	986	125	1,228	62	450	36
ATTENDED BY D.O.	39		11		1		48	1
ATTENDED BY MIDWIFE							2	
OTHERS OR UNSPECIFIED	1		3					
LIVE BIRTHS UNDER 5.5 LBS.	10	2	64	14	78	7	31	3
TOTAL FETAL DEATHS	2		2	4	18		13	
ATTENDED BY M.D.	1		2	4	18		13	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	136		474	41	1,014	33	421	33
UNDER ONE YEAR OF AGE	4		20	3	20		9	
NEONATAL DEATHS	3		14	3	12		6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4	2	3		2	
MALIGNANT NEOPLASMS (140-209)	20		94	8	203	7	59	8
DIGEST. ORGANS (150-159)	3		25	3	52	5	10	1
RESPIRATORY SYSTEM (160-163)	7		24		48	1	18	1
BREAST (174)	1		6		17		6	1
GENITAL ORGANS (180-187)	3		13		28	1	2	2
URINARY ORGANS (188-189)	1		4	2	13		2	
LEUKEMIA (204-207)			4		4		5	
OTHER REMAINDER OF (140-209)	5		18	3	41		16	3
DIABETES MELLITUS (250)	1		9	1	15		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	76		237	18	551	17	224	16
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49		176	12	401	10	161	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			5		8	1		
HYPERTENSIVE HEART (402,404)	3		3		7		2	
ISCHEMIC HEART (410-414)	43		156	11	356	9	143	2
OTHER HEART DISEASE (420-429)	3		12	1	30		16	2
HYPERTENSION (400,401,403)			1	1	3		1	
CEREBROVASCULAR DISEASE (430-438)	20		51	4	111	7	60	12
ARTERIOSCLEROSIS (440)	5		6	1	23			
OTHER CIRCULATORY (441-448)	2		3		13		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		23	1	19	2	18	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		7		11		6	
PEPTIC ULCER (531-533)			2	1	3			
CIRRHOSIS OF LIVER (571)	1		2		9		1	
NEPHRITIS AND NEPHROSIS (580-584)			2	2	2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		9	1	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		11	2	7		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		3		48	1	40	5
ALL OTHER DISEASES (RESIDUAL)	16		40	2	79	3	26	2
ACCIDENTAL DEATHS								
(E800-E949)	7		22	4	41	2	24	1
MOTOR VEHICLE (E810-E823)	5		9	1	16	2	12	1
OTHER TRANS. (E800-E807,E825-E845)			2					
POISONING (E850-E877)			2		1			
FALLS (E880-E887)			3		8		1	
FIRES (E890-E899)			2	1	4		1	
DROWNING & SUBMERSIONS (E910)			2	1	5		4	
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)	1				5		4	
OTHER REMAINDER OF (E900-E949)	1		1	1	1		2	
SUICIDE (E950-E959)	2		12		10		4	
HOMICIDE (E960-E978)			3		2		3	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	106		352	18	202		603	44
ATTENDED BY M.D.	71		286	14	147		565	40
ATTENDED BY D.O.	35		64	4	53		38	4
ATTENDED BY MIDWIFE			2					
OTHERS OR UNSPECIFIED					2			
LIVE BIRTHS UNDER 5.5 LBS.	4		21	1	11		34	4
TOTAL FETAL DEATHS			3				5	1
ATTENDED BY M.D.			3				4	1
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	136		260	21	184		464	22
UNDER ONE YEAR OF AGE	2		6		3		9	3
NEONATAL DEATHS	2		5		1		8	3
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		1		2	
MALIGNANT NEOPLASMS (140-209)	21		43	6	39		85	2
DIGEST. ORGANS (150-159)	7		10		6		20	1
RESPIRATORY SYSTEM (160-163)	6		7	3	10		21	
BREAST (174)	1		2		1		6	
GENITAL ORGANS (180-187)	3		10	3	4		15	
URINARY ORGANS (188-189)					4		4	
LEUKEMIA (204-207)	2		3		2		4	
OTHER REMAINDER OF (140-209)	2		11		12		15	1
DIABETES MELLITUS (250)	1		4		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	82		148	7	93		261	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	59		117	4	70		178	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		2		2	
HYPERTENSIVE HEART (402,404)	2		7		1		3	
ISCHEMIC HEART (410-414)	46		103	3	54		163	9
OTHER HEART DISEASE (420-429)	9		6	1	13		10	
HYPERTENSION (400,401,403)	1						2	
CEREBROVASCULAR DISEASE (430-438)	17		24	3	20		64	3
ARTERIOSCLEROSIS (440)	1		3		2		7	
OTHER CIRCULATORY (441-448)	4		4		1		10	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		7	1	4		13	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		3		9	
PEPTIC ULCER (531-533)	1		3		2			1
CIRRHOSIS OF LIVER (571)	2		1		4		4	
NEPHRITIS AND NEPHROSIS (580-584)			1				1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4		1		4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		2		1		5	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		2		3		12	
ALL OTHER DISEASES (RESIDUAL)	12		19	5	9		30	
ACCIDENTAL DEATHS (E800-E949)	4		18	2	19		25	2
MOTOR VEHICLE (E810-E823)			10		8		12	1
OTHER TRANS. (E800-E807,E825-E845)					4		3	
POISONING (E850-E877)				1			3	
FALLS (E880-E887)	1		2		4		2	
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)	1		3					1
FIREARM MISSILES (E922)			1	1			2	
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)	1		1		2		2	
SUICIDE (E950-E959)			4		2		4	
HOMICIDE (E960-E978)			1				2	
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	157	3	62		664	16	116	
ATTENDED BY M.O.	128	2	61		526	11	81	
ATTENDED BY D.O.	29	1	1		138	5	35	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	5	1	4		31	2	10	
TOTAL FETAL DEATHS	1		1		12			
ATTENDED BY M.O.	1		1		8			
ATTENDED BY D.O.					4			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	175	3	60		351	3	162	
UNDER ONE YEAR OF AGE	2		2		7		4	
NEONATAL DEATHS	1		1		4		3	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		1	
MALIGNANT NEOPLASMS (140-209)	27	1	5		67		20	
DIGEST. ORGANS (150-159)	8		2		17		7	
RESPIRATORY SYSTEM (160-163)	6				16		5	
BREAST (174)	1		1		3		3	
GENITAL ORGANS (180-187)	2	1			5			
URINARY ORGANS (188-189)					4		3	
LEUKEMIA (204-207)	2				3			
OTHER REMAINDER OF (140-209)	8		2		19		2	
DIABETES MELLITUS (250)	5		1		5		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	99	1	30		172	2	99	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	75	1	21		108	2	53	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					3		2	
HYPERTENSIVE HEART (402,404)	2				1			
ISCHEMIC HEART (410-414)	63	1	18		88	2	47	
OTHER HEART DISEASE (420-429)	10		3		16		4	
HYPERTENSION (400,401,403)	2						2	
CEREBROVASCULAR DISEASE (430-438)	18		5		57		37	
ARTERIOSCLEROSIS (440)	3		4		5		5	
OTHER CIRCULATORY (441-448)	1				2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		24		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		3	1		
PEPTIC ULCER (531-533)	2						1	
CIRRHOSIS OF LIVER (571)			1		2		3	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1				2		1	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	1		1		2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	1	9		19		2	
ALL OTHER DISEASES (RESIDUAL)	9		3		22		14	
ACCIDENTAL DEATHS								
(E800-E949)	8		3		20		7	
MOTOR VEHICLE (E810-E823)	7		2		11		3	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)					3			
FALLS (E880-E887)					3		2	
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1		1	
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)			1		9			
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)					3			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	116	7	271	2	107		1,827	36
ATTENDED BY M.D.	86	3	266	2	77		1,637	33
ATTENDED BY D.O.	30	4	5		30		190	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	8	1	10	1	5		108	4
TOTAL FETAL DEATHS			5				24	
ATTENDED BY M.D.			5				23	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	163	8	177		124		775	6
UNDER ONE YEAR OF AGE	1		2				15	
NEONATAL DEATHS	1		2				10	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3						7	
MALIGNANT NEOPLASMS (140-209)	16	1	35		23		140	2
DIGEST. ORGANS (150-159)	9		11		6		27	1
RESPIRATORY SYSTEM (160-163)	1	1	5		5		39	1
BREAST (174)			3		5		13	
GENITAL ORGANS (180-187)	1		2				10	
URINARY ORGANS (188-189)	1		1				4	
LEUKEMIA (204-207)	1		2		2		5	
OTHER REMAINDER OF (140-209)	3		11		5		42	
DIABETES MELLITUS (250)	4		3				8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	99	6	92		64		438	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	65	3	68		45		296	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3				9	
HYPERTENSIVE HEART (402,404)	1	1	1				3	
ISCHEMIC HEART (410-414)	61	2	62		38		267	1
OTHER HEART DISEASE (420-429)	3		2		7		17	1
HYPERTENSION (400,401,403)	4		3				4	
CEREBROVASCULAR DISEASE (430-438)	27	3	19		13		125	1
ARTERIOSCLEROSIS (440)	1		2		4		7	1
OTHER CIRCULATORY (441-448)	2				2		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		4		6		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2		3		11	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	2		1		1		13	
NEPHRITIS AND NEPHROSIS (580-584)	1				1		4	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1				10	
SYMPTOMS & ILL-DEFINED COND. (780-796)			8		11		9	
ALL OTHER DISEASES (RESIDUAL)	13		15		7		44	
ACCIDENTAL DEATHS (E800-E949)	10	1	9		6		39	
MOTOR VEHICLE (E810-E823)	5	1	8		2		22	
OTHER TRANS. (E800-E807,E825-E845)	1						1	
POISONING (E850-E877)							2	
FALLS (E880-E887)	2				2		5	
FIRES (E890-E899)							2	
DROWNING & SUBMERSIONS (E910)			1				3	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1				2		3	
OTHER REMAINDER OF (E900-E949)							1	
SUICIDE (E950-E959)	2		2		1		18	
HOMICIDE (E960-E978)			1				5	
ALL OTHER EXTERNAL CAUSES (E980-E999)			3				11	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	168	8	719	50	149	13	238	1
ATTENDED BY M.D.	118	5	489	27	146	13	193	
ATTENDED BY D.O.	49	3	230	23	3		45	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	6	1	42	3	8	2	23	
TOTAL FETAL DEATHS	2		3		4	2	1	
ATTENDED BY M.D.	2		2		4	2	1	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	172	2	406	17	177	12	200	
UNDER ONE YEAR OF AGE	1		11	3	5		7	
NEONATAL DEATHS	1		10	2	3		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		1	
MALIGNANT NEOPLASMS (140-209)	28		70		35	1	32	
DIGEST. ORGANS (150-159)	11		17		11		9	
RESPIRATORY SYSTEM (160-163)	2		19		12		9	
BREAST (174)	3		5		1		4	
GENITAL ORGANS (180-187)	2		9		2	1	3	
URINARY ORGANS (188-189)			1		1		2	
LEUKEMIA (204-207)	2		2		2		1	
OTHER REMAINDER OF (140-209)	8		17		6		4	
DIABETES MELLITUS (250)	1		8	1	2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	106	2	231	10	95	7	115	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	76	2	167	8	72	7	85	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		1			
HYPERTENSIVE HEART (402,404)	1				2		1	
ISCHEMIC HEART (410-414)	65	2	156	8	58	6	78	
OTHER HEART DISEASE (420-429)	10		7		11	1	6	
HYPERTENSION (400,401,403)	1		3		1		2	
CEREBROVASCULAR DISEASE (430-438)	24		50	2	18		21	
ARTERIOSCLEROSIS (440)	2		5		2		5	
OTHER CIRCULATORY (441-448)	3		6		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		10		8	1	8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		3		3	
PEPTIC ULCER (531-533)			1				1	
CIRRHOSIS OF LIVER (571)			1		2		2	
NEPHRITIS AND NEPHROSIS (580-584)			2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			9	2	1		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		3	1	1		6	
ALL OTHER DISEASES (RESIDUAL)	15		30	2	15	3	10	
ACCIDENTAL DEATHS (E800-E949)	8		22		8		10	
MOTOR VEHICLE (E810-E823)	3		11		3		3	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)	1		1					
FALLS (E880-E887)	1		5		1		4	
FIRES (E890-E899)					2			
DROWNING & SUBMERSIONS (E910)			1		1		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	3		1				2	
OTHER REMAINDER OF (E900-E949)			2		1			
SUICIDE (E950-E959)	2		6	1	1			
HOMICIDE (E960-E978)	1		2		2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			4				3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	83		136	1	120	1	118	
ATTENDED BY M.D.	77		126	1	89	1	90	
ATTENDED BY D.O.	6		9		31		28	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	9		10	1	9		3	
TOTAL FETAL DEATHS							1	
ATTENDED BY M.D.							1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	94	4	152	1	137		102	
UNDER ONE YEAR OF AGE	1		3	1	1		4	
NEONATAL DEATHS	1		2	1	1		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1	1			1	
MALIGNANT NEOPLASMS (140-209)	12		22		20		21	
DIGEST. ORGANS (150-159)	2		5		5		7	
RESPIRATORY SYSTEM (160-163)	7		7		6		6	
BREAST (174)			1		1		2	
GENITAL ORGANS (180-187)	1		3		2			
URINARY ORGANS (188-189)	1				1		3	
LEUKEMIA (204-207)			3		1		1	
OTHER REMAINDER OF (140-209)	1		3		4		2	
DIABETES MELLITUS (250)			3		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	56	4	78		83		55	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	46	1	62		57		44	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2		1			
HYPERTENSIVE HEART (402,404)			5		8			
ISCHEMIC HEART (410-414)	39	1	52		45		36	
OTHER HEART DISEASE (420-429)	6		3		3		8	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	8	3	13		23		8	
ARTERIOSCLEROSIS (440)			2				1	
OTHER CIRCULATORY (441-448)	2		1		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		4				3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		4			
PEPTIC ULCER (531-533)					3			
CIRRHOSIS OF LIVER (571)	1		1		2		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		5				2	
ALL OTHER DISEASES (RESIDUAL)	6		19		8		8	
ACCIDENTAL DEATHS (E800-E949)	6		9		7		6	
MOTOR VEHICLE (E810-E823)	1				3		2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			2					
FALLS (E880-E887)	3				1		2	
FIRES (E890-E899)	1		4					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			2		1			
OTHER REMAINDER OF (E900-E949)			1		2		2	
SUICIDE (E950-E959)	1		1		3		1	
HOMICIDE (E960-E978)			1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	196		144	2	540	62	960	15
ATTENDED BY M.D.	132		94		513	42	856	14
ATTENDED BY D.O.	64		44	2	27	20	104	1
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED			5					
LIVE BIRTHS UNDER 5.5 LBS.	9		8		38	10	44	2
TOTAL FETAL DEATHS	1				5	3	6	
ATTENDED BY M.D.	1				4	2	4	
ATTENDED BY D.O.					1	1	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	186		121		453	21	590	8
UNDER ONE YEAR OF AGE	7		1		9	4	15	1
NEONATAL DEATHS	4		1		7	1	11	1
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						4	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				5	1	4	
MALIGNANT NEOPLASMS (140-209)	37		24		74	1	110	2
DIGEST. ORGANS (150-159)	9		4		16		27	1
RESPIRATORY SYSTEM (160-163)	10		5		24		31	1
BREAST (174)	1		3		7		9	
GENITAL ORGANS (180-187)	6		6		7		12	
URINARY ORGANS (188-189)			1		3		2	
LEUKEMIA (204-207)	1				6		6	
OTHER REMAINDER OF (140-209)	10		5		11	1	23	
DIABETES MELLITUS (250)	1				16	1	4	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	88		55		227	9	292	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	69		37		176	8	235	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1	1	3	
HYPERTENSIVE HEART (402,404)	1				3		3	
ISCHEMIC HEART (410-414)	65		32		153	7	211	
OTHER HEART DISEASE (420-429)	3		4		19		18	
HYPERTENSION (400,401,403)			2					1
CEREBROVASCULAR DISEASE (430-438)	13		9		47	1	47	
ARTERIOSCLEROSIS (440)	2		6		1		6	
OTHER CIRCULATORY (441-448)	4		1		3		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		15		20	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2		10		9	
PEPTIC ULCER (531-533)	2		3				4	
CIRRHOSIS OF LIVER (571)			2		3		4	
NEPHRITIS AND NEPHROSIS (580-584)	1				1		3	
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	6		1		3		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		5	1	9	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	18		2		22	3	43	2
ALL OTHER DISEASES (RESIDUAL)	18		6		34	4	44	
ACCIDENTAL DEATHS (E800-E949)	5		16		30	1	26	1
MOTOR VEHICLE (E810-E823)	4		11		15	1	14	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)			2				1	
FALLS (E880-E887)					2		4	
FIRES (E890-E899)					4			1
DROWNING & SUBMERSIONS (E910)					3		1	
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)	1		1		3		6	
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	1		3		5		5	
HOMICIDE (E960-E978)			2				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		3		4	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	165		94		2,419	49	128	1
ATTENDED BY M.D.	101		87		2,400	49	116	1
ATTENDED BY D.O.	64		5		18		12	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			2		1			
LIVE BIRTHS UNDER 5.5 LBS.	8		4		153	5	10	
TOTAL FETAL DEATHS	2		1		20	1		
ATTENDED BY M.D.	2		1		20	1		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	172		144		1,542	28	191	
UNDER ONE YEAR OF AGE			3		35	2	1	
NEONATAL DEATHS			2		24	2	1	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					7			
MALIGNANT NEOPLASMS (140-209)	33		23		271	6	34	
DIGEST. ORGANS (150-159)	12		6		62	2	8	
RESPIRATORY SYSTEM (160-163)	5		2		70		4	
BREAST (174)	3				20		4	
GENITAL ORGANS (180-187)	5		5		40	3	7	
URINARY ORGANS (188-189)	3		2		12		2	
LEUKEMIA (204-207)	1		1		11		2	
OTHER REMAINDER OF (140-209)	4		7		56	1	7	
DIABETES MELLITUS (250)	5		2		20		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	91		84		790	8	111	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	70		55		545	5	83	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		18		1	
HYPERTENSIVE HEART (402,404)					5		16	
ISCHEMIC HEART (410-414)	66		50		502	5	59	
OTHER HEART DISEASE (420-429)	3		4		20		7	
HYPERTENSION (400,401,403)	1				8			
CEREBROVASCULAR DISEASE (430-438)	15		25		173	3	24	
ARTERIOSCLEROSIS (440)	4		3		38		1	
OTHER CIRCULATORY (441-448)	1		1		26		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		4		31		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		20		2	
PEPTIC ULCER (531-533)	1				8			
CIRRHOSIS OF LIVER (571)	3		1		19	1	1	
NEPHRITIS AND NEPHROSIS (580-584)	1				2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)					7		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2		18	2		
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		2		106	3	7	
ALL OTHER DISEASES (RESIDUAL)	10		10		119	2	9	
ACCIDENTAL DEATHS (E800-E949)	7		11		71	4	10	
MOTOR VEHICLE (E810-E823)	5		5		38		4	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)					3			
FALLS (E880-E887)	1		3		16	1	2	
FIRES (E890-E899)			1		1	2	2	
DROWNING & SUBMERSIONS (E910)			1		5			
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1				2		1	
OTHER REMAINDER OF (E900-E949)					6	1		
SUICIDE (E950-E959)	3		1		33	1	1	
HOMICIDE (E960-E978)	1				6		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					12	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	106		224		57		93	1
ATTENDED BY M.D.	80		75		36		93	1
ATTENDED BY D.O.	26		149		21			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	2		7		4		6	
TOTAL FETAL DEATHS	1		1		1		1	
ATTENDED BY M.D.	1		1		1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	115		285	2	69		113	
UNDER ONE YEAR OF AGE	1		5		1			
NEONATAL DEATHS	1		3		1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	25		43		15		18	
DIGEST. ORGANS (150-159)	7		10		3		7	
RESPIRATORY SYSTEM (160-163)	8		12		3		4	
BREAST (174)	2		3		1		3	
GENITAL ORGANS (180-187)	3		4				2	
URINARY ORGANS (188-189)	1		2				1	
LEUKEMIA (204-207)	1		1				1	
OTHER REMAINDER OF (140-209)	3		11		8			
DIABETES MELLITUS (250)	2		3		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	65		165	2	31		66	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	50		114	2	24		46	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1			
HYPERTENSIVE HEART (402,404)	7		3		1		1	
ISCHEMIC HEART (410-414)	39		93	1	17		41	
OTHER HEART DISEASE (420-429)	3		18	1	5		4	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	14		42		4		19	
ARTERIOSCLEROSIS (440)			5		1			
OTHER CIRCULATORY (441-448)			4		2		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		3		1		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			5					
PEPTIC ULCER (531-533)	2		2				1	
CIRRHOSIS OF LIVER (571)	1		2		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	3		2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2					
SYMPTOMS & ILL-DEFINED COND. (780-796)			10		10			
ALL OTHER DISEASES (RESIDUAL)	6		19		3		7	
ACCIDENTAL DEATHS (E800-E949)	3		21		4		5	
MOTOR VEHICLE (E810-E823)	1		13		3		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1					
FALLS (E880-E887)			3		1			
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		2				1	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	1		3		1		1	
HOMICIDE (E960-E978)			2				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	120	11	360	3	166	2	6,870	2,661
ATTENDED BY M.D.	120	11	310	2	135	1	6,149	2,372
ATTENDED BY D.O.			49	1	31	1	719	289
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1				2	
LIVE BIRTHS UNDER 5.5 LBS.	10		17		10		403	366
TOTAL FETAL DEATHS	2	1	6		2		80	58
ATTENDED BY M.D.	2	1	6		2		70	52
ATTENDED BY D.O.							10	6
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	110	18	320		110		5,152	1,124
UNDER ONE YEAR OF AGE	3		7		1		104	73
NEONATAL DEATHS	2		7				70	55
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1		7	4
SYPHILIS AND ITS SEQUELAE (090-097)								1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				27	10
MALIGNANT NEOPLASMS (140-209)	21	5	56		21		987	204
DIGEST. ORGANS (150-159)	6	2	19		2		258	60
RESPIRATORY SYSTEM (160-163)	4	1	10		8		239	53
BREAST (174)			1		2		85	16
GENITAL ORGANS (180-187)	3		8		3		103	27
URINARY ORGANS (188-189)	1		6		1		46	5
LEUKEMIA (204-207)			2		1		39	6
OTHER REMAINDER OF (140-209)	7	2	10		4		217	37
DIABETES MELLITUS (250)	1		4		1		78	21
MAJOR CARDIOVASCULAR DISEASE (390-448)	58	10	161		53		2,574	406
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38	5	113		37		1,831	268

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2				29	4
HYPERTENSIVE HEART (402,404)		1	2				17	7
ISCHEMIC HEART (410-414)	32	4	100		35		1,623	206
OTHER HEART DISEASE (420-429)	6		9		2		162	51
HYPERTENSION (400,401,403)			7		2		15	10
CEREBROVASCULAR DISEASE (430-438)	16	4	32		10		564	112
ARTERIOSCLEROSIS (440)	4		3		2		89	6
OTHER CIRCULATORY (441-448)		1	6		2		75	10
INFLUENZA/PNEUMONIA (470-474,480-486)	6		9		6		129	22
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			6		1		78	5
PEPTIC ULCER (531-533)	2		2				20	2
CIRRHOSIS OF LIVER (571)	2		1		1		72	22
NEPHRITIS AND NEPHROSIS (580-584)	1		2		1		14	11
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)							35	10
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		5				52	46
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		21		6		279	115
ALL OTHER DISEASES (RESIDUAL)	5		28		7		404	110
ACCIDENTAL DEATHS (E800-E949)	7	3	17		7		240	54
MOTOR VEHICLE (E810-E823)	1	1	8		4		119	17
OTHER TRANS. (E800-E807,E825-E845)			2				4	3
POISONING (E850-E877)							7	3
FALLS (E880-E887)	4		1		2		46	9
FIRES (E890-E899)			1				13	9
DROWNING & SUBMERSIONS (E910)		1	4				13	5
FIREARM MISSILES (E922)	1		1				2	1
INDUSTRIAL (E916-E921,E923-E928)	1	1					19	5
OTHER REMAINDER OF (E900-E949)					1		17	2
SUICIDE (E950-E959)	4		4		2		73	10
HOMICIDE (E960-E978)			1		2		57	66
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		26	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,211	23	2,091	28	558	42	71	1
ATTENDED BY M.D.	1,060	20	2,035	27	491	41	16	
ATTENDED BY D.O.	150	3	54	1	66	1	55	1
ATTENDED BY MIDWIFE	1		1					
OTHERS OR UNSPECIFIED			1		1			
LIVE BIRTHS UNDER 5.5 LBS.	111	2	144	2	39	1	3	
TOTAL FETAL DEATHS	8		23		6			
ATTENDED BY M.D.	6		23		6			
ATTENDED BY D.O.	2							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,044	14	756	10	290	12	85	
UNDER ONE YEAR OF AGE	24	1	20		11	1		
NEONATAL DEATHS	17	1	13		9	1		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1					
SYPHILIS AND ITS SEQUELAE (090-097)		1						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	7		7					
MALIGNANT NEOPLASMS (140-209)	188	2	135	3	45	2	20	
DIGEST. ORGANS (150-159)	52		28		12		7	
RESPIRATORY SYSTEM (160-163)	57	1	40		12		2	
BREAST (174)	14		7		5			
GENITAL ORGANS (180-187)	25	1	8	1	5	1	2	
URINARY ORGANS (188-189)	9		9		4		1	
LEUKEMIA (204-207)	4		11		1		2	
OTHER REMAINDER OF (140-209)	27		32	2	6	1	6	
DIABETES MELLITUS (250)	16		17		6	1	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	527	6	355	3	172	8	47	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	371	5	268	3	121	7	34	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		3					
HYPERTENSIVE HEART (402,404)	8		4		2		1	
ISCHEMIC HEART (410-414)	330	5	247	2	104	7	30	
OTHER HEART DISEASE (420-429)	30		14	1	15		3	
HYPERTENSION (400,401,403)	1		2		1		1	
CEREBROVASCULAR DISEASE (430-438)	125	1	62		36	1	9	
ARTERIOSCLEROSIS (440)	17		15		10		1	
OTHER CIRCULATORY (441-448)	13		8		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	40		34	1	5		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	12		16		2			
PEPTIC ULCER (531-533)	1		1		2		1	
CIRRHOSIS OF LIVER (571)	19	1	4		2			
NEPHRITIS AND NEPHROSIS (580-584)	7		4	1				
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	9		9	1	3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	13	1	7		6	1		
SYMPTOMS & ILL-DEFINED COND. (780-796)	54	2	9		3			
ALL OTHER DISEASES (RESIDUAL)	69		61	1	21		7	
ACCIDENTAL DEATHS (E800-E949)	62		71		19		3	
MOTOR VEHICLE (E810-E823)	26		47		9			
OTHER TRANS. (E800-E807,E825-E845)	3		2					
POISONING (E850-E877)			2		1			
FALLS (E880-E887)	15		7		1		1	
FIRES (E890-E899)	6		2		1			
DROWNING & SUBMERSIONS (E910)	3		5		1		1	
FIREARM MISSILES (E922)	1		1		1			
INDUSTRIAL (E916-E921,E923-E928)	4		3		3		1	
OTHER REMAINDER OF (E900-E949)	4		2		2			
SUICIDE (E950-E959)	12	1	14		2			
HOMICIDE (E960-E978)	4		10		2			
ALL OTHER EXTERNAL CAUSES (E980-E999)	3		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	334	6	381	16	321	3	157	6
ATTENDED BY M.D.	270	6	309	15	302	3	138	4
ATTENDED BY D.O.	62		72	1	19		19	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2							
LIVE BIRTHS UNDER 5.5 LBS.	17	1	28	1	14		13	
TOTAL FETAL DEATHS	7		8	1	1		2	
ATTENDED BY M.D.	5		7	1	1		2	
ATTENDED BY D.O.	2		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	277	3	317	11	333		140	3
UNDER ONE YEAR OF AGE	3		11		4		2	
NEONATAL DEATHS	3		10		3		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2	1	1			
MALIGNANT NEOPLASMS (140-209)	55		50	5	64		22	
DIGEST. ORGANS (150-159)	18		13		20		4	
RESPIRATORY SYSTEM (160-163)	10		9	1	17		6	
BREAST (174)	4		3	3	8		2	
GENITAL ORGANS (180-187)	3		8	1	5		3	
URINARY ORGANS (188-189)	3		2		1		1	
LEUKEMIA (204-207)	4		2					
OTHER REMAINDER OF (140-209)	13		13		13		6	
DIABETES MELLITUS (250)	2		7		4		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	153	2	180	3	178		89	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	117	2	128	2	120		65	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		1		1			
HYPERTENSIVE HEART (402,404)	1		1		3		1	
ISCHEMIC HEART (410-414)	110	2	116	2	106		60	
OTHER HEART DISEASE (420-429)	3		10		10		4	
HYPERTENSION (400,401,403)	1		2		1			
CEREBROVASCULAR DISEASE (430-438)	29		38	1	43		19	1
ARTERIOSCLEROSIS (440)	5		7		10		2	
OTHER CIRCULATORY (441-448)	1		5		4		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	10		9		14		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2	1	2		2	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)					2		2	
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		3		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		9		2		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		8		20		1	
ALL OTHER DISEASES (RESIDUAL)	24		25	1	21		6	1
ACCIDENTAL DEATHS (E800-E949)	12	1	18		19		4	1
MOTOR VEHICLE (E810-E823)	5	1	9		13		2	1
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)								
FALLS (E880-E887)	1		4		3		1	
FIRES (E890-E899)	2				2			
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	2		3					
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2				1		3	
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	4		2					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	263	6	195	6	201	7	162	4
ATTENDED BY M.D.	249	5	120	4	165	6	129	3
ATTENDED BY D.O.	14	1	75	2	36	1	33	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	17		19	1	16		19	
TOTAL FETAL DEATHS	7	1	4	2	8		5	
ATTENDED BY M.D.	7	1	2		6		4	
ATTENDED BY D.O.			2	2	2		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	203	12	255	4	187	2	165	
UNDER ONE YEAR OF AGE	3		5	1	5	1	3	
NEONATAL DEATHS	2		5		1	1	2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		3	
MALIGNANT NEOPLASMS (140-209)	33	3	55		30		23	
DIGEST. ORGANS (150-159)	8	2	15		12		2	
RESPIRATORY SYSTEM (160-163)	11		12		5		8	
BREAST (174)	2		5		4		1	
GENITAL ORGANS (180-187)			9				3	
URINARY ORGANS (188-189)	1		3					
LEUKEMIA (204-207)	3				4		3	
OTHER REMAINDER OF (140-209)	8	1	11		5		6	
DIABETES MELLITUS (250)	4	1	3		4		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	120	5	153	1	105		81	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	83	3	97		74		62	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		1		1	
HYPERTENSIVE HEART (402,404)	4		4		1		1	
ISCHEMIC HEART (410-414)	75	3	78		62		50	
OTHER HEART DISEASE (420-429)	4		11		10		10	
HYPERTENSION (400,401,403)	1		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	28	2	47	1	26		13	
ARTERIOSCLEROSIS (440)	8		4		4		2	
OTHER CIRCULATORY (441-448)			4				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	1	1	3	1	10	1	8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		1			
PEPTIC ULCER (531-533)	1		1		1		2	
CIRRHOSIS OF LIVER (571)	1		1		2		3	
NEPHRITIS AND NEPHROSIS (580-584)	1	1	2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1			1	2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		5			1	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6				2		9	
ALL OTHER DISEASES (RESIDUAL)	13	1	17		18		16	
ACCIDENTAL DEATHS (E800-E949)	14		10		9		9	
MOTOR VEHICLE (E810-E823)	8		6		3		5	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)	1						1	
FALLS (E880-E887)	2		2		2			
FIRES (E890-E899)	1						1	
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)			1		3			
SUICIDE (E950-E959)	2		2		1		2	
HOMICIDE (E960-E978)	2			1	1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	206	9	132	2	87		428	22
ATTENDED BY M.D.	71	1	105	2	58		420	22
ATTENDED BY D.O.	135	8	27		29		8	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	11	2	8		6		30	3
TOTAL FETAL DEATHS	3				1		4	1
ATTENDED BY M.D.	1				1		4	1
ATTENDED BY D.O.	2							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	180	4	136	1	77		311	30
UNDER ONE YEAR OF AGE	1		2		2		10	1
NEONATAL DEATHS	1		2		2		7	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		3				2	
MALIGNANT NEOPLASMS (140-209)	22	1	14	1	8		59	6
DIGEST. ORGANS (150-159)	6		5		3		15	
RESPIRATORY SYSTEM (160-163)	4	1	3	1	1		13	3
BREAST (174)	2						7	
GENITAL ORGANS (180-187)	3		2		2		10	1
URINARY ORGANS (188-189)			2				3	
LEUKEMIA (204-207)	2		1					
OTHER REMAINDER OF (140-209)	5		1		2		11	2
DIABETES MELLITUS (250)	2		3		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	110	3	68		41		171	15
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	87	2	53		29		128	14

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	15		1				1	
ISCHEMIC HEART (410-414)	61		47		28		114	11
OTHER HEART DISEASE (420-429)	10	2	5		1		12	3
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	17		12		8		31	1
ARTERIOSCLEROSIS (440)	4		2		2		8	
OTHER CIRCULATORY (441-448)		1	1		2		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	10		9		3		11	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		1		3	
PEPTIC ULCER (531-533)	2						2	
CIRRHOSIS OF LIVER (571)	1		1		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	3						3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)							1	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		2		6	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		12		9		10	1
ALL OTHER DISEASES (RESIDUAL)	19		11		7		25	1
ACCIDENTAL DEATHS (E800-E949)	2		7		1		12	3
MOTOR VEHICLE (E810-E823)			4				4	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			1				4	
FIRES (E890-E899)								1
DROWNING & SUBMERSIONS (E910)			1		1			1
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)	1						2	
SUICIDE (E950-E959)	1		1		1		2	
HOMICIDE (E960-E978)								1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	52		214	4	228	87	169	3
ATTENDED BY M.D.	31		83	2	136	17	110	1
ATTENDED BY D.O.	21		131	2	92	70	58	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	9		10		15	15	14	
TOTAL FETAL DEATHS			2		3	1	3	
ATTENDED BY M.D.					2		3	
ATTENDED BY D.O.			2		1	1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	96		184		190	48	147	2
UNDER ONE YEAR OF AGE	4		1		5	1		
NEONATAL DEATHS	4				2	1		
MATERNAL DEATHS					1		1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				2	
MALIGNANT NEOPLASMS (140-209)	16		39		25	3	29	1
DIGEST. ORGANS (150-159)	7		8		8	2	8	
RESPIRATORY SYSTEM (160-163)	1		8		6		5	
BREAST (174)	2		4		4	1	1	1
GENITAL ORGANS (180-187)	2		6		3		5	
URINARY ORGANS (188-189)			3				2	
LEUKEMIA (204-207)	1		2		1			
OTHER REMAINDER OF (140-209)	3		8		3		8	
DIABETES MELLITUS (250)	7		2		2	2	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	50		99		100	26	79	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	34		64		85	15	53	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)	2		1		3		1	
ISCHEMIC HEART (410-414)	30		53		70	14	48	1
OTHER HEART DISEASE (420-429)	2		9		11	1	4	
HYPERTENSION (400,401,403)					1	1		
CEREBROVASCULAR DISEASE (430-438)	10		26		12	8	21	
ARTERIOSCLEROSIS (440)	4		3			2		
OTHER CIRCULATORY (441-448)	2		6		2		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		6		8	4	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		5		5	1	1	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)	1		1				1	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1		1	
CONGENITAL ANOMALIES (740-759)	2		1		2	1	1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2				2			
SYMPTOMS & ILL-DEFINED COND. (780-796)			5		13	6	1	
ALL OTHER DISEASES (RESIDUAL)	5		12		13		9	
ACCIDENTAL DEATHS (E800-E949)	2		10		13	3	8	
MOTOR VEHICLE (E810-E823)	1		3		5	3	6	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)			3		3			
FIRES (E890-E899)	1		2					
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2		1			
OTHER REMAINDER OF (E900-E949)					2		1	
SUICIDE (E950-E959)	1		1		1		3	
HOMICIDE (E960-E978)					3			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1	2	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	140	7	142	9	152	1	310	96
ATTENDED BY M.D.	126	7	95	8	120		254	71
ATTENDED BY D.O.	11		47	1	32	1	51	23
ATTENDED BY MIDWIFE	3						5	2
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	1		9	1	2	1	39	14
TOTAL FETAL DEATHS	1				1		2	1
ATTENDED BY M.D.	1				1		1	1
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	142	9	166	7	182	1	233	46
UNDER ONE YEAR OF AGE	4		2		2		8	1
NEONATAL DEATHS	2						6	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2		3	
MALIGNANT NEOPLASMS (140-209)	25	2	24	1	33		34	3
DIGEST. ORGANS (150-159)	7		4	1	7		4	1
RESPIRATORY SYSTEM (160-163)	8	1	5		8		8	
BREAST (174)	3		2		2		1	
GENITAL ORGANS (180-187)		1	8		8		6	2
URINARY ORGANS (188-189)	2				1		3	
LEUKEMIA (204-207)	1		2		4		1	
OTHER REMAINDER OF (140-209)	4		3		3		11	
DIABETES MELLITUS (250)	3		1		3		3	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	67	5	98	5	99	1	120	18
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	42	4	65	4	63	1	96	14

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)					2			
HYPERTENSIVE HEART (402,404)	3		1		2		1	
ISCHEMIC HEART (410-414)	34	4	58	4	52	1	87	13
OTHER HEART DISEASE (420-429)	5		6		7		8	1
HYPERTENSION (400,401,403)			2	1				
CEREBROVASCULAR DISEASE (430-438)	18	1	20		26		20	4
ARTERIOSCLEROSIS (440)	5		8		6		2	
OTHER CIRCULATORY (441-448)	2		3		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	13	1	7		5		5	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		11		2		7	
PEPTIC ULCER (531-533)			1		2			
CIRRHOSIS OF LIVER (571)								
NEPHRITIS AND NEPHROSIS (580-584)	2						2	2
COMPLICATIONS OF PREG. CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				1		2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1						4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		7		2		20	13
ALL OTHER DISEASES (RESIDUAL)	6	1	6		22		7	2
ACCIDENTAL DEATHS (E800-E949)	12		8		9		24	3
MOTOR VEHICLE (E810-E823)	7		1		5		13	1
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	1		3		1		4	
FIRES (E890-E899)							3	
DROWNING & SUBMERSIONS (E910)							1	1
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		3		3			
OTHER REMAINDER OF (E900-E949)	3		1				1	1
SUICIDE (E950-E959)			3	1			2	
HOMICIDE (E960-E978)					2			1
ALL OTHER EXTERNAL CAUSES (E980-E999)								1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	444	5	322	1	129		182	1
ATTENDED BY M.D.	357	1	315	1	82		113	1
ATTENDED BY D.O.	80	4	6		47		69	
ATTENDED BY MIDWIFE	5							
OTHERS OR UNSPECIFIED	2		1					
LIVE BIRTHS UNDER 5.5 LBS.	17		17		9		12	
TOTAL FETAL DEATHS	3		6		1		1	
ATTENDED BY M.D.	3		6		1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	334	1	226		136	1	126	
UNDER ONE YEAR OF AGE	10		7		3		3	
NEONATAL DEATHS	8		5		3		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3						1	
MALIGNANT NEOPLASMS (140-209)	62		43		22		25	
DIGEST. ORGANS (150-159)	17		9		7		7	
RESPIRATORY SYSTEM (160-163)	19		11		7		6	
BREAST (174)	3		5				4	
GENITAL ORGANS (180-187)	7		5		2		2	
URINARY ORGANS (188-189)	2		2				1	
LEUKEMIA (204-207)	2		1		1			
OTHER REMAINDER OF (140-209)	12		10		5		5	
DIABETES MELLITUS (250)	3		2		1		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	158		139		87		71	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	109		97		62		56	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2		2		1	
HYPERTENSIVE HEART (402,404)	1		2		1			
ISCHEMIC HEART (410-414)	96		83		52		46	
OTHER HEART DISEASE (420-429)	11		10		7		9	
HYPERTENSION (400,401,403)	1		1		1			
CEREBROVASCULAR DISEASE (430-438)	30		36		19		12	
ARTERIOSCLEROSIS (440)	11				2		2	
OTHER CIRCULATORY (441-448)	7		5		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		6		2		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2		2		2	
PEPTIC ULCER (531-533)	1		2					
CIRRHOSIS OF LIVER (571)	4				2			
NEPHRITIS AND NEPHROSIS (580-584)	3							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	25	1			5		1	
ALL OTHER DISEASES (RESIDUAL)	22		16		7		7	
ACCIDENTAL DEATHS (E800-E949)	27		11		4	1	8	
MOTOR VEHICLE (E810-E823)	10		5		3	1	2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	4		3				1	
FIRES (E890-E899)	2		1				1	
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	3				1		4	
OTHER REMAINDER OF (E900-E949)	7		2					
SUICIDE (E950-E959)	6						1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	101		319	204	240	4	469	22
ATTENDED BY M.D.	88		317	204	239	4	459	21
ATTENDED BY D.O.	13		2		1		10	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	10		23	31	10		29	1
TOTAL FETAL DEATHS	1		5	2	2		8	
ATTENDED BY M.D.			5	2	2		7	
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	92		224	89	203		393	39
UNDER ONE YEAR OF AGE	5		7	6	2		7	1
NEONATAL DEATHS	4		6	2	2		6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	1
MALIGNANT NEOPLASMS (140-209)	18		34	8	48		71	6
DIGEST. ORGANS (150-159)	3		10	2	12		14	2
RESPIRATORY SYSTEM (160-163)	5		7		12		16	1
BREAST (174)	2		1		4		5	
GENITAL ORGANS (180-187)	2		3	2	3		9	2
URINARY ORGANS (188-189)	1		2		3		3	
LEUKEMIA (204-207)					2		2	
OTHER REMAINDER OF (140-209)	5		11	4	12		22	1
DIABETES MELLITUS (250)	1		3	1	4		10	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	39		123	51	110		235	27
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	25		93	36	96		173	22

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	OZARK		PENISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		2	
HYPERTENSIVE HEART (402,404)			2	1			2	
ISCHEMIC HEART (410-414)	22		72	24	89		154	20
OTHER HEART DISEASE (420-429)	3		18	11	6		15	2
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	11		28	13	10		51	5
ARTERIOSCLEROSIS (440)	3				4		9	
OTHER CIRCULATORY (441-448)			2	2			2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		8	2	9		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			6		6		4	1
PEPTIC ULCER (531-533)			2		2		2	
CIRRHOSIS OF LIVER (571)			2		2		4	
NEPHRITIS AND NEPHROSIS (580-584)	1		2	1			2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		5	2	2		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12		7	8	1		3	
ALL OTHER DISEASES (RESIDUAL)	9		13	6	7		25	1
ACCIDENTAL DEATHS (E800-E949)	3		12	6	10		11	
MOTOR VEHICLE (E810-E823)	2		1	2	7		5	
OTHER TRANS. (E800-E807,E825-E845)			3					
POISONING (E850-E877)					1			
FALLS (E880-E887)	1		3	1			3	
FIRES (E890-E899)			1		2			
DROWNING & SUBMERSIONS (E910)			1	1			1	
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			2				1	
OTHER REMAINDER OF (E900-E949)				2			1	
SUICIDE (E950-E959)			3				4	
HOMICIDE (E960-E978)			1	4			1	1
ALL OTHER EXTERNAL CAUSES (E980-E999)							3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	369	14	252	14	542	12	206	1
ATTENDED BY M.D.	252	12	196	10	518	10	188	1
ATTENDED BY D.O.	116	2	47	4	24	2	15	
ATTENDED BY MIDWIFE			9				2	
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	19	3	18	3	32		7	1
TOTAL FETAL DEATHS	3			1	7	1	2	
ATTENDED BY M.D.	2				7	1	2	
ATTENDED BY D.O.	1			1				
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	285	5	201	22	198	1	197	
UNDER ONE YEAR OF AGE	7		4		5		3	
NEONATAL DEATHS	5		3		2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	
MALIGNANT NEOPLASMS (140-209)	52		31	1	39		30	
DIGEST. ORGANS (150-159)	15		8		13		3	
RESPIRATORY SYSTEM (160-163)	12		6	1	6		8	
BREAST (174)	5		2		2		4	
GENITAL ORGANS (180-187)	5		4		6		4	
URINARY ORGANS (188-189)	3		1		2		1	
LEUKEMIA (204-207)	1		2		4		2	
OTHER REMAINDER OF (140-209)	11		8		6		8	
DIABETES MELLITUS (250)	5	1	3	1	2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	156	1	118	14	90		109	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	112	1	86	8	57		83	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3			1			1	
HYPERTENSIVE HEART (402,404)			4	1			3	
ISCHEMIC HEART (410-414)	101	1	74	5	51		65	
OTHER HEART DISEASE (420-429)	8		8	1	6		14	
HYPERTENSION (400,401,403)	1				1			
CEREBROVASCULAR DISEASE (430-438)	33		21	4	25		21	
ARTERIOSCLEROSIS (440)	6		9	1	3		1	
OTHER CIRCULATORY (441-448)	4		2	1	4		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	14		9		1		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2	2	1		4	
PEPTIC ULCER (531-533)					1		1	
CIRRHOSIS OF LIVER (571)	2		2				3	
NEPHRITIS AND NEPHROSIS (580-584)			1		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		3		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15		5	2	11		15	
ALL OTHER DISEASES (RESIDUAL)	16	1	14	1	19	1	12	
ACCIDENTAL DEATHS (E800-E949)	11	2	5	1	22		8	
MOTOR VEHICLE (E810-E823)	5	2	2		14		4	
OTHER TRANS. (E800-E807,E825-E845)	2				3		1	
POISONING (E850-E877)	1		1				1	
FALLS (E880-E887)	1		1	1	3		1	
FIRES (E890-E899)	2							
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	3		2		4		4	
HOMICIDE (E960-E978)	1		1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	2				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	753	113	74	1	128	2	315	20
ATTENDED BY M.D.	608	101	14		118	2	210	11
ATTENDED BY D.O.	144	12	60	1	10		105	9
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	50	8	2		8		14	4
TOTAL FETAL DEATHS	7	3					4	2
ATTENDED BY M.D.	6	3					2	2
ATTENDED BY D.O.	1						2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	197	9	116		105	2	275	13
UNDER ONE YEAR OF AGE	14	2					4	1
NEONATAL DEATHS	9						2	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3							
MALIGNANT NEOPLASMS (140-209)	30		26		20		52	3
DIGEST. ORGANS (150-159)	4		10		4		13	
RESPIRATORY SYSTEM (160-163)	11		2		4		10	2
BREAST (174)	3		3		5		5	
GENITAL ORGANS (180-187)	4		6		5		8	1
URINARY ORGANS (188-189)	2				2		5	
LEUKEMIA (204-207)	1						1	
OTHER REMAINDER OF (140-209)	5		5				10	
DIABETES MELLITUS (250)	3		1		2		6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	92	2	67		59	2	134	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	70	2	46		39	1	90	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					1			
HYPERTENSIVE HEART (402,404)	8		4				3	
ISCHEMIC HEART (410-414)	57	2	35		33		78	3
OTHER HEART DISEASE (420-429)	5		7		5	1	9	
HYPERTENSION (400,401,403)	2						1	
CEREBROVASCULAR DISEASE (430-438)	18		15		10	1	37	1
ARTERIOSCLEROSIS (440)	1		3		9		4	
OTHER CIRCULATORY (441-448)	1		3		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		3		4		9	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				2		4	
PEPTIC ULCER (531-533)			1				1	
CIRRHOSIS OF LIVER (571)	4		2		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1	1					2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7						1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	2			7		12	2
ALL OTHER DISEASES (RESIDUAL)	12		9		4		32	
ACCIDENTAL DEATHS (E800-E949)	13	3	5		6		19	1
MOTOR VEHICLE (E810-E823)	4	1	3				8	
OTHER TRANS. (E800-E807,E825-E845)	1	1						
POISONING (E850-E877)	2				1		2	
FALLS (E880-E887)					1		2	
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)	1	1			1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			1		2		3	1
OTHER REMAINDER OF (E900-E949)	4						4	
SUICIDE (E950-E959)	6						1	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	259	11	88		157		1,870	47
ATTENDED BY M.D.	229	10	69		147		1,812	47
ATTENDED BY D.O.	30	1	18		9		58	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1		1			
LIVE BIRTHS UNDER 5.5 LBS.	13	3	3		11		127	7
TOTAL FETAL DEATHS	4		1				17	2
ATTENDED BY M.D.	3		1				16	2
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	200	6	76		172		602	12
UNDER ONE YEAR OF AGE	2		1		3		30	2
NEONATAL DEATHS	2		1		2		23	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		4	1
MALIGNANT NEOPLASMS (140-209)	41	2	13		20		130	2
DIGEST. ORGANS (150-159)	12		1		6		29	
RESPIRATORY SYSTEM (160-163)	7		5		9		26	1
BREAST (174)	5	1			2		10	
GENITAL ORGANS (180-187)	9	1	5		1		15	
URINARY ORGANS (188-189)							4	
LEUKEMIA (204-207)	1				1		7	
OTHER REMAINDER OF (140-209)	7		2		1		39	1
DIABETES MELLITUS (250)	9				7		9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	93	3	36		99		273	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	60	3	29		82		202	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		3		6	
HYPERTENSIVE HEART (402,404)	1						2	
ISCHEMIC HEART (410-414)	50	2	25		75		185	4
OTHER HEART DISEASE (420-429)	8	1	3		4		9	
HYPERTENSION (400,401,403)					1		2	
CEREBROVASCULAR DISEASE (430-438)	21		6		13		54	1
ARTERIOSCLEROSIS (440)	8		1		1		7	
OTHER CIRCULATORY (441-448)	4				2		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		2		6		18	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				1		8	
PEPTIC ULCER (531-533)					1		3	
CIRRHOSIS OF LIVER (571)					1		4	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				2		10	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2				2		17	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	10	1	4		6		32	1
ALL OTHER DISEASES (RESIDUAL)	16		9		7		32	1
ACCIDENTAL DEATHS (E800-E949)	14		8		12		40	
MOTOR VEHICLE (E810-E823)	6		3		5		21	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)					1		1	
FALLS (E880-E887)	2		1		2		6	
FIRES (E890-E899)	1				2		1	
DROWNING & SUBMERSIONS (E910)	3						3	
FIREARM MISSILES (E922)	1		1		1			
INDUSTRIAL (E916-E921,E923-E928)			2		1		3	
OTHER REMAINDER OF (E900-E949)	1		1				4	
SUICIDE (E950-E959)	3		1		3		14	
HOMICIDE (E960-E978)	1		1				3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	97		562	5	213	2	10,595	1,915
ATTENDED BY M.D.	64		323	3	176	2	10,364	1,829
ATTENDED BY D.O.	32		235	2	37		229	85
ATTENDED BY MIDWIFE	1		4					
OTHERS OR UNSPECIFIED							2	1
LIVE BIRTHS UNDER 5.5 LBS.	3		40		6		543	232
TOTAL FETAL DEATHS			2		1		79	30
ATTENDED BY M.D.			2				74	28
ATTENDED BY D.O.					1		5	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	135		477	3	127	1	6,842	417
UNDER ONE YEAR OF AGE	1		9		3		98	38
NEONATAL DEATHS			8		3		76	31
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		7	
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4				14	5
MALIGNANT NEOPLASMS (140-209)	32		80	1	25		1,511	76
DIGEST. ORGANS (150-159)	6		22	1	13		403	24
RESPIRATORY SYSTEM (160-163)	8		18		3		338	17
BREAST (174)	2		11		2		159	7
GENITAL ORGANS (180-187)	3		11		2		171	11
URINARY ORGANS (188-189)	2		3		1		72	
LEUKEMIA (204-207)	5		2		1		64	2
OTHER REMAINDER OF (140-209)	6		13		3		304	15
DIABETES MELLITUS (250)	3		9		3		148	17
MAJOR CARDIOVASCULAR DISEASE (390-448)	76		255	2	73	1	3,658	166
DISEASES OF HEART								
(390-398,402,404,410-429)	53		186	1	56	1	2,741	121

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1		62	2
HYPERTENSIVE HEART (402,404)			3		1		19	3
ISCHEMIC HEART (410-414)	45		174	1	53	1	2,546	100
OTHER HEART DISEASE (420-429)	8		7		1		114	16
HYPERTENSION (400,401,403)							21	2
CEREBROVASCULAR DISEASE (430-438)	18		51	1	16		713	37
ARTERIOSCLEROSIS (440)			9		1		88	1
OTHER CIRCULATORY (441-448)	5		9				95	5
INFLUENZA/PNEUMONIA (470-474,480-486)	5		22		1		157	12
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		10				79	2
PEPTIC ULCER (531-533)			2				27	1
CIRRHOSIS OF LIVER (571)	1		8		3		88	3
NEPHRITIS AND NEPHROSIS (580-584)							22	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)							39	7
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			6		3		57	26
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		10		3		104	5
ALL OTHER DISEASES (RESIDUAL)	6		38		7		490	40
ACCIDENTAL DEATHS (E800-E949)	4		23		8		267	23
MOTOR VEHICLE (E810-E823)	2		9		4		120	13
OTHER TRANS. (E800-E807,E825-E845)							16	
POISONING (E850-E877)							10	5
FALLS (E880-E887)	1		7		3		54	
FIRES (E890-E899)			1				5	1
DROWNING & SUBMERSIONS (E910)			2				14	
FIREARM MISSILES (E922)							5	1
INDUSTRIAL (E916-E921,E923-E928)	1		2				16	1
OTHER REMAINDER OF (E900-E949)			2		1		27	2
SUICIDE (E950-E959)	2		5				98	1
HOMICIDE (E960-E978)			4				49	21
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				26	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	3,310	5,003	327	19	53		62	
ATTENDED BY M.D.	3,187	4,850	324	19	2		12	
ATTENDED BY D.O.	122	153	3		51		49	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	211	730	29	3	5		2	
TOTAL FETAL DEATHS	32	94	1	1			1	
ATTENDED BY M.D.	30	89	1	1				
ATTENDED BY D.O.	1	4					1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1	1						
TOTAL DEATHS	4,924	2,680	329	18	87		90	
UNDER ONE YEAR OF AGE	56	136	5					
NEONATAL DEATHS	32	95	3					
MATERNAL DEATHS		2					1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2	7	1					
SYPHILIS AND ITS SEQUELAE (090-097)	1	2						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	24	27	3					
MALIGNANT NEOPLASMS (140-209)	915	518	69	9	7		9	
DIGEST. ORGANS (150-159)	248	149	23	1	1		4	
RESPIRATORY SYSTEM (160-163)	248	119	15	3				
BREAST (174)	78	46	4	2				
GENITAL ORGANS (180-187)	96	83	10	1	4			
URINARY ORGANS (188-189)	39	25	7				2	
LEUKEMIA (204-207)	32	11	4	1				
OTHER REMAINDER OF (140-209)	174	85	6	1	2		3	
DIABETES MELLITUS (250)	143	80	2		2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,791	1,155	193	9	61		59	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,168	835	142	7	52		40	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	33	11	6					
HYPERTENSIVE HEART (402,404)	24	36	9		1		1	
ISCHEMIC HEART (410-414)	2,017	697	121	7	38		38	
OTHER HEART DISEASE (420-429)	94	91	6		13		1	
HYPERTENSION (400,401,403)	28	18					1	
CEREBROVASCULAR DISEASE (430-438)	441	246	40	1	7		13	
ARTERIOSCLEROSIS (440)	93	29	4		2		3	
OTHER CIRCULATORY (441-448)	61	27	7	1			2	
INFLUENZA/PNEUMONIA (470-474,480-486)	139	82	13		1		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	65	16	7		1		2	
PEPTIC ULCER (531-533)	23	10			1		1	
CIRRHOSIS OF LIVER (571)	69	48						
NEPHRITIS AND NEPHROSIS (580-584)	19	19	1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		2					1	
CONGENITAL ANOMALIES (740-759)	19	16	2					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	21	80	1					
SYMPTOMS & ILL-DEFINED COND. (780-796)	55	51						
ALL OTHER DISEASES (RESIDUAL)	379	261	19		4		9	
ACCIDENTAL DEATHS (E800-E949)	161	83	16		9		4	
MOTOR VEHICLE (E810-E823)	53	25	13		7		2	
OTHER TRANS. (E800-E807,E825-E845)	2	3	1					
POISONING (E850-E877)	6	4						
FALLS (E880-E887)	58	21	1					
FIRES (E890-E899)	10	6						
DROWNING & SUBMERSIONS (E910)	8	8					2	
FIREARM MISSILES (E922)	2	3			1			
INDUSTRIAL (E916-E921,E923-E928)	6	5	1		1			
OTHER REMAINDER OF (E900-E949)	16	8						
SUICIDE (E950-E959)	42	9	1					
HOMICIDE (E960-E978)	42	194						
ALL OTHER EXTERNAL CAUSES (E980-E999)	14	20	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	565	89	99		103	1	345	23
ATTENDED BY M.D.	438	32	80		77	1	220	7
ATTENDED BY D.O.	123	31	19		26		125	16
ATTENDED BY MIDWIFE	4	26						
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	37	9	5		5		25	6
TOTAL FETAL DEATHS	9	1	3				1	2
ATTENDED BY M.D.	8		1				1	1
ATTENDED BY D.O.			2					1
ATTENDED BY MIDWIFE	1	1						
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	342	39	87		130		298	5
UNDER ONE YEAR OF AGE	12	5			2		8	1
NEONATAL DEATHS	11	3			2		5	1
MATERNAL DEATHS							2	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3				2	
MALIGNANT NEOPLASMS (140-209)	71	2	15		21		58	
DIGEST. ORGANS (150-159)	15		2		3		13	
RESPIRATORY SYSTEM (160-163)	20	1	4		4		13	
BREAST (174)	3				2		2	
GENITAL ORGANS (180-187)	11		5		5		7	
URINARY ORGANS (188-189)	3	1					1	
LEUKEMIA (204-207)	2		1		2		5	
OTHER REMAINDER OF (140-209)	17		3		5		17	
DIABETES MELLITUS (250)	8	1	1		2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	174	20	49		77		149	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	139	14	34		53		100	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		1				1	
HYPERTENSIVE HEART (402,404)	6				16		3	
ISCHEMIC HEART (410-414)	121	13	31		34		79	
OTHER HEART DISEASE (420-429)	8	1	2		3		17	1
HYPERTENSION (400,401,403)			1		4			
CEREBROVASCULAR DISEASE (430-438)	29	4	12		18		36	
ARTERIOSCLEROSIS (440)	3		1		1		5	1
OTHER CIRCULATORY (441-448)	3	2	1		1		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	14	2	2		8		10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		1		3		3	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	5	1						
NEPHRITIS AND NEPHROSIS (580-584)		1	1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							2	
CONGENITAL ANOMALIES (740-759)	3	2						
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	2			1		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	16	3	2		6		19	
ALL OTHER DISEASES (RESIDUAL)	22	4	6		6		21	
ACCIDENTAL DEATHS (E800-E949)	14	1	6		6		14	
MOTOR VEHICLE (E810-E823)	10	1	3		4		9	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2							
FALLS (E880-E887)			1		1		1	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER REMAINDER OF (E900-E949)	1		1				1	
SUICIDE (E950-E959)	1		1				2	
HOMICIDE (E960-E978)	1						3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						4	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	137		91		169		283	3
ATTENDED BY M.D.	130		27		165		209	2
ATTENDED BY D.O.	6		64		4		73	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	11		3		8		18	
TOTAL FETAL DEATHS			1		3		3	
ATTENDED BY M.D.					3		3	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	157		132	1	230		213	
UNDER ONE YEAR OF AGE	5		1		5		4	
NEONATAL DEATHS	4		1		4		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					3			
MALIGNANT NEOPLASMS (140-209)	24		27		54		35	
DIGEST. ORGANS (150-159)	9		9		13		4	
RESPIRATORY SYSTEM (160-163)	4		8		19		6	
BREAST (174)	2		1		2		6	
GENITAL ORGANS (180-187)	4		1		8		3	
URINARY ORGANS (188-189)	1		1		2		2	
LEUKEMIA (204-207)	1				2		3	
OTHER REMAINDER OF (140-209)	3		7		8		11	
DIABETES MELLITUS (250)	3		3		4		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	84		74		109		120	
DISEASES OF HEART								
(390-398,402,404,410-429)	64		55		75		84	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	1		3		1		6	
ISCHEMIC HEART (410-414)	55		41		66		71	
OTHER HEART DISEASE (420-429)	7		11		8		6	
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	15		18		25		30	
ARTERIOSCLEROSIS (440)	5		1		7		3	
OTHER CIRCULATORY (441-448)					2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		5		2		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		1		4	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	2				3		1	
NEPHRITIS AND NEPHROSIS (580-584)			1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				1		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13				15		2	
ALL OTHER DISEASES (RESIDUAL)	10		7	1	19		16	
ACCIDENTAL DEATHS (E800-E949)	9		7		10		14	
MOTOR VEHICLE (E810-E823)	4		3		5		4	
OTHER TRANS. (E800-E807,E825-E845)							2	
POISONING (E850-E877)								
FALLS (E880-E887)	2		3		2		4	
FIRES (E890-E899)			1		1		1	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1				1		1	
OTHER REMAINDER OF (E900-E949)	2						1	
SUICIDE (E950-E959)	3		6		5		1	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	237	1	163	15	314	1	108	
ATTENDED BY M.D.	218	1	152	15	251	1	97	
ATTENDED BY D.O.	19		11		58		11	
ATTENDED BY MIDWIFE					5			
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	14		18	1	19		9	
TOTAL FETAL DEATHS	5		2	1	3			
ATTENDED BY M.D.	4		2	1	3			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	269		123	6	149		143	
UNDER ONE YEAR OF AGE	1		3	1	4		2	
NEONATAL DEATHS	1		3		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				1	
MALIGNANT NEOPLASMS (140-209)	56		29		17		27	
DIGEST. ORGANS (150-159)	14		7		7		7	
RESPIRATORY SYSTEM (160-163)	21		9		4		7	
BREAST (174)	6		4		1		2	
GENITAL ORGANS (180-187)	6		3				2	
URINARY ORGANS (188-189)	2						1	
LEUKEMIA (204-207)	3				2			
OTHER REMAINDER OF (140-209)	4		6		3		8	
DIABETES MELLITUS (250)	7		1		4		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	141		71	2	77		58	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	98		56	2	56		46	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				1			
HYPERTENSIVE HEART (402,404)	3							
ISCHEMIC HEART (410-414)	89		53	1	49		42	
OTHER HEART DISEASE (420-429)	3		3	1	6		4	
HYPERTENSION (400,401,403)			2					
CEREBROVASCULAR DISEASE (430-438)	38		9		15		8	
ARTERIOSCLEROSIS (440)	2		3		5			
OTHER CIRCULATORY (441-448)	3		1		1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		1		3		20	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7				2		1	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)	1		2		1		1	
NEPHRITIS AND NEPHROSIS (580-584)					1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		2			
SYMPTOMS & ILL-DEFINED COND. (780-796)	15		5	4	18		17	
ALL OTHER DISEASES (RESIDUAL)	11		5		12		11	
ACCIDENTAL DEATHS (E800-E949)	16		3		11		2	
MOTOR VEHICLE (E810-E823)	10		2		3			
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		1				1	
FIRES (E890-E899)	1				2			
DROWNING & SUBMERSIONS (E910)	2				1			
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)					4			
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	3		1					
HOMICIDE (E960-E978)			1				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	287	2	32		207	1
ATTENDED BY M.D.	267	2	23		153	
ATTENDED BY D.O.	18		9		54	1
ATTENDED BY MIDWIFE	1					
OTHERS OR UNSPECIFIED	1					
LIVE BIRTHS UNDER 5.5 LBS.	9		4		6	
TOTAL FETAL DEATHS	7				3	
ATTENDED BY M.D.	7				1	
ATTENDED BY D.O.					2	
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	188		62		197	2
UNDER ONE YEAR OF AGE	1				2	
NEONATAL DEATHS	1				2	
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)						
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	1				1	
MALIGNANT NEOPLASMS (140-209)	28		15		28	
DIGEST. ORGANS (150-159)	5		6		8	
RESPIRATORY SYSTEM (160-163)	10		3		4	
BREAST (174)	3				1	
GENITAL ORGANS (180-187)	2		3		5	
URINARY ORGANS (188-189)			1		1	
LEUKEMIA (204-207)	1		1		1	
OTHER REMAINDER OF (140-209)	7		1		8	
DIABETES MELLITUS (250)	1		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	113		36		118	1
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	76		26		76	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)					3	
HYPERTENSIVE HEART (402,404)					1	
ISCHEMIC HEART (410-414)	69		26		66	1
OTHER HEART DISEASE (420-429)	7				6	
HYPERTENSION (400,401,403)						
CEREBROVASCULAR DISEASE (430-438)	29		5		31	
ARTERIOSCLEROSIS (440)	6		1		5	
OTHER CIRCULATORY (441-448)	2		4		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		1		13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		4	
PEPTIC ULCER (531-533)	1					
CIRRHOSIS OF LIVER (571)	1				1	
NEPHRITIS AND NEPHROSIS (580-584)						
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						
CONGENITAL ANOMALIES (740-759)	1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4				7	
ALL OTHER DISEASES (RESIDUAL)	15		6		10	
ACCIDENTAL DEATHS (E800-E949)	8				9	1
MOTOR VEHICLE (E810-E823)	3				3	1
OTHER TRANS. (E800-E807,E825-E845)						
POISONING (E850-E877)					2	
FALLS (E880-E887)	2				3	
FIRES (E890-E899)						
DROWNING & SUBMERSIONS (E910)	2					
FIREARM MISSILES (E922)						
INDUSTRIAL (E916-E921,E923-E928)	1				1	
OTHER REMAINDER OF (E900-E949)						
SUICIDE (E950-E959)	3				1	
HOMICIDE (E960-E978)						
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	174	2	38	4	122	83	73	49
ATTENDED BY M.D.	173	1	38	4	111	74	72	48
ATTENDED BY D.O.	1	1			11	9	1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	3		3	1	15	13	3	6
TOTAL FETAL DEATHS					1	2	2	
ATTENDED BY M.D.					1	2	2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	74	1	152		75	9	73	5
UNDER ONE YEAR OF AGE	1		1		2	2	2	1
NEONATAL DEATHS	1		1		2	2	2	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1					
MALIGNANT NEOPLASMS (140-209)	16		26		20	2	13	1
DIGEST. ORGANS (150-159)	3		8		7		3	
RESPIRATORY SYSTEM (160-163)	5		6		6		3	1
BREAST (174)	1		1		1	1	2	
GENITAL ORGANS (180-187)	2		3		2		3	
URINARY ORGANS (188-189)			1		1			
LEUKEMIA (204-207)	1		1					
OTHER REMAINDER OF (140-209)	4		6		3	1	2	
DIABETES MELLITUS (250)			7				2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	30	1	96		40	2	43	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	22		76		32	1	30	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1				1	
HYPERTENSIVE HEART (402,404)								
ISCHEMIC HEART (410-414)	20		74		31	1	29	1
OTHER HEART DISEASE (420-429)	2		1		1			1
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	7		13		7	1	10	1
ARTERIOSCLEROSIS (440)			5					
OTHER CIRCULATORY (441-448)	1	1	2		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		1				1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1							
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)	1		4				1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		1	2	1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		1		2		1	
ALL OTHER DISEASES (RESIDUAL)	6		9		5		6	
ACCIDENTAL DEATHS (E800-E949)	5		3		1	1	1	
MOTOR VEHICLE (E810-E823)	1		2			1	1	
OTHER TRANS. (E800-E807,E825-E845)	2							
POISONING (E850-E877)								
FALLS (E880-E887)	1		1					
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	3		1		1		1	
HOMICIDE (E960-E978)	1				1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)					2	1	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	173	3	340	42	168	4	58	5
ATTENDED BY M.D.	166	3	317	38	162	4	57	5
ATTENDED BY D.O.	7		23	4	6		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	8		22	4	17		3	
TOTAL FETAL DEATHS	1		2		1			
ATTENDED BY M.D.			2		1			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	100	1	257	20	166	5	159	3
UNDER ONE YEAR OF AGE	3		6	3	3			
NEONATAL DEATHS	2		5	3	1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)						1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2			
MALIGNANT NEOPLASMS (140-209)	28	1	52	2	29	1	36	2
DIGEST. ORGANS (150-159)	7		11	1	7		12	1
RESPIRATORY SYSTEM (160-163)	7		14		11	1	6	
BREAST (174)	5		4		2		4	
GENITAL ORGANS (180-187)	3		9		1		3	1
URINARY ORGANS (188-189)	1		2		1		4	
LEUKEMIA (204-207)	1	1	3				2	
OTHER REMAINDER OF (140-209)	4		9	1	7		5	
DIABETES MELLITUS (250)	1		2		5		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	46		138	10	90	3	93	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	31		91	7	66	3	70	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				1	
HYPERTENSIVE HEART (402,404)			2					
ISCHEMIC HEART (410-414)	29		83	7	60	3	65	1
OTHER HEART DISEASE (420-429)	1		5		6		4	
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	13		33	3	20		18	
ARTERIOSCLEROSIS (440)			5		3		1	
OTHER CIRCULATORY (441-448)	2		9		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		5	1	6		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		6		5		1	
PEPTIC ULCER (531-533)	1			1				
CIRRHOSIS OF LIVER (571)	1		3		1		2	
NEPHRITIS AND NEPHROSIS (580-584)			1	1	1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3	3	2			
SYMPTOMS & ILL-DEFINED COND. (780-796)			9		4			
ALL OTHER DISEASES (RESIDUAL)	11		14		11		10	
ACCIDENTAL DEATHS (E800-E949)	6		14	2	6		5	
MOTOR VEHICLE (E810-E823)	5		5	1	4			
OTHER TRANS. (E800-E807,E825-E845)			2					
POISONING (E850-E877)			1					
FALLS (E880-E887)			2				1	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1			1	2			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)			2				4	
SUICIDE (E950-E959)			3		3		1	
HOMICIDE (E960-E978)	1		2				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			2		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	531	102	48	2	215	33	790	41
ATTENDED BY M.D.	525	102	48	2	208	31	764	39
ATTENDED BY D.O.	3				7	2	26	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	3							
LIVE BIRTHS UNDER 5.5 LBS.	30	11	2		12	5	57	6
TOTAL FETAL DEATHS	1	3			1		8	
ATTENDED BY M.D.	1	3			1		8	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	265	36	66		221	1	417	3
UNDER ONE YEAR OF AGE	9	3	1		1		7	
NEONATAL DEATHS	6	3	1		1		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		2						
MALIGNANT NEOPLASMS (140-209)	50	6	16		51	1	97	1
DIGEST. ORGANS (150-159)	11	3	3		16		23	1
RESPIRATORY SYSTEM (160-163)	16		3		13		16	
BREAST (174)	5		2		4		13	
GENITAL ORGANS (180-187)	6		5		5	1	9	
URINARY ORGANS (188-189)	1	1	1		2		7	
LEUKEMIA (204-207)	2		2				6	
OTHER REMAINDER OF (140-209)	9	2			11		23	
DIABETES MELLITUS (250)	7	1	1		3		6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	136	16	34		124		198	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	98	10	22		97		143	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				3		4	
HYPERTENSIVE HEART (402,404)	2				2		1	
ISCHEMIC HEART (410-414)	86	10	21		89		136	1
OTHER HEART DISEASE (420-429)	7		1		3		2	
HYPERTENSION (400,401,403)		1			1		1	
CEREBROVASCULAR DISEASE (430-438)	31	4	6		21		43	
ARTERIOSCLEROSIS (440)	5	1	4		1		4	
OTHER CIRCULATORY (441-448)	2		2		4		7	
INFLUENZA/PNEUMONIA (470-474,480-486)	13	1	1		4		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		4		5	
PEPTIC ULCER (531-533)	1	1			1		5	
CIRRHOSIS OF LIVER (571)			2		4		6	
NEPHRITIS AND NEPHROSIS (580-584)	2	1			1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	2	1		1		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		1		1		5	
ALL OTHER DISEASES (RESIDUAL)	22	2	5		12		34	
ACCIDENTAL DEATHS (E800-E949)	16	4	3		11		25	
MOTOR VEHICLE (E810-E823)	7	1	2		8		14	
OTHER TRANS. (E800-E807,E825-E845)	2						2	
POISONING (E850-E877)	2						1	
FALLS (E880-E887)	2				2		1	
FIRES (E890-E899)	1	1					1	
DROWNING & SUBMERSIONS (E910)		1					2	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)							3	
OTHER REMAINDER OF (E900-E949)	1	1	1		1		1	
SUICIDE (E950-E959)	7				1		8	
HOMICIDE (E960-E978)					1		6	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		4	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	82	13	239	7	373	29	281	20
ATTENDED BY M.D.	74	12	220	7	349	29	274	20
ATTENDED BY D.O.	7	1	19		24		7	
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	4	1	18		25	1	19	3
TOTAL FETAL DEATHS	1		3		1	1	3	1
ATTENDED BY M.D.	1		3		1	1	3	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	105	15	76		112	2	221	27
UNDER ONE YEAR OF AGE	1		1		4		6	1
NEONATAL DEATHS	1				3		4	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		2	
MALIGNANT NEOPLASMS (140-209)	20	2	11		15		43	6
DIGEST. ORGANS (150-159)	4		3		6		12	
RESPIRATORY SYSTEM (160-163)	3	1	2		4		10	3
BREAST (174)	1				1		4	
GENITAL ORGANS (180-187)	6	1	1				7	1
URINARY ORGANS (188-189)					1		1	
LEUKEMIA (204-207)	1							
OTHER REMAINDER OF (140-209)	5		5		3		9	2
DIABETES MELLITUS (250)	2		3		1		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	63	7	39		57	1	127	14
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	52	4	31		45	1	97	13

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3				1	
HYPERTENSIVE HEART (402,404)	4		1		2		1	
ISCHEMIC HEART (410-414)	44	3	26		38	1	85	10
OTHER HEART DISEASE (420-429)	4	1	1		5		10	3
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	7	3	7		9		20	1
ARTERIOSCLEROSIS (440)	2		1		2		6	
OTHER CIRCULATORY (441-448)	2				1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1		3		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2				2	
PEPTIC ULCER (531-533)	3		1				2	
CIRRHOSIS OF LIVER (571)			2				1	
NEPHRITIS AND NEPHROSIS (580-584)			1		1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		2		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		4		1	1
ALL OTHER DISEASES (RESIDUAL)	7	5	5		9	1	21	1
ACCIDENTAL DEATHS (E800-E949)	2	1	5		10		7	2
MOTOR VEHICLE (E810-E823)	2		4		7		2	1
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)		1						
FALLS (E880-E887)			1				2	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)					1			1
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)					1		2	
SUICIDE (E950-E959)			1		3		1	
HOMICIDE (E960-E978)			1		3			1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	207	23	1,612	33	363	45	122	107
ATTENDED BY M.D.	203	21	1,442	29	242	25	118	102
ATTENDED BY D.O.	4	2	170	4	121	20	4	5
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	9	8	99	1	22	2	2	21
TOTAL FETAL DEATHS	1		16				1	
ATTENDED BY M.D.	1		13				1	
ATTENDED BY D.O.			3					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	109	5	847	15	295	15	222	4
UNDER ONE YEAR OF AGE	2	2	24	1	7	3	1	1
NEONATAL DEATHS	2	2	20	1	6	2		1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		1			
MALIGNANT NEOPLASMS (140-209)	23	1	176	3	55		54	
DIGEST. ORGANS (150-159)	11	1	48	1	12		23	
RESPIRATORY SYSTEM (160-163)	8		41		14		11	
BREAST (174)			13		5		1	
GENITAL ORGANS (180-187)	2		26	1	7		4	
URINARY ORGANS (188-189)			10		1		1	
LEUKEMIA (204-207)			6		1		1	
OTHER REMAINDER OF (140-209)	2		32	1	15		13	
DIABETES MELLITUS (250)			12		6		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	55		436	6	162	9	116	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	42		328	4	119	7	83	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		4		1	
HYPERTENSIVE HEART (402,404)			1					
ISCHEMIC HEART (410-414)	40		298	4	111	7	74	3
OTHER HEART DISEASE (420-429)	1		28		4		8	
HYPERTENSION (400,401,403)			3	1	3		3	
CEREBROVASCULAR DISEASE (430-438)	9		80		33	2	22	
ARTERIOSCLEROSIS (440)	2		11	1	2		4	
OTHER CIRCULATORY (441-448)	2		14		5		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		21		7		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		17		3		6	
PEPTIC ULCER (531-533)	1		3	1	1		1	
CIRRHOSIS OF LIVER (571)	4		6				8	
NEPHRITIS AND NEPHROSIS (580-584)	1		1	1	2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		11		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	2	15	1	5	2		1
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		25	1	2	1	1	
ALL OTHER DISEASES (RESIDUAL)	9	1	54	2	26	2	14	
ACCIDENTAL DEATHS (E800-E949)	4		45		15		4	
MOTOR VEHICLE (E810-E823)	1		23		7			
OTHER TRANS. (E800-E807,E825-E845)	1		1		1		1	
POISONING (E850-E877)	1		5					
FALLS (E880-E887)	1		8		4		1	
FIRES (E890-E899)			2				1	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)			4					
OTHER REMAINDER OF (E900-E949)			2		2			
SUICIDE (E950-E959)	2		15		4	1	2	
HOMICIDE (E960-E978)	4	1	6		2		3	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	493	13	4,558	2,596	3,412	2,575	931	15
ATTENDED BY M.D.	414	10	4,106	2,308	3,050	2,290	849	13
ATTENDED BY D.O.	78	3	450	288	360	285	82	2
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED			2		2			
LIVE BIRTHS UNDER 5.5 LBS.	43	2	268	360	206	360	46	
TOTAL FETAL DEATHS	6		67	57	50	57	15	
ATTENDED BY M.D.	5		61	51	45	51	14	
ATTENDED BY D.O.	1		6	6	5	6	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	509	8	3,864	1,108	3,506	1,107	311	1
UNDER ONE YEAR OF AGE	12	1	66	72	59	72	5	
NEONATAL DEATHS	9	1	38	54	34	54	4	
MATERNAL DEATHS				1		1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		7	4	7	4		
SYPHILIS AND ITS SEQUELAE (090-097)				1		1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4		25	10	20	10	5	
MALIGNANT NEOPLASMS (140-209)	84	1	729	201	660	201	59	
DIGEST. ORGANS (150-159)	25		180	59	164	59	11	
RESPIRATORY SYSTEM (160-163)	24		188	53	167	53	20	
BREAST (174)	4		59	16	52	16	6	
GENITAL ORGANS (180-187)	16	1	67	26	61	26	5	
URINARY ORGANS (188-189)	3		28	5	27	5	1	
LEUKEMIA (204-207)	1		29	6	26	6	1	
OTHER REMAINDER OF (140-209)	11		178	36	163	36	15	
DIABETES MELLITUS (250)	6		60	21	58	21	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	258	3	1,904	400	1,727	399	157	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	181	2	1,336	263	1,213	263	109	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		29	4	24	4	5	
HYPERTENSIVE HEART (402,404)	5		13	7	12	7	1	
ISCHEMIC HEART (410-414)	157	2	1,176	201	1,068	201	95	
OTHER HEART DISEASE (420-429)	17		118	51	109	51	8	
HYPERTENSION (400,401,403)			13	9	11	9	2	
CEREBROVASCULAR DISEASE (430-438)	65	1	435	112	392	112	38	
ARTERIOSCLEROSIS (440)	7		69	6	64	5	4	1
OTHER CIRCULATORY (441-448)	5		51	10	47	10	4	
INFLUENZA/PNEUMONIA (470-474,480-486)	23		96	22	92	22	4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		56	5	50	5	6	
PEPTIC ULCER (531-533)			15	1	14	1		
CIRRHOSIS OF LIVER (571)	12		63	22	58	22	5	
NEPHRITIS AND NEPHROSIS (580-584)	6		10	10	10	10		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1		1		
CONGENITAL ANOMALIES (740-759)	4		21	10	16	10	3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6	1	33	45	30	45	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	27	2	239	114	232	114	5	
ALL OTHER DISEASES (RESIDUAL)	37		312	107	284	107	22	
ACCIDENTAL DEATHS (E800-E949)	29		172	54	144	54	22	
MOTOR VEHICLE (E810-E823)	13		78	17	63	17	11	
OTHER TRANS. (E800-E807,E825-E845)	1		4	3	2	3		
POISONING (E850-E877)			3	3	2	3	1	
FALLS (E880-E887)	11		37	9	33	9	4	
FIRES (E890-E899)	2		12	9	10	9	2	
DROWNING & SUBMERSIONS (E910)	1		11	5	9	5	2	
FIREARM MISSILES (E922)			1	1	1	1		
INDUSTRIAL (E916-E921,E923-E928)			13	5	12	5	1	
OTHER REMAINDER OF (E900-E949)	1		13	2	12	2	1	
SUICIDE (E950-E959)	5	1	54	10	43	10	11	
HOMICIDE (E960-E978)	1		42	66	40	66	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		26	4	21	4	5	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	215	6	208	6	279	34	35	1
ATTENDED BY M.D.	207	5	11		277	31	35	1
ATTENDED BY D.O.	8	1	197	5	2	3		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED				1				
LIVE BIRTHS UNDER 5.5 LBS.	16		16	1	8	2	1	
TOTAL FETAL DEATHS	2		1		3			
ATTENDED BY M.D.	2				3			
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	47		151	1	302	15	71	
UNDER ONE YEAR OF AGE	2		5		4			
NEONATAL DEATHS			5		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		1	
MALIGNANT NEOPLASMS (140-209)	10		32		68	4	22	
DIGEST. ORGANS (150-159)	5		9		18	3	6	
RESPIRATORY SYSTEM (160-163)	1		3		11		1	
BREAST (174)	1		5		7		4	
GENITAL ORGANS (180-187)	1		7		7		4	
UPINARY ORGANS (188-189)			1		3			
LEUKEMIA (204-207)	2		1		3		1	
OTHER REMAINDER OF (140-209)			6		19	1	6	
DIABETES MELLITUS (250)			4		9	3	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	20		74	1	172	5	38	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	14		58	1	125	4	27	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LAQUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		2		1	
HYPERTENSIVE HEART (402,404)						1		
ISCHEMIC HEART (410-414)	13		55	1	120	3	25	
OTHER HEART DISEASE (420-429)	1		1		3		1	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	5		12		35	1	9	
ARTERIOSCLEROSIS (440)	1		1		7			
OTHER CIRCULATORY (441-448)			3		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)			7		3		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)					1		1	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)			1		1		1	
NEPHRITIS AND NEPHROSIS (580-584)			2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		4			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		13		7			
ALL OTHER DISEASES (RESIDUAL)	6		5		20	2	2	
ACCIDENTAL DEATHS (E800-E949)	6		5		9	1		
MOTOR VEHICLE (E810-E823)	4				5	1		
OTHER TRANS. (E800-E807,E825-E845)	2		2					
POISONING (E850-E877)								
FALLS (E880-E887)					2			
FIRES (E890-E899)			2					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)					2			
SUICIDE (E950-E959)			2		6		3	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	299	2	229	5	73	21	156	10
ATTENDED BY M.D.	279	2	194	4	70	20	155	10
ATTENDED BY D.O.	20		35	1	3	1	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	25		20	2	7	5	14	3
TOTAL FETAL DEATHS	6		4		1			1
ATTENDED BY M.D.	5		4					1
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	189		103	4	152	3	148	5
UNDER ONE YEAR OF AGE	5		5		4		2	
NEONATAL DEATHS	3		4		3		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						2	
MALIGNANT NEOPLASMS (140-209)	35		18	2	31		37	2
DIGEST. ORGANS (150-159)	8		3	1	8		11	
RESPIRATORY SYSTEM (160-163)	8		4	1	6		9	1
BREAST (174)	3		2		3		3	
GENITAL ORGANS (180-187)	5		1		5		4	
URINARY ORGANS (188-189)	4		1		1		5	
LEUKEMIA (204-207)	2		1		3		1	1
OTHER REMAINDER OF (140-209)	5		6		5		4	
DIABETES MELLITUS (250)	2				3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	119		72	2	79	2	84	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	74		42	2	65	1	58	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4				1		2	
HYPERTENSIVE HEART (402,404)			1				1	
ISCHEMIC HEART (410-414)	62		40	1	60	1	53	3
OTHER HEART DISEASE (420-429)	8		1	1	4		2	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	36		30		10	1	22	
ARTERIOSCLEROSIS (440)	5						1	
OTHER CIRCULATORY (441-448)	3				4		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		1		5		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				1		3	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1		1		1			
NEPHRITIS AND NEPHROSIS (580-584)			1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3				2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		2			
ALL OTHER DISEASES (RESIDUAL)	14		3		16		9	
ACCIDENTAL DEATHS (E800-E949)	3		2		5	1	1	
MOTOR VEHICLE (E810-E823)	2		1		2	1	1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)					2			
FIPES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2				2			
HOMICIDE (E960-E978)	3				1			
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	138	29	162	13	257	25	223	22
ATTENDED BY M.O.	132	29	109	7	237	24	203	21
ATTENDED BY D.O.	6		53	6	20	1	20	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	8	2	5	4	18		14	3
TOTAL FETAL DEATHS	1		1	2	2		8	
ATTENDED BY M.O.	1			2	2		8	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	146	20	177	10	235	3	234	17
UNDER ONE YEAR OF AGE	2	1	3	1	2	1	4	
NEONATAL DEATHS	2		1	1	1	1	3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1							
MALIGNANT NEOPLASMS (140-209)	32	5	33	2	53	1	33	4
DIGEST. ORGANS (150-159)	8		10		10		6	
RESPIRATORY SYSTEM (160-163)	13	2	5	2	12		4	1
BREAST (174)			5		6		6	1
GENITAL ORGANS (180-187)	5	2	5		5		2	
URINARY ORGANS (188-189)	1		3		2		1	
LEUKEMIA (204-207)			1		4		3	
OTHER REMAINDER OF (140-209)	5	1	4		14	1	11	2
DIABETES MELLITUS (250)	2	1	5	1	3		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	76	9	90	2	133		132	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	46	5	62	2	98		93	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1			1			
HYPERTENSIVE HEART (402,404)	3		2		2			
ISCHEMIC HEART (410-414)	38	4	51	2	89		84	1
OTHER HEART DISEASE (420-429)	5		9		6		9	1
HYPERTENSION (400,401,403)	1	2			1			
CEREBROVASCULAR DISEASE (430-438)	25	2	25		28		39	6
ARTERIOSCLEROSIS (440)	4		3		4			
OTHER CIRCULATORY (441-448)					2			
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	5	1	7		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2		5		4	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)		1			5			
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1	1	2		2	1	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)				1				
SYMPTOMS & ILL-DEFINED COND. (780-796)	5	1	7	2	2		21	4
ALL OTHER DISEASES (RESIDUAL)	10	1	24		9		12	1
ACCIDENTAL DEATHS (E800-E949)								
MOTOR VEHICLE (E810-E823)	6		6	1	9		13	
OTHER TRANS. (E800-E807,E825-E845)	4		2		4		4	
POISONING (E850-E877)			2					
FALLS (E880-E887)	1				1		1	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)	1				2		3	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)				1	1		3	
OTHER REMAINDER OF (E900-E949)			2		1		1	
SUICIDE (E950-E959)	2		1		4		2	
HOMICIDE (E960-E978)	3		1			1		
ALL OTHER EXTERNAL CAUSES (E980-E999)					3		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	308	6	74	28	129	10	203	13
ATTENDED BY M.D.	291	6	72	28	107	9	195	13
ATTENDED BY D.O.	17		2		22	1	8	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	12	1	5	1	8		9	1
TOTAL FETAL DEATHS	4		1	2	3		5	
ATTENDED BY M.D.	4		1	2	2		5	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	218		134	10	93	3	138	1
UNDER ONE YEAR OF AGE	3		1	1	3		1	
NEONATAL DEATHS	2			1	3			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								
MALIGNANT NEOPLASMS (140-209)	50		31	2	12		30	1
DIGEST. ORGANS (150-159)	13		10	1	3		8	
RESPIRATORY SYSTEM (160-163)	8		10		2		7	
BREAST (174)	11		3		1		3	1
GENITAL ORGANS (180-187)	4		2	1	2		4	
URINARY ORGANS (188-189)	2		1		1		1	
LEUKEMIA (204-207)	4		1				2	
OTHER REMAINDER OF (140-209)	8		4		3		5	
DIABETES MELLITUS (250)			3		1		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	105		75	6	62	1	73	
DISEASES OF HEART								
(390-398,402,404,410-429)	77		52	4	43	1	56	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		2	
HYPERTENSIVE HEART (402,404)							1	
ISCHEMIC HEART (410-414)	71		49	4	37	1	52	
OTHER HEART DISEASE (420-429)	6		2		4		1	
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	18		20	2	17		16	
ARTERIOSCLEROSIS (440)	4		1		2			
OTHER CIRCULATORY (441-448)	6		1					
INFLUENZA/PNEUMONIA (470-474,480-486)	6		7		1		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		1		1	
PEPTIC ULCER (531-533)	2		1				2	
CIRRHOSIS OF LIVER (571)	5		2		1			
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)				1	3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		2		4		6	
ALL OTHER DISEASES (RESIDUAL)	20		6	1	4		6	
ACCIDENTAL DEATHS (E800-E949)	13		3		3	2	9	
MOTOR VEHICLE (E810-E823)	10		1		2	2	4	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	1						1	
FIRES (E890-E899)			2		1			
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	4		1					
HOMICIDE (E960-E978)	3		1				2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	591	25	1,111	60	3,310	5,003	271	20
ATTENDED BY M.O.	579	25	1,110	60	3,187	4,850	266	19
ATTENDED BY D.O.	12		1		122	153	5	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	38	2	76	7	211	730	21	1
TOTAL FETAL DEATHS	5	1	18		32	94	5	
ATTENDED BY M.O.	5	1	18		30	89	4	
ATTENDED BY D.O.					1	4	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1	1		
TOTAL DEATHS	257	5	917	33	4,924	2,680	288	39
UNDER ONE YEAR OF AGE	8		17		56	136	4	1
NEONATAL DEATHS	6		11		32	95	3	
MATERNAL DEATHS						2		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		2	7		
SYPHILIS AND ITS SEQUELAE (090-097)					1	2		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3	1	2		24	27	1	1
MALIGNANT NEOPLASMS (140-209)	48		183	7	915	518	53	6
DIGEST. ORGANS (150-159)	15		48	5	248	149	10	2
RESPIRATORY SYSTEM (160-163)	7		43	1	248	119	12	1
BREAST (174)	4		15		78	46	5	
GENITAL ORGANS (180-187)	4		26	1	96	93	7	2
URINARY ORGANS (188-189)	2		11		39	25	3	
LEUKEMIA (204-207)	2		3		32	11	2	
OTHER REMAINDER OF (140-209)	14		37		174	85	14	1
DIABETES MELLITUS (250)			15		143	80	8	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	136	3	504	17	2,791	1,155	170	27
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	90	2	362	10	2,168	835	128	22

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		7	1	33	11	2	
HYPERTENSIVE HEART (402,404)			6		24	36	2	
ISCHEMIC HEART (410-414)	83	2	321	9	2,017	697	114	20
OTHER HEART DISEASE (420-429)	5		28		94	91	10	2
HYPERTENSION (400,401,403)	1		3		28	18		
CEREBROVASCULAR DISEASE (430-438)	34	1	105	7	441	246	37	5
ARTERIOSCLEROSIS (440)	4		21		93	29	4	
OTHER CIRCULATORY (441-448)	7		13		61	27	1	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		17	2	139	82	8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		10		65	16	3	1
PEPTIC ULCER (531-533)	1		3		23	10	2	
CIRRHOSIS OF LIVER (571)	2		9		69	48	3	
NEPHRITIS AND NEPHROSIS (580-584)	1		2		19	19	2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						2		
CONGENITAL ANOMALIES (740-759)	4		6	1	19	16	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		7		21	80	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11	1	46	1	55	51	3	
ALL OTHER DISEASES (RESIDUAL)	14		71	3	379	261	18	1
ACCIDENTAL DEATHS (E800-E949)	11		31	2	161	83	9	
MOTOR VEHICLE (E810-E823)	4		12	2	53	25	5	
OTHER TRANS. (E800-E807,E825-E845)	1				2	3		
POISONING (E850-E877)					6	4		
FALLS (E880-E887)	3		8		58	21	3	
FIRES (E890-E899)			2		10	6		
DROWNING & SUBMERSIONS (E910)	1		5		8	8		
FIREARM MISSILES (E922)			1		2	3		
INDUSTRIAL (E916-E921,E923-E928)			2		6	5		
OTHER REMAINDER OF (E900-E949)	2		1		16	8	1	
SUICIDE (E950-E959)	8		7		42	9	2	
HOMICIDE (E960-E978)	2		2		42	194		1
ALL OTHER EXTERNAL CAUSES (E980-E999)					14	20	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	255	60	1,841	48	181	225	119	7
ATTENDED BY M.D.	200	26	1,830	48	180	220	104	7
ATTENDED BY D.O.	50	14	10		1	5	15	
ATTENDED BY MIDWIFE	5	20						
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	17	6	117	5	12	37	6	
TOTAL FETAL DEATHS	1	1	13	1	2	1	1	
ATTENDED BY M.D.	1		13	1	2	1	1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE		1						
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	140	28	1,250	27	409	53	106	9
UNDER ONE YEAR OF AGE	7	5	26	2	2	4	4	
NEONATAL DEATHS	7	3	19	2	1	3	3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			6		1	2		
MALIGNANT NEOPLASMS (140-209)	33	1	221	6	96	6	16	2
DIGEST. ORGANS (150-159)	8		48	2	32	1	5	
RESPIRATORY SYSTEM (160-169)	9	1	61		13	3	2	
BREAST (174)	1		18		8	1	3	
GENITAL ORGANS (180-187)	8		33	3	16		3	1
URINARY ORGANS (188-189)			9		8			
LEUKEMIA (204-207)			8		4		1	
OTHER REMAINDER OF (140-209)	7		44	1	15	1	2	1
DIABETES MELLITUS (250)	4	1	14		8		1	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	59	15	648	8	246	20	70	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	46	10	435	5	186	15	50	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		15		4			
HYPERTENSIVE HEART (402,404)	1		4		1			
ISCHEMIC HEART (410-414)	40	10	400	5	177	15	44	6
OTHER HEART DISEASE (420-429)	4		16		4		6	
HYPERTENSION (400,401,403)			6		1	1	1	
CEREBROVASCULAR DISEASE (430-438)	11	4	153	3	43	3	14	
ARTERIOSCLEROSIS (440)	1		33		7	1	4	
OTHER CIRCULATORY (441-448)	1	1	21		9		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	8	2	26		13	1	1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		18		6		2	
PEPTIC ULCER (531-533)	1		8			1		
CIRRHOSIS OF LIVER (571)	2	1	16	1	1	1	1	
NEPHRITIS AND NEPHROSIS (580-584)			2		2	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1	2	4				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3	2	14	2	1	3	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8	3	85	3	4		1	
ALL OTHER DISEASES (RESIDUAL)	8	1	95	2	23	10	6	
ACCIDENTAL DEATHS (E800-E949)	8		46	3	2	4	3	
MOTOR VEHICLE (E810-E823)	5		24			1	2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2		3			1		
FALLS (E880-E887)			10	1	1			
FIRES (E890-E899)			1	1				
DROWNING & SUBMERSIONS (E910)			4					
FIREARM MISSILES (E922)						1		
INDUSTRIAL (E916-E921,E923-E928)			1			1		
OTHER REMAINDER OF (E900-E949)	1		3	1	1		1	
SUICIDE (E950-E959)	1		29	1	3			
HOMICIDE (E960-E978)	1		5		3	2	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		11	1		2		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	204	18
ATTENDED BY M.D.	201	18
ATTENDED BY D.O.	1	
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED	2	
LIVE BIRTHS UNDER 5.5 LBS.	8	1
TOTAL FETAL DEATHS	3	1
ATTENDED BY M.D.	3	1
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL DEATHS	226	12
UNDER ONE YEAR OF AGE	2	
NEONATAL DEATHS	1	
MATERNAL DEATHS		
CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)		
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)		
MALIGNANT NEOPLASMS (140-209)	52	2
DIGEST. ORGANS (150-159)	16	
RESPIRATORY SYSTEM (160-163)	8	2
BREAST (174)	8	
GENITAL ORGANS (180-187)	5	
URINARY ORGANS (188-189)	7	
LEUKEMIA (204-207)	1	
OTHER REMAINDER OF (140-209)	7	
DIABETES MELLITUS (250)	5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	129	7
DISEASES OF HEART		
(390-398, 402, 404, 410-429)	96	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1975

WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC		
RHEUMATIC HEART DISEASE (390-398)	2	
HYPERTENSIVE HEART (402,404)		
ISCHEMIC HEART (410-414)	90	5
OTHER HEART DISEASE (420-429)	4	1
HYPERTENSION (400,401,403)		
CEREBROVASCULAR DISEASE (430-438)	27	1
ARTERIOSCLEROSIS (440)	6	
OTHER CIRCULATORY (441-448)		
INFLUENZA/PNEUMONIA (470-474,480-486)	7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1	
PEPTIC ULCER (531-533)		
CIRRHOSIS OF LIVER (571)	1	
NEPHRITIS AND NEPHROSIS (580-584)		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	
ALL OTHER DISEASES (RESIDUAL)	12	2
ACCIDENTAL DEATHS (E800-E949)	9	
MOTOR VEHICLE (E810-E823)	4	
OTHER TRANS. (E800-E807,E825-E845)		
POISONING (E850-E877)		
FALLS (E880-E887)	3	
FIRES (E890-E899)	1	
DROWNING & SUBMERSIONS (E910)		
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)	1	
OTHER REMAINDER OF (E900-E949)		
SUICIDE (E950-E959)	3	
HOMICIDE (E960-E978)	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1975

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	1,637	736	59	48	103	48	439	90	376	87	315	110	144	94	200	259
10. WORK TOTAL	126	7	-	-	1	-	19	2	37	2	53	3	11	-	5	-
11. AGRICULTURE	53	6	-	-	1	-	7	1	10	2	22	3	8	-	5	-
12. MINING, QUARRYING, OIL/GAS WELL	4	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
13. CONSTRUCTION	28	-	-	-	-	-	4	-	11	-	12	-	1	-	-	-
14. MANUFACTURING	12	-	-	-	-	-	3	-	3	-	5	-	1	-	-	-
15. TRANS. AND PUBLIC UTILITIES	9	-	-	-	-	-	1	-	7	-	1	-	-	-	-	-
16. TRADE	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
17. SERVICE	6	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
18. GOVERNMENT	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	9	-	-	-	-	-	3	-	2	-	3	-	1	-	-	-
20. HOME TOTAL	285	238	19	24	32	7	24	8	34	16	61	38	40	32	75	113
21. POISONINGS (GAS EXCEPTED)	17	11	1	1	1	-	10	1	4	4	-	5	-	-	1	-
22. POISONINGS BY GAS AND VAPOR	8	5	-	-	-	-	2	-	2	1	2	1	1	2	1	1
23. FALLS	89	136	1	2	-	-	-	2	4	3	20	15	17	18	47	96
24. FIRES	79	36	2	3	11	1	2	3	12	5	20	9	14	8	18	7
25. DROWNING	13	7	4	3	4	1	1	-	1	-	2	1	1	1	-	1
26. SUFFOCATION, INGESTED OBJECTS	8	6	1	2	-	-	1	-	3	-	1	2	1	1	1	1
27. SUFFOCATION, MECHANICAL	13	8	6	7	5	1	-	-	1	-	-	-	-	-	1	-
28. FIREARMS	21	5	-	-	8	2	5	2	1	1	5	-	2	-	-	-
29. OTHER AND UNSPECIFIED ACC.	37	24	4	6	3	2	3	-	6	2	11	5	4	2	6	7
30. MOTOR VEHICLE TOTAL	819	297	25	12	44	34	295	74	234	53	127	52	52	35	42	37
31. INJURY TO PEDESTRIAN	93	38	11	4	16	11	16	2	18	1	14	4	8	11	10	5
32. INJURY TO PEDAL CYCLIST	10	7	-	1	6	6	1	-	1	-	2	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	9	2	-	-	-	-	2	-	-	-	3	1	1	-	3	1
35. COLLISION WITH OTHER MOTOR V	320	150	8	5	10	3	112	39	92	33	53	35	27	13	18	22
36. COLLISION WITH FIXED OBJECT	242	54	2	2	6	5	115	19	71	12	31	7	11	5	6	4
37. NONCOLLISION	74	24	1	-	4	8	29	7	29	5	10	1	1	2	-	1
38. OTHER AND UNSPECIFIED ACC.	70	21	3	-	2	1	20	6	22	2	14	4	4	4	5	4

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1975

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	407	194	15	12	26	7	101	6	71	16	74	17	41	27	78	109
51. RAILROAD NOT WITH MOTOR V	8	4	-	-	1	-	1	-	3	2	3	-	-	1	-	1
52. OTHER V NOT WITH MOTOR V	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
53. WATER TRANSPORT	2	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-
54. AIR-TRANSPORT	17	5	-	-	-	-	1	-	11	3	5	2	-	-	-	-
55. FALLS	109	118	2	1	1	1	6	1	6	1	22	5	18	14	53	95
56. FIRES	7	3	-	1	-	-	-	-	-	-	4	-	1	-	2	2
57. DROWNING	116	12	6	2	17	3	58	4	18	2	12	-	5	-	-	1
58. FIREARMS	19	-	-	-	2	-	10	-	6	-	1	-	-	-	-	-
59. OTHER AND UNSPECIFIED ACC.	129	49	7	8	5	3	25	1	27	6	26	9	17	12	22	10
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

TABLE 18

ABRIDGED LIFE TABLE FOR THE TOTAL POPULATION, AND BY SEX; MISSOURI: 1975

TOTAL POPULATION

Age Interval	Proportion Dying	Of 100,000 born alive		Stationary Population		Average Remaining Lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
x to x + n	${}_nQ_x$	l_x	${}_nD_x$	${}_nL_x$	T_x	E_x
00 TO 01	.0162	100,000	1,619	98,554	7,233,296	72.3
01 TO 05	.0024	98,381	239	392,952	7,134,742	72.5
05 TO 10	.0017	98,142	167	490,259	6,741,790	68.7
10 TO 15	.0018	97,975	174	489,482	6,251,531	63.8
15 TO 20	.0057	97,801	559	487,722	5,762,049	58.9
20 TO 25	.0064	97,242	623	484,681	5,274,327	54.2
25 TO 30	.0069	96,619	666	481,454	4,789,646	49.6
30 TO 35	.0074	95,953	711	478,070	4,308,192	44.9
35 TO 40	.0101	95,242	963	473,962	3,830,122	40.2
40 TO 45	.0164	94,279	1,545	467,808	3,356,160	35.6
45 TO 50	.0247	92,734	2,294	458,353	2,888,352	31.1
50 TO 55	.0400	90,440	3,616	443,694	2,429,999	26.9
55 TO 60	.0586	86,824	5,090	422,097	1,986,305	22.9
60 TO 65	.0867	81,734	7,084	391,812	1,564,208	19.1
65 TO 70	.1305	74,650	9,740	349,823	1,172,396	15.7
70 TO 75	.1806	64,910	11,723	296,089	822,573	12.7
75 TO 80	.2627	53,187	13,972	231,599	526,484	9.9
80 TO 85	.3805	39,215	14,922	158,013	294,885	7.5
85 AND UP	1.0000	24,293	24,293	136,872	136,872	5.6

TABLE 18 (CONT)

MALE LIFE TABLE; MISSOURI: 1975


x to x + n	${}_nQ_x$	l_x	${}_nD_x$	${}_nL_x$	T_x	E_x
00 TO 01	.0176	100,000	1,757	98,421	6,836,121	68.4
01 TO 05	.0027	98,243	269	392,331	6,737,700	68.6
05 TO 10	.0018	97,974	178	489,395	6,345,369	64.8
10 TO 15	.0023	97,796	223	488,491	5,855,974	59.9
15 TO 20	.0086	97,573	840	485,959	5,367,483	55.0
20 TO 25	.0096	96,733	927	481,377	4,881,524	50.5
25 TO 30	.0108	95,806	1,031	476,447	4,400,147	45.9
30 TO 35	.0099	94,775	937	471,628	3,923,700	41.4
35 TO 40	.0139	93,838	1,301	466,156	3,452,072	36.8
40 TO 45	.0208	92,537	1,928	458,222	2,985,916	32.3
45 TO 50	.0320	90,609	2,895	446,360	2,527,694	27.9
50 TO 55	.0548	87,714	4,809	427,270	2,081,334	23.7
55 TO 60	.0790	82,905	6,548	399,004	1,654,064	20.0
60 TO 65	.1208	76,357	9,223	359,686	1,255,060	16.4
65 TO 70	.1861	67,134	12,492	305,216	895,374	13.3
70 TO 75	.2457	54,642	13,426	240,017	590,158	10.8
75 TO 80	.3340	41,216	13,768	171,576	350,141	8.5
80 TO 85	.4627	27,448	12,699	104,265	178,565	6.5
85 AND UP	1.0000	14,749	14,749	74,300	74,300	5.0

FEMALE LIFE TABLE; MISSOURI: 1975

x to x + n	${}_nQ_x$	l_x	${}_nD_x$	${}_nL_x$	T_x	E_x
00 TO 01	.0148	100,000	1,480	98,689	7,635,703	76.4
01 TO 05	.0021	98,520	207	393,579	7,537,014	76.5
05 TO 10	.0016	98,313	155	491,140	7,143,435	72.7
10 TO 15	.0013	98,158	123	490,498	6,652,295	67.8
15 TO 20	.0027	98,035	266	489,552	6,161,797	62.9
20 TO 25	.0032	97,769	310	488,096	5,672,245	58.0
25 TO 30	.0034	97,459	332	486,502	5,184,149	53.2
30 TO 35	.0050	97,127	490	484,478	4,697,647	48.4
35 TO 40	.0065	96,637	633	481,705	4,213,169	43.6
40 TO 45	.0122	96,004	1,174	477,279	3,731,464	38.9
45 TO 50	.0180	94,830	1,710	470,154	3,254,185	34.3
50 TO 55	.0263	93,120	2,452	459,809	2,784,031	29.9
55 TO 60	.0406	90,668	3,682	444,693	2,324,222	25.6
60 TO 65	.0570	86,986	4,957	423,254	1,879,529	21.6
65 TO 70	.0849	82,029	6,961	393,703	1,456,275	17.8
70 TO 75	.1320	75,068	9,910	351,811	1,062,572	14.2
75 TO 80	.2139	65,158	13,936	292,267	710,761	10.9
80 TO 85	.3310	51,222	16,954	213,561	418,494	8.2
85 AND UP	1.0000	34,268	34,268	204,933	204,933	6.0

MARRIAGES

GRAPH E.
MARRIAGE RATES 1949-1974
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1962	35,192	8.1
1950	34,300	8.7	1963	37,667	8.6
1951	30,880	7.7	1964	38,802	8.7
1952	28,373	7.1	1965	39,882	8.9
1953	33,012	8.2	1966	42,597	9.4
1954	33,520	8.2	1967	44,055	9.7
1955	34,162	8.3	1968	48,155	10.5
1956	34,382	8.3	1969	50,411	10.9
1957	31,395	7.5	1970	50,224	10.7
1958	31,965	7.6	1971	51,048	10.8
1959	34,352	8.1	1972	53,372	11.2
1960	35,368	8.2	1973	51,990	10.9
1961	34,640	8.0	1974	51,434	10.8
			1975	50,147	10.5

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates—Series P-25, No's 139, 304, 460, 488. Provisional estimate for July 1, 1975—see page iv.

TABLE 19

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1975

		AGE OF BRIDE														
AGE OF GROOM	TOTAL	15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	50,147	809	1,601	2,399	5,028	5,564	4,646	4,101	3,767	3,033	2,228	1,766	1,478	1,318	1,140	1,005
15 AND UNDER	21	1	6	2	3	1	1	1		1						
16 YEARS	137	29	50	27	9	8	5	2	3	1		1	1	1		
17 YEARS	665	97	173	179	111	59	26	9	2	2	3		1		1	1
18 YEARS	2,281	198	306	485	661	362	130	54	28	18	8	8	8	4	3	
19 YEARS	3,642	184	369	521	974	939	360	139	44	29	19	17	10	9	6	6
20 YEARS	4,333	113	233	429	1,042	1,088	800	312	133	82	27	19	21	8	4	5
21 YEARS	4,387	50	172	266	764	953	788	722	303	148	66	40	32	18	18	12
22 YEARS	4,324	44	85	156	521	679	752	735	720	276	129	72	48	21	23	20
23 YEARS	3,853	27	68	122	340	439	543	608	675	496	224	100	51	48	30	16
24 YEARS	3,113	17	40	62	197	291	343	385	496	474	322	169	102	59	46	30
25 YEARS	2,506	11	24	39	131	211	229	290	349	349	272	218	116	82	43	41
26 YEARS	2,237	6	15	36	79	137	189	221	284	280	249	207	175	104	56	67
27 YEARS	1,882	3	11	21	50	115	136	142	207	233	189	166	147	146	89	61
28 YEARS	1,678	1	11	12	31	83	85	123	138	140	195	170	148	143	115	72
29 YEARS	1,320	6	4	9	31	45	60	91	90	108	121	122	129	110	99	89
30 YEARS	1,008	3	5	3	20	24	34	60	63	90	80	82	92	66	86	85
31 YEARS	936	4	9	8	16	24	29	49	44	58	61	56	74	88	84	68
32 YEARS	785	4	3	5	8	22	24	26	29	43	40	56	50	72	60	56
33 YEARS	765		3	3	9	18	25	26	33	35	36	45	62	56	67	73
34 YEARS	628	1	1		5	10	14	25	17	37	32	41	35	46	54	47
35-39 YEARS	2,411	2	5	3	12	27	44	42	67	85	81	109	100	138	146	134
40-44 YEARS	1,818	3	2	4	3	11	19	24	24	23	48	36	43	57	68	68
45-49 YEARS	1,508	4	2	2	3	5	5	7	9	14	17	17	20	24	23	36
50-54 YEARS	1,230		1		2	4		6	2	6	4	6	7	9	8	13
55-59 YEARS	766		1		2	3	1	1	2	1	1	7	3	6	6	2
60-64 YEARS	670				1	1			1	1	1		2	1	2	1
65-69 YEARS	510			1		1	1			1						
70-74 YEARS	346		1					1		1			1	1	1	1
75 YEARS AND OVER	276	1							1							
NOT STATED	111		1	4	3	4	3		3	1	3	2		1	2	1

TABLE 19 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1975

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	734	637	656	547	505	1,885	1,378	1,081	924	661	473	351	188	98	146
15 AND UNDER	1				1	1	1	1							
16 YEARS															
17 YEARS			1												
18 YEARS	1	1		1	1	1									3
19 YEARS	4	3	1		2			1	1	1				1	2
20 YEARS	3	1	2		3	3	2								3
21 YEARS	3	5	5	3	2	5	2	2	1						7
22 YEARS	9	3	7	3	2	6	3	1							9
23 YEARS	17	10	10	4	5	7	3		3						7
24 YEARS	18	12	16	3	4	14	2	4	2		1				4
25 YEARS	27	16	10	11	11	17	5		1						3
26 YEARS	23	26	20	13	10	27	6	2	1		1				3
27 YEARS	44	31	32	16	9	23	7	1	1						2
28 YEARS	51	45	25	27	19	28	11	2							3
29 YEARS	37	34	42	21	17	42	7	2	3		1				
30 YEARS	63	37	22	23	15	35	11	3	2	1	1				2
31 YEARS	55	45	37	22	24	59	14	4	2						2
32 YEARS	48	48	49	33	23	65	17	2		2					
33 YEARS	47	36	42	40	17	61	22	6	1	1					1
34 YEARS	41	30	35	30	28	76	13	6	2	2					
35-39 YEARS	134	126	152	129	139	465	170	68	22	5	1				5
40-44 YEARS	74	76	75	87	95	425	330	151	54	13	1	1			3
45-49 YEARS	21	34	47	42	47	293	366	293	126	34	11	5			1
50-54 YEARS	9	8	19	28	16	128	217	286	293	109	38	5	1		5
55-59 YEARS	2	6	2	8	6	65	92	147	171	154	47	20	6	3	1
60-64 YEARS	2	2	3	2	5	21	53	56	143	176	127	51	13	3	2
65-69 YEARS		2	1		3	9	14	25	56	107	137	112	33	6	1
70-74 YEARS				1		4	4	12	23	43	72	94	69	16	1
75 YEARS AND OVER			1			3	6	4	15	12	35	63	66	69	
NOT STATED					1	2		2	1	1					76

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,
GROOM AND BRIDE , MISSOURI 1975

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED
TOTAL	50,147	32,575	20	2,147	15,066	50,147	33,408	29	2,484	13,841
15 AND UNDER	21	14			7	809	797		1	8
16 YEARS	137	137				1,601	1,588		1	9
17 YEARS	665	662			1	2,399	2,352		3	33
18 YEARS	2,281	2,249			12	5,028	4,876	2	1	116
19 YEARS	3,642	3,582	1	1	44	5,564	5,271	1	8	249
20 YEARS	4,333	4,208		1	104	4,646	4,232	3	2	385
21 YEARS	4,387	4,111		4	242	4,101	3,501	1	20	556
22 YEARS	4,324	3,970		3	334	3,767	3,088		14	646
23 YEARS	3,853	3,291	1	7	531	3,033	2,253	1	19	739
24 YEARS	3,113	2,495	1	9	593	2,228	1,471	1	19	731
25 YEARS	2,506	1,797	1	11	684	1,766	971	1	20	765
26 YEARS	2,237	1,468	1	13	745	1,478	708	2	25	738
27 YEARS	1,882	1,101		12	763	1,318	522	1	26	763
28 YEARS	1,678	828	1	11	834	1,140	376		24	736
29 YEARS	1,320	565		10	738	1,005	294	2	27	674
30 YEARS	1,008	381	2	12	610	734	183		34	512
31 YEARS	936	283		9	638	637	141	1	31	455
32 YEARS	785	209		9	563	656	107		25	522
33 YEARS	765	153		11	600	547	80		32	433
34 YEARS	628	126		8	490	505	78		31	392
35-39 YEARS	2,411	380		66	1,951	1,885	195	2	160	1,515
40-44 YEARS	1,818	197		105	1,504	1,378	90		197	1,078
45-49 YEARS	1,508	115	3	174	1,209	1,081	55	1	257	758
50-54 YEARS	1,230	99		249	875	924	45	1	351	523
55-59 YEARS	766	59	1	273	428	661	41	4	347	262
60-64 YEARS	670	33	2	345	288	473	25	1	301	137
65-69 YEARS	510	26	3	331	145	351	22	1	269	49
70-74 YEARS	346	13	1	250	75	188	7	1	151	26
75 YEARS AND OVER	276	1	2	221	45	98	3	2	81	9
NOT STATED	111	22		2	13	146	36		7	22

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 21

REPORTED MARRIAGES BY MARITAL STATUS,
MISSOURI 1975

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	32,575	28,404	281	3,830	12	48
WIDOWED	2,147	227	1,127	784		9
DIVORCED	15,066	4,749	1,071	9,221	5	20
ANNULLED	20	5	1	2	12	
NOT STATED	339	23	4	4		308
TOTAL	50,147	33,408	2,484	13,841	29	385

TABLE 22

REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1975

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	44,601	44,432	138	31
NONWHITE	3,763	240	3,519	4
NOT STATED	1,783	25	1	1,757
TOTAL	50,147	44,697	3,658	1,792

TABLE 23

REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1975

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	4,763,000	50,147	10.5				
ADAIR	23,700	298	12.6	DOUGLAS	10,700	108	10.1
ANDREW	13,300	100	7.5	DUNKLIN	36,000	506	14.1
ATCHISON	9,000	233	25.9	FRANKLIN	64,000	668	10.4
AUDRAIN	25,100	291	11.6	GASCONADE	13,200	102	7.7
BARRY	21,800	228	10.5	GENTRY	7,800	80	10.3
BARTON	10,900	99	9.1	GREENE	169,900	1,980	11.7
BATES	16,200	47	2.9	GRUNDY	11,700	137	11.7
BENTON	11,600	72	6.2	HARRISON	10,000	167	16.7
BOLLINGER	9,800	72	7.3	HENRY	19,700	216	11.0
BOONE	86,800	860	9.9	HICKORY	5,400	35	6.5
BUCHANAN	85,500	1,028	12.0	HOLT	6,800	55	8.1
BUTLER	35,700	587	16.4	HOWARD	10,300	90	8.7
CALDWELL	8,800	65	7.4	HOWELL	27,200	367	13.5
CALLAWAY	26,900	189	7.0	IRON	10,500	115	11.0
CAMDEN	16,900	204	12.1	JACKSON	641,600	7,756	12.1
CAPE GIRARDEAU	52,100	604	11.6	JASPER	82,700	1,007	12.2
CARROLL	11,900	110	9.2	JEFFERSON	121,400	932	7.7
CARTER	4,400	52	11.8	JOHNSON	36,000	383	10.6
CASS	47,800	512	10.7	KNOX	5,800	40	6.9
CEDAR	11,100	64	5.8	LACLEDE	22,900	219	9.6
CHARITON	10,200	82	8.0	LAFAYETTE	28,700	227	7.9
CHRISTIAN	19,800	151	7.6	LAWRENCE	28,200	270	9.6
CLARK	8,100	166	20.5	LEWIS	11,000	107	9.7
CLAY	133,700	1,077	8.1	LINCOLN	19,800	204	10.3
CLINTON	14,000	81	5.8	LINN	14,900	155	10.4
COLE	48,600	644	13.3	LIVINGSTON	15,400	192	12.5
COOPER	14,600	139	9.5	MC DONALD	14,900	165	11.1
CRAWFORD	16,600	183	11.0	MACON	16,400	152	9.3
DADE	7,400	50	6.8	MADISON	9,300	113	12.2
DALLAS	11,500	99	8.6	MARIES	7,500	50	6.7
DAVISS	8,500	64	7.5	MARION	27,900	405	14.5
DE KALB	8,300	65	7.8	MERCER	4,900	151	30.8
DENT	13,100	180	13.7	MILLER	16,700	151	9.0

MARRIAGE RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.


TABLE 23 (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1975

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
MISSISSIPPI	16,600	202	12.2	ST. CHARLES	112,200	1,173	10.5
MONITEAU	11,100	102	9.2	ST. CLAIR	8,400	85	10.1
MONROE	9,400	66	7.0	ST. FRANCOIS	38,900	512	13.2
MONTGOMERY	11,800	112	9.5	STE. GENEVIEVE	14,400	131	9.1
MORGAN	12,500	100	8.0	ST. LOUIS CITY	513,400	5,144	10.1
NEW MADRID	24,700	200	8.1	ST. LOUIS COUNTY	964,200	8,975	9.3
NEWTON	38,400	376	9.8	SALINE	24,500	254	10.4
NODAWAY	22,900	268	11.7	SCHUYLER	4,800	133	27.7
OREGON	9,100	99	10.9	SCOTLAND	6,000	77	12.8
OSAGE	11,600	59	5.1	SCOTT	35,200	449	12.8
OZARK	7,300	66	9.0	SHANNON	7,900	67	8.5
PEMISCOT	25,300	330	13.0	SHELBY	7,700	65	8.4
PERRY	15,300	204	13.3	STODDARD	28,100	394	14.0
PETTIS	35,500	426	12.0	STONE	12,800	112	8.8
PHELPS	31,700	377	11.9	SULLIVAN	7,500	55	7.3
PIKE	16,500	210	12.7	TANEY	18,300	211	11.5
PLATTE	38,000	262	6.9	TEXAS	21,500	232	10.8
POLK	18,100	191	10.6	VERNON	19,300	225	11.7
PULASKI	39,600	629	15.9	WARREN	12,400	91	7.3
PUTNAM	6,000	114	19.0	WASHINGTON	16,100	190	11.8
RALLS	8,100	117	14.4	WAYNE	9,700	85	8.8
RANDOLPH	22,600	291	12.9	WEBSTER	18,700	153	8.2
RAY	19,400	210	10.8	WORTH	3,100	34	11.0
REYNOLDS	6,500	39	6.0	WRIGHT	15,400	131	8.5
RIPLEY	11,600	118	10.2				

MARRIAGE RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

DISSOLUTIONS

GRAPH F.
DISSOLUTION RATES 1949-1975
(per 1,000 population)



DISSOLUTIONS

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1962	11,882	2.7
1950	12,177	3.1	1963	12,652	2.9
1951	12,131	3.0	1964	12,785	2.9
1952	12,943	3.3	1965	13,261	3.0
1953	12,342	3.1	1966	13,758	3.0
1954	11,705	2.9	1967	14,520	3.2
1955	11,351	2.7	1968	16,473	3.6
1956	10,993	2.6	1969	17,578	3.8
1957	10,861	2.6	1970	17,852	3.8
1958	10,747	2.6	1971	19,643	4.2
1959	11,695	2.7	1972	20,699	4.4
1960	11,320	2.6	1973	21,777	4.6
1961	11,574	2.7	1974	22,050	4.6
			1975	24,527	5.1

SOURCE: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates, Series P-25, No.'s 139, 304, 460, 488. Provisional estimate for July 1, 1975—see page iv.

TABLE 24

**REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF PREVIOUS MARRIAGES.
HUSBAND BY WIFE, MISSOURI 1975**

		WIFE						
		DISSOLUTIONS						
HUSBAND	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	24,463	16,576	5,093	1,425	355	100	38	876
NONE	16,545	14,501	1,670	264	46	17	5	42
ONE	5,078	1,680	2,532	630	158	35	18	25
TWO	1,383	269	632	355	88	21	9	9
THREE	381	58	153	107	43	13	5	2
FOUR	117	16	49	29	10	12		1
FIVE OR MORE	59	6	24	22	3	2	1	1
NOT STATED	900	46	33	18	7			796
		INVALIDITIES						
TOTAL	64	29	21	9	2		1	2
NONE	17	13	3					1
ONE	33	9	15	5	2		1	1
TWO	9	3	3	3				
THREE								
FOUR								
FIVE OR MORE	2	1		1				
NOT STATED	3	3						
		LEGAL SEPARATIONS						
TOTAL	61	50	7	1	1			2
NONE	44	42	2					
ONE	11	5	5	1				
TWO	3	3						
THREE	1				1			
FOUR								
FIVE OR MORE								
NOT STATED	2							2

TABLE 25 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY DURATION OF MARRIAGE, MISSOURI 1975

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	24,588	24,463	64	61
UNDER 1 YEAR	595	578	17	
1 YEAR	2,470	2,443	25	2
2 YEARS	2,557	2,545	8	4
3 YEARS	2,516	2,505	8	3
4 YEARS	2,082	2,080	1	1
5 YEARS	1,863	1,860	1	2
6 YEARS	1,589	1,586		3
7 YEARS	1,295	1,293		2
8 YEARS	1,055	1,052		3
9 YEARS	911	908	1	2
10 YEARS	771	769		2
11 YEARS	709	708		1
12 YEARS	581	577		4
13 YEARS	519	516		3
14 YEARS	436	435		1
15 YEARS	383	381		2
16 YEARS	386	386		
17 YEARS	381	379		2
18 YEARS	307	306		1
19 YEARS	359	356		3
20-24 YEARS	1,241	1,238	1	2
25-29 YEARS	876	869		7
30-34 YEARS	334	329		5
35-39 YEARS	156	152	1	3
40 YEARS AND OVER	108	105		3
NOT STATED	108	107	1	

TABLE 26 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1975

CHILDREN REPORTED	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	24,588	24,463	64	61
NO CHILDREN	10,968	10,885	58	25
ONE CHILD	6,349	6,333	4	12
TWO CHILDREN	4,434	4,424	1	9
THREE CHILDREN	1,709	1,700		9
FOUR CHILDREN	636	633		3
FIVE CHILDREN	248	248		
SIX CHILDREN	74	73		1
SEVEN CHILDREN	23	23		
EIGHT CHILDREN	15	15		
NINE OR MORE CHILDREN	19	18		1
NOT STATED	113	111	1	1

TABLE 27 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER

PETITIONER	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	24,588	24,463	64	61
HUSBAND	5,584	5,560	18	6
WIFE	14,207	14,125	38	44
HUSBAND AND WIFE	4,311	4,296	4	11
OTHER	13	12	1	
NOT STATED	473	470	3	

TABLE 28 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER BY DISPOSITION OF CHILDREN

PETITIONER	TOTAL	HUSBAND	WIFE	GUARDIAN	JNT	CUST. OTHER	NOT STATED	NO CHILDREN
DISSOLUTIONS								
TOTAL	24,463	910	11,801	14	401	63	331	10,943
HUSBAND	5,560	465	2,059	5	121	28	79	2,803
WIFE	14,125	256	7,751	7	199	27	195	5,690
HUSBAND AND WIFE	4,296	178	1,915	2	78	7	42	2,074
OTHER	12	1	6					5
NOT STATED	470	10	70		3	1	15	371
INVALIDITIES								
TOTAL	64	1	3				2	58
HUSBAND	18	1	1				1	15
WIFE	38		2				1	35
HUSBAND AND WIFE	4							4
OTHER	1							1
NOT STATED	3							3
LEGAL SEPARATIONS								
TOTAL	61		33		2			26
HUSBAND	6		2		1			3
WIFE	44		26		1			17
HUSBAND AND WIFE	11		5					6
OTHER								
NOT STATED								

TABLE 29 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY MAINTENANCE AND SETTLEMENT, MISSOURI 1975

MAINTENANCE AND SETTLEMENT	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	24,588	24,463	64	61
NO MAINTENANCE OR SUPPORT	11,821	11,749	56	16
MAINTENANCE TO WIFE	804	792		12
MAINTENANCE TO HUSBAND	6	6		
PROPERTY SETTLEMENT	241	240	1	
SUPPORT TO CHILDREN	7,405	7,388	3	14
MAINTENANCE AND CHILD SUPPORT	3,267	3,249		18
MAINTENANCE OR SUPPORT TO OTHERS	4	4		
NOT STATED	1,040	1,035	4	1

TABLE 30 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	24,588	24,463	64	61
IRRETRIEVABLY BROKEN (NO CONTEST)	22,903	22,856		47
CONTESTED CASES				
ADULTERY	5	5		
MISBEHAVIOR	1,490	1,485		5
ABANDONMENT	10	9		1
12 MONTH SEPARATION BY MUTUAL CONSENT	2	2		
24 MONTH SEPARATION	4	3		1
INVALIDITY	64	-	64	
NOT STATED	110	103		7

TABLE 31 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY COLOR, HUSBAND BY WIFE, MISSOURI 1975

HUSBAND	DISSOLUTIONS	TOTAL	WHITE	WIFE	
				NONWHITE	NOT STATED
TOTAL		24,463	21,268	2,416	779
WHITE		21,246	21,097	97	52
NONWHITE		2,451	134	2,313	4
NOT STATED		766	37	6	723
INVALIDITIES					
TOTAL		64	57	7	
WHITE		56	55	1	
NONWHITE		8	2	6	
NOT STATED					
LEGAL SEPARATIONS					
TOTAL		61	59		2
WHITE		59	59		
NONWHITE					
NOT STATED		2			2

TABLE 32 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CASES CONTESTED, MISSOURI 1975

CONTESTANT	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	24,588	24,463	64	61
HUSBAND	786	781	2	3
WIFE	491	491		
NO CONTEST	23,229	23,113	58	58
NOT STATED	82	78	4	

TABLE 33

REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1975

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES	
		NUMBER	RATE			NUMBER	RATE
STATE TOTAL	4,763,000	24,527	5.1				
ADAIR	23,700	111	4.7	DE KALB	8,300	14	1.7
ANDREW	13,300	48	3.6	DENT	13,100	83	6.3
ATCHISON	9,000	45	5.0	DOUGLAS	10,700	26	2.4
AUDRAIN	25,100	99	3.9	DUNKLIN	36,000	230	6.4
BARRY	21,800	113	5.2	FRANKLIN	64,000	296	4.6
BARTON	10,900	43	3.9	GASCONADE	13,200	48	3.6
BATES	16,200	66	4.1	GENTRY	7,800	39	5.0
BENTON	11,600	30	2.6	GREENE	169,900	1,084	6.4
BOLLINGER	9,800	23	2.3	GRUNDY	11,700	51	4.4
BOONE	86,800	483	5.7	HARRISON	10,000	42	4.2
BUCHANAN	85,500	597	7.0	HENRY	19,700	130	6.6
BUTLER	35,700	281	7.9	HICKORY	5,400	22	4.1
CALDWELL	8,800	40	4.5	HOLT	6,800	27	4.0
CALLAWAY	26,900	128	4.8	HOWARD	10,300	38	3.7
CAMDEN	16,900	79	4.7	HOWELL	27,200	13	0.5
CAPE GIRARDEAU	52,100	242	4.6	IRON	10,500	40	3.8
CARROLL	11,900	35	2.9	JACKSON	641,600	4,586	7.1
CARTER	4,400	21	4.8	JASPER	82,700	703	8.5
CASS	47,800	221	4.6	JEFFERSON	121,400	570	4.7
CEDAR	11,100	36	3.2	JOHNSON	36,000	180	5.0
CHARITON	10,200	35	3.4	KNOX	5,800	15	2.6
CHRISTIAN	19,800	98	4.9	LACLEDE	22,900	131	5.7
CLARK	8,100	42	5.2	LAFAYETTE	28,700	100	3.5
CLAY	133,700	766	5.7	LAWRENCE	28,200	137	4.9
CLINTON	14,000	75	5.4	LEWIS	11,000	32	2.9
COLE	48,600	258	5.3	LINCOLN	19,800	80	4.0
COOPER	14,600	38	2.6	LINN	14,900	74	5.0
CRAWFORD	16,600	60	3.6	LIVINGSTON	15,400	70	4.5
DADE	7,400	24	3.2	MC DONALD	14,900	25	1.7
DALLAS	11,500	49	4.3	MACON	16,400	74	4.5
DAVISS	8,500	23	2.7	MADISON	9,300	49	5.3

DISSOLUTION RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

TABLE 33 (CONT)

REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1975

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES	
		NUMBER	RATE			NUMBER	RATE
MARIES	7,500	26	3.5	REYNOLDS	6,500	20	3.1
MARION	27,900	134	4.8	RIPLEY	11,600	60	5.2
MERCER	4,900	13	2.7	ST. CHARLES	112,200	674	6.0
MILLER	16,700	65	3.9	ST. CLAIR	8,400	38	4.5
MISSISSIPPI	16,600	75	4.5	ST. FRANCOIS	38,900	238	6.1
MONITEAU	11,100	30	2.7	STE. GENEVIEVE	14,400	18	1.3
MONROE	9,400	22	2.3	ST. LOUIS CITY	513,400	2,075	4.0
MONTGOMERY	11,800	38	3.2	ST. LOUIS COUNTY	964,200	4,674	4.8
MORGAN	12,500	39	3.1	SALINE	24,500	141	5.8
NEW MADRID	24,700	105	4.3	SCHUYLER	4,800	16	3.3
NEWTON	38,400	159	4.1	SCOTLAND	6,000	17	2.8
NODAWAY	22,900	55	2.4	SCOTT	35,200	246	7.0
OREGON	9,100	5	0.5	SHANNON	7,900	36	4.6
OSAGE	11,600	12	1.0	SHELBY	7,700	27	3.5
OZARK	7,300	17	2.3	STODDARD	28,100	188	6.7
PEMISCOT	25,300	159	6.3	STONE	12,800	57	4.5
PERRY	15,300	44	2.9	SULLIVAN	7,500	26	3.5
PETTIS	35,500	177	5.0	TANEY	18,300	97	5.3
PHELPS	31,700	147	4.6	TEXAS	21,500	70	3.3
PIKE	16,500	87	5.3	VERNON	19,300	89	4.6
PLATTE	38,000	274	7.2	WARREN	12,400	39	3.1
POLK	18,100	58	3.2	WASHINGTON	16,100	74	4.6
PULASKI	39,600	157	4.0	WAYNE	9,700	41	4.2
PUTNAM	6,000	18	3.0	WEBSTER	18,700	72	3.9
RALLS	8,100	39	4.8	WORTH	3,100	11	3.5
RANDOLPH	22,600	121	5.4	WRIGHT	15,400	79	5.1
RAY	19,400	110	5.7				

DISSOLUTION RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

TABLE 34

RECORDED ABORTIONS BY AGE AND MARITAL STATUS OF PATIENT, MISSOURI: 1975

AGE	TOTAL	NEVER MARRIED	CURRENTLY MARRIED	FORMERLY MARRIED	UNKNOWN OR NOT STATED
TOTAL	10,244	5,407	2,469	1,349	1,019
UNDER 15	199	175	14	9	1
15 - 19	2,871	2,625	187	32	27
20 - 24	3,047	1,955	702	347	43
25 - 29	1,496	387	650	438	21
30 - 34	861	100	451	299	11
35 - 39	479	32	291	148	8
40 - 44	170	11	112	43	4
45+	11	1	8	2	0
UNKNOWN	1,110	121	54	31	904

TABLE 35

RECORDED ABORTIONS BY EDUCATION AND RACE OF PATIENT, MISSOURI: 1975

YEARS OF EDUCATION	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	10,244	6,283	2,917	106	938
UNDER 8	60	31	26	3	0
8 - 11	2,497	1,557	917	17	6
12	3,691	2,514	1,142	28	7
13+	2,464	1,774	647	38	5
UNKNOWN	1,532	407	185	20	920

TABLE 36

NUMBER OF LIVING CHILDREN, NUMBER OF PREVIOUS ABORTIONS FOR WOMEN RECEIVING ABORTIONS,
MISSOURI: 1975

NUMBER OF LIVING CHILDREN	FREQUENCY OF PATIENTS
TOTAL	10,244
0	3,073
1	1,737
2	1,332
3	706
4	331
5	159
6+	161
UNKNOWN	2,745

NUMBER OF PREVIOUS ABORTIONS	FREQUENCY OF PATIENTS
TOTAL	10,244
0	4,705
1	1,069
2	115
3	14
4	6
5	1
6+	3
UNKNOWN	4,331

TABLE 37

RECORDED ABORTIONS BY COUNTY OR STATE OF RESIDENCE, MISSOURI: 1975

		ANNUAL 1975		STATE TOTAL	
EAST-WEST GATEWAY		MO-KAN BI-STATE		MARK TWAIN	
FRANKLIN	65	ANDREW		LEWIS	2
JEFFERSON	181	BUCHANAN	4	MACON	4
ST. CHARLES	211	CLINTON	4	MARION	17
ST. LOUIS COUNTY	2,073	DE KALB		MONROE	3
ST. LOUIS CITY	3,059	REGION TOTAL	8	PIKE	10
REGION TOTAL	5,589			RALLS	3
		NORTHWEST MISSOURI		RANDOLPH	9
MID-AMERICA		ATCHISON		SHELBY	1
CASS	4	GENTRY		REGION TOTAL	49
CLAY	33	HOLT			
JACKSON	486	NODAWAY	2	BOONSLICK	
PLATTE	9	WORTH		LINCOLN	22
RAY	1	REGION TOTAL	2	MONTGOMERY	9
REGION TOTAL	533			WARREN	12
		GREEN HILLS		REGION TOTAL	43
LAKES COUNTRY		CALDWELL	2		
BARRY	14	DAVISS		OZARK GATEWAY	
CHRISTIAN	25	GRUNDY		BARTON	
DADE	5	HARRISON		JASPER	10
DALLAS	6	LINN	1	MC DONALD	
GREENE	401	LIVINGSTON		NEWTON	1
LAWRENCE	16	MERCER		REGION TOTAL	11
POLK	8	PUTNAM			
STONE	10	SULLIVAN		KAYSINGER BASIN	
TANEY	16	REGION TOTAL	3	BATES	1
WEBSTER	20			BENTON	
REGION TOTAL	521	MISSOURI VALLEY		CEDAR	3
		CARROLL		HENRY	6
MID-MISSOURI		CHARITON	3	HICKORY	
AUDRAIN	12	SALINE	2	ST. CLAIR	1
BOONE	636	REGION TOTAL	5	VERNON	2
CALLAWAY	31			REGION TOTAL	13
COLE	55	NORTHEAST MISSOURI			
COOPER	8	ADAIR	8		
HOWARD	6	CLARK		SHOW-ME	
MONITEAU	5	KNOX		JOHNSON	2
OSAGE	4	SCHUYLER		LAFAYETTE	3
REGION TOTAL	757	SCOTLAND		PETTIS	7
		REGION TOTAL	8	REGION TOTAL	12

TABLE 37 (CONT) RECORDED ABORTIONS BY COUNTY OR STATE OF RESIDENCE, MISSOURI: 1975

ANNUAL 1975				STATE TOTAL	
SOUTH CENTRAL OZARK		SOUTHEAST MISSOURI		TOTAL INSTATE	8,096
DOUGLAS	8	BOLLINGER	2		
HOWELL	11	CAPE GIRARDEAU	89		
OREGON		IRON	6	OUT OF STATE	
OZARK	3	MADISON	3	ILLINOIS	1,979
SHANNON	5	PERRY	6	KANSAS	86
TEXAS	22	ST. FRANCOIS	38	ARKANSAS	21
WRIGHT	14	STE. GENEVIEVE	12	IOWA	4
REGION TOTAL	63	REGION TOTAL	156		
MERAMEC		BOOTHEEL		OTHER STATE	42
CRAWFORD	15	DUNKLIN	8	OTHER COUNTRY	
DENT	11	MISSISSIPPI	11	TOTAL OUT OF STATE	2,132
GASCONADE	13	NEW MADRID	12		
MARIES	3	PEMISCOT	3		
PHELPS	42	SCOTT	27	UNKNOWN	16
WASHINGTON	12	STODDARD	26		
REGION TOTAL	96	REGION TOTAL	87	TOTAL	10,244
LAKE OF THE OZARKS		OZARK FOOTHILLS			
CAMDEN	17	BUTLER	21		
LACLEDE	15	CARTER	1		
MILLER	6	REYNOLDS	4		
MORGAN	4	RIPLEY	2		
PULASKI	61	WAYNE	9		
REGION TOTAL	103	REGION TOTAL	37		

DIVISION OF HEALTH OF MISSOURI
Broadway State Office Building
P. O. Box 570
Jefferson City, Missouri 65101